




EDD

DRAWING NO.: R375-750B REV. B

NOTES:
1. UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE ± .010" [.254mm].


CAD#R375-750B_A



TIN/LEAD PLATED TERMINALS
PER 010-01-047
2 PL

PROTECTIVE COATING

MATERIALS:
SUBSTRATE: BERYLLIUM OXIDE
RESISTIVE FILM: PROPRIETARY THIN FILM
FINISH:
TERMINALS: TIN/LEAD PER MIL-P-81728
PROTECTIVE COATING: EPOXY PAINT
TECHNICAL: (RESISTOR)
TEMPERATURE COEFFICIENT: ± 200 PPM MAX
OPERATING TEMPERATURE (°C): -55° TO +150°
AVERAGE POWER (WATTS): 25
DC RESISTANCE: ± 5% STANDARD
*RESISTANCE RANGE (OHMS): 5-300

REV.	DESCRIPTION	DRAWN	APVD.	ECN#	01749	APVD MTG	DATE 03/95	REFERENCE	SCALE	CAGE CODE	ID NO.	SIZE	DRAWING NO.:	REV.			
A	ECN#01871	02/03/03	ALM	UNLESS OTHERWISE SPECIFIED 1. DO NOT SCALE DRAWING 2. DIMENSIONS ARE IN INCHES 3. DIMENSIONS ARE AFTER PLATING 4. CORNERS, EDGES AND FILLETS: R 5. SURFACE ROUGHNESS: 6. REMOVE ALL BURRS				MATERIAL Beo 99.5%	2/1	2Y194		A	R375-750B	B			
B	08-F0810	09/02/08	OJC	TOLERANCES X ± XX ± XXX ± ANGLES X° ±				FINISH	MFG:	CHKD.: 06/18/97			PSC	03/28/95	SHEET	OF	
				THE INFORMATION CONTAINED HEREIN IS: (A) CONSIDERED PROPRIETARY TO FLORIDA RF LABS INC.; (B) PROTECTED BY COPYRIGHT OWNED BY FLORIDA RF LABS INC.; (C) CONSIDERED A TRADE SECRET LAWS WHICH MAKE LEGAL THE MISAPPROPRIATION OF THIS INFORMATION; AND (E) IS TO BE USED SOLELY FOR THE PURPOSES INDICATED HEREIN. THIS INFORMATION IS NOT TO BE DISCLOSED OR REPRODUCED IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF A QUALIFIED EXECUTIVE OF FLORIDA RF LABS INC.				TITLE RESISTOR COAXIAL 25 WATT		DRAWING NO.:		DRAWN: 03/28/95		SHEET		OF	
				 8851 OLD KANSAS AVE. STUART, FL. 34997 772-286-9300													