

smiths interconnect



Commercial

Aerospace Connectivity Solutions

CUTTING-EDGE
CONNECTIVITY

About Smiths Interconnect



We Offer



Smiths Interconnect is a leading provider of high reliability connectivity products and solutions serving segments of aerospace and defense, medical, semiconductor test, and industrial markets. It designs and manufactures technically differentiated electronic components, microwave, optical and radio frequency products and sub-systems that connect, protect and control critical applications.

Smiths Interconnect is the supplier of choice for safe, efficient and reliable connectivity in commercial aerospace applications. We offer proven experience in high performance connector solutions, antenna systems, RF components and cable assemblies in line with the next generation of avionics equipment, engine systems, power distribution, SATCOM connectivity and various other airframe applications.

Our technology brands (EMC, Hypertac, IDI, Lorch, Millitech, Plastronics, Reflex Photonics, RF Labs, Sabritec, TECOM, TRAK and HSI) are synonymous with exceptional performance in technologically advanced, high quality solutions required for a high degree of safety and durability. Our extensive product portfolio includes high reliability electrical connectors and cable assemblies, rugged embedded transceivers, solutions for antenna systems, and a wide range of innovative RF and microwave solutions.



Defense & Aerospace



Communications



Industrial



Your partner of choice for cutting-edge connectivity solutions

80+ Years Experience

Technology

Broad Range of Advanced Interconnect Technologies

Flexibility


High Volume Product Platforms & Complete Tailored Solutions

Service

Global Reach with Local Support


Smiths Interconnect is part of Smiths Group plc, a global leader in applying advanced technologies for markets in threat and contraband detection, energy, communications and engineered components.

Technology Brands




PLASTRONICS

A leading supplier of burn-in test socket solutions for all the latest packaged devices. With the most comprehensive QFN catalog in the world, in addition to a large portfolio of sockets for burn-in, HAST, failure analysis and other test requirements for Leaded, LGA and BGA devices.



IDI

World's most comprehensive offering of spring probe based solutions, including: contacts, connectors, interposers, semiconductor test sockets, and ATE interfaces. Proven off-the-shelf and custom products deliver the best solution for the customer's specific application.



HYPERTAC

Premium interconnect solutions for electrical and electronic applications requiring optimized quality, performance, and reliability. Hypertac connectors utilize the original high performance hyperboloid contact technology; ideal for harsh environments and safety critical applications.




HSI

Joint venture with Sichuan Huafeng Enterprise Group Co. Ltd, one of the major manufacturers of electronic components in China. Industry-leading connectivity solutions for commercial aerospace and railway markets in mainland China.



SABRITEC

High speed quadrax, twinax, fiber optic, filter, coax and triax connectors, contacts and cable assemblies. Custom multi-pin circular, D-Sub rack and panel connectors and MIL-Spec interface type products.



EMC

Board-level components incorporating advanced resistive and signal distribution technologies for a broad range of frequency spectrum applications. Extensive portfolio of RF devices used to attenuate, level, or terminate signals available in a variety of packages and footprints.

Connectors

Fiber Optics & RF Components


Semiconductor Test

RF/MW Subsystems/Smiths Interconnect Inc (SII)



LORCH

Innovative solutions for the electronics and communications industries. Ranging from high performance wireless and RF products to micro-miniature, cavity, discrete, waveguide, tunable, ceramic, and printed filters and integrated assemblies.



REFLEX PHOTONICS

Embedded transceivers and transmit/receive modules for advanced interconnect-based solutions. Targeting high data rate interconnects where ruggedness and radiation resistance are required for defense, space, commercial aerospace and industrial applications.



RF LABS

High performance microwave cable assemblies and coaxial components supporting high performance operations, application-specific premium interconnects for high durability and harsh environments.



MILLITECH

Specializing in the engineering, manufacturing, and testing of millimeter-wave components, assemblies, and fully integrated subsystems for space, SATCOM, test and measurement, radar, and scientific applications.



TECOM


Industry leading innovator of antennas and positioning systems for SATCOM in-flight connectivity, instrumentation, datalink, command & control, and telemetry applications integrated into the world's most advanced commercial and military platforms.



TRAK

High reliability multi-function RF systems, ferrite microwave products, and precision time & frequency systems for defense, commercial aerospace, space, homeland security, and public safety applications.

Applications



Avionics

- Flight Control & Navigation Systems
- Flight Recorder
- Air Traffic Control
- Secondary Surveillance Radars
- Landing Gear & Brake Control Systems

Engine System

- Electronic Engine Controllers
- Power Controllers
- Overspeed Protection
- Vibration Monitoring
- High Temperature Sensors

Providing A Competitive Advantage

Smiths Interconnect is committed to developing cutting-edge interconnect solutions, technologies and full system integration capabilities for the latest generation of aircraft. Our solutions are well-suited to address both the reliability required for flight critical systems as well as environmental and mechanical concerns such as shock, vibration and extreme temperature ranges.



Power Distribution

- Power Distribution & Management
- Auxiliary Power Units
- De-icing Systems
- Power Conversion
- Motor Drives

SATCOM Connectivity

- In-Flight Entertainment
- Cabin Communication Systems
- Wireless Connectivity
- High Speed Networking

Connectors




Reliability & Safety

Through our Hypertac, HSI, IDI and Sabritec technology brands, we supply application-specific, high-reliability electrical interconnect solutions from highly integrated assemblies to microminiature connectors and spring probe contacts. Our reliable contact technologies are the core of our advanced interconnect solutions: Hyperboloid, Spring Probe, High Speed, Fiber Optic, High Power and High Temperature.

**Providing
exceptional
performance
in critical
applications**


Board to Board

- Available in 2 and 3 row configurations, from 17 to 160 contacts
- ESA qualified: ESCC 3401 039
- Guiding devices with or without polarization (16 keys available)
- Wire wrap, crimp, solder cup, straight and right angle PC tails




High Speed Vita Backplane

- Fully footprint compatible with VITA 46/48 standards
- Flexible modular design for standard 3U, 6U and custom configurations
- 100 Ω differential
- Data rate performance up to 16 Gbps




Rugged 2mm Compact PCI

- Qualified to NASA GSFC: S-311-P-822
- Intermateable with cPCI COTS systems
- Hyperboloid & bifurcated contact systems
- Data rate performance up to 3.125 Gbps




Signal & Power PCB

- Signal and HE 807 cavities for power and coaxial contacts
- Ruggedized metal or plastic shell available
- ESA qualified: ESCC 3401/065
- Up to 400 signal contact positions



Custom Spring Probe Interposers

- Low profile, high compliance ratio
- Compression mount termination options
- Mixed signals and functionality designed into a single connector
- Range of protective coverings available



Did you know?

Our high speed data transmission connectors are used on next generation fuel efficient LEAP Turbofan engines of the Comac 919, A320NEO and Boeing 737MAX aircrafts.

Designing
safety,
delivering
reliability



EMI Filter

- Intermateable and interchangeable with standard non-filter connectors
- C, L and Pi style of all formats
- Insertion loss simulation for actual circuit configurations
- TVS protection meeting the requirements of RTCA D-160 section 22 up to level 5



High Speed Copper

- Standard 100 and 150 Ω quadrax and twinax contacts
- Micro twinax and quadrax connectors
- Rugged D-Sub, ARINC and MIL-DTL-38999 standard quadrax and twinax
- Data rates up to 6.25 Gbps



Modular Power

- Optimized filter style and value on receipt of signal type and data rate
- Improved shock and vibration resistance
- Low impedance control system
- Transient protection in accordance with RTCA D 160F waveform and level specifications



Fiber Optic

- Butt-joint and expanded beam technology
- Floating design ($< -0.5\text{dB}$), low loss fiber available
- Connector formats for MILDTL- 38999, ARINC 600
- Fully terminated and tested
- PC or APC ferrule end face



High Power Circular

- Compact and small size for weight savings available in both single and five pole version
- Quick locking device
- Current ratings from 300A to 500A
- 360° EMI/RFI shielding
- IP67 fully sealed
- Robust metal shells
- Finger proof IP2X




High Speed Data

- High density, butt joint interconnect technology
- Standard 1.25 mm ferrule and sleeve
- Multi-mode and single-mode applications
- Low loss, low back reflection
- Standard MIL-DTL-38999 and ARINC 600 Size 16
- Removable alignment sleeve holder



Fiber Optics & RF Components



Optical Performance, Durability & Safety

Through our EMC, Florida RF, Lorch, Reflex Photonics and Trak brands we provide RF/Microwave components including: resistive & signal distribution components; cable assemblies; ferrite devices and waveguide products; filters, multiplexers and integrated assemblies; embedded transceivers and transceiver modules providing exceptional performance in critical flight applications.

**Extensive
portfolio in a
variety of
packages and
footprints**

RF Semi-Rigid Cable Assemblies

- High frequency
- RF leakage: up to > 100 dB
- Copper or aluminum jackets
- Range of protective coverings available



RF Flexible Cable Assemblies

- Low loss designs available for Ku/Ka band designs (DC-40 GHz)
- High shielding and extremely durable mechanical life due to braiding designs and solder terminations
- Solid center conductor designs available DC-65 GHz in low loss phase stable designs
- Phase matched options available



Did you know?

Our Temperature Variable Attenuators are used to compensate for temperature variations from -65°C to $+150^{\circ}\text{C}$.


Diamond RF Resistives

- Highest power and frequency, smallest size
- Very low parasitic capacitance
- Footprints from 0402 (20W) to 2010 (300W)
- Size and weight reduction in space & hi-rel applications
- Easy-to use packages: chips, flange and tabbed




RF Filters

- RF Filters, Multiplexers, Switched Filter Banks, and Integrated assemblies, from 100 KHz to 65 GHz
- Bandpass, lowpass, highpass, notch, diplexed & multiplex options
- Small footprint and light weight
- Surface mountable for pick and place applications with Planar X topology



Attenuators

- Operating frequencies up to 50 GHz
- Superior broadband performance
- Space and military qualified
- Wide range of attenuation values
- Surface mount and wire bondable packages



Ensuring
integrity in
mission-critical
applications




Coaxial Isolators

- Wide range of isolators, circulators, loads, terminations, and attenuators
- Designed to operate from 300 MHz to 26 GHz
- Unique solid connectors available including female & male orientations, and SMA, TNC & SMP styles
- Male/ female connector barrel machined to be integrated in housing
- Optimized for thermal and dynamic operational environments




Microstrip, Surface Mount and Stripline Isolators and Circulators

- Isolators and circulators
- Stripline devices operating in assigned bands from 0.4 to 18 GHz
- SMT devices in S, C & X-bands suitable for pick and place and re-flow soldering
- Microstrip offers a unique blend of broad band operation, low mass and low profile with devices available in assigned bands from 2.2 to 32 GHz



Waveguides


- Isolators, circulators, combiners, couplers, loads, transitions, terminations, & multi-function assemblies
- Full waveguide band isolators and circulators WR-42-WR-05 (18 to 220 GHz)
- High power waveguide circulators / isolators for protecting TWTs up to 100 GHz
- Breadth of passive products operate from 1.0 GHz to 325 GHz
- High power devices are supplied as junction or differential phase shift types
- Guaranteed low and stable insertion loss under maximum power



Did you know?


Smiths Interconnect has supplied over 400,000 microstrip isolators and circulators to the next generation multi-function radars and industrial telecommunication applications.

Improving
passenger
experience with
higher connectivity



Mid-Board Space-Qualified Optical Transceivers

- Space heritage (TRL 9) since 2021
- Small: Height as low as 5.5mm with interposer
- Space qualified for radiation, shock and vibration, TVAC, and outgassing
- Expected life: Up to 20 years
- Cold start temperature: -55°C
- 10 and 25 Gbps data rates on 4-lane transceivers and 12-channel transmitters/receivers
- Operating temperature: From -40°C to 85°C
- Sensitivity: Up to -9dBm @ BER 10^{-12}
- Power consumption:
As low as 85 mW/lane
(<10 pJ per bit)
- LGA interposer interface




Rugged Backplane Optical Modules

- Compliant with VITA 66.5-defined backplane connectors
- Performance: 1 Gbps up to 28 Gbps/lane
- Operating temperature: From -40°C to 85°C
- Low power consumption: As low as 100 mW/lane
- Ultra-high port bandwidth density of up to 720 Gbps full-duplex in a half-width slot
- Rugged: MIL-STD 883 shock and vibration qualified
- Sensitivity: Up to -12 dBm @ BER 10^{-12}
- Ingress protection: Moisture, thermal and shock resistant
- Maximizes board space on 3U and 6U high-speed switch and payload VPX boards



Rugged Mid-Board Optical Transceivers


- Proven: Used in many defense applications
- Small: Height as low as 5.5mm with interposer
- Rugged: MIL-STD 883 shock and vibration qualified
- Sealed: Moisture and thermal shock resistant
- Storage temperature: -57°C to 125°C
- Performance: Up to 28 Gbps/lane
- Operating temperature: From -40°C to 85°C
- Sensitivity: Up to -12dBm @ BER 10^{-12}
- Low power consumption: As low as 100 mW/lane
- Channel configurations: 4TRx, 12TRx (10G only), 12Rx, and 12Tx



Did you know?

12-channel pluggable optical transceivers are used on commercial aerospace audio video distribution systems allowing the ability to distribute high quality uncompressed video for your in-flight entertainment and connectivity.

RF/MW Subsystems




Advanced Technologies and Solutions

Whether it's a custom design or build-to-print, our Millitech, TECOM, and TRAK brands offer a broad range of advanced antenna systems as well as high-reliability RF/Microwave/Millimeter-wave components, assemblies and fully integrated subsystems, providing significant leverage in tackling commercial aerospace system challenges.

Advanced
solutions for
commercial
aerospace
platforms


Ka-Band Antenna Systems

- Light weight fully integrated 3 LRU system
 - High gain antenna system with integrated High Power Transceiver (HPT)
 - Antenna Control Unit (ACU)
 - Modem agnostic (customer selected)
- Broad frequency coverage for commercial and military applications
- Real time switchable dual polarization
- Operates on global Ka-band HTS satellite networks
- DO-160 qualified




Ku-Band Antenna Systems

- Light weight fully integrated 3 LRU system
 - High gain antenna system with integrated High Power Transceiver (HPT)
 - Antenna Control Unit (ACU)
 - Modem agnostic (customer selected)
- Full Ku-band spectrum coverage for military and commercial applications
- Real time switchable dual polarization
- Gate-to-gate connectivity
- Operates on global Ku-band networks and new HTS satellites



Ku-Band Antenna Systems

- Integrated 4 LRU system
 - Satellite Antenna Assembly (SAA)
 - Antenna Control Unit (ACU)
 - High Power Transceiver (HPT)
 - Modem agnostic (customer selected)
- Full compliance with stringent FCC regulatory standards
- Large Install Base
 - Over 1000 aircraft installations
 - More than 15 million flight hours
 - Commercial and military variants



Antenna Control Unit (ACU)

- Interfaces with aircraft for navigation information
- Provides antenna positioning command and control



Did you know?

Our high reliability antenna systems enable gate-to-gate in-flight broadband connectivity.

Global Capabilities



Reliable Solutions

In-house capabilities encompassing design, development, manufacturing and testing to anticipate market needs, respond quickly and accurately to customers, and provide the most reliable connectivity solutions.

Market-leading Engineering and Technology Solutions

80+

Years Experience





Certifications, Standards & Compliance

- AS9100D
- ISO 9001
- ISO 14001
- ISO 45001
- NF F 61-030
- NF F 61-032
- NF F 16-101
- NF F 16-102
- NF-C 93421
- DIN 41612
- DIN 43652
- EN 50124
- EN 45545-2
- IEEE-1101.2-'92
- IEC 1076-4 101
- IEC 61373
- IEC 61984
- HE 501
- HE 704
- UTE C93-425
- UL94 VO
- RoHS compliance
- IRIS

Engineering

- 3D EM Modeling
- Advanced RF & System Modeling
- CAD/CAM & Solid Modeling
- Finite Element Analysis
 - Thermal Analysis
 - Shock & Vibration Analysis
- Reliability Analysis

Prototyping


- CNC Turning & Milling Centers
- Cabling / Prototype Assembly
- 3D Printing
- Ceramic Grinding
- EDM
- Circuit Board Routing

Manufacturing

- Precision Machine Shops
- Connector, Contact & Cable Assembly
- Automated PCB Assembly & Inspection
- Automated Hybrid Assembly
 - Die Placement
 - Wedge & Wire Bonding
 - Gap Welding
- NASA Certified Soldering
- Automated Test & Tune
- Optical Alignment
- System Integration
- Validation Testing

Testing/Qualification

- Electrical Acceptance & LOT Test
- RF Test Capability, up to 325 GHz
- High Speed Digital
- Anechoic Chamber Testing
- ESS Environmental Qualification
- ESS Temperature, Shock & Vibration
- Metallurgical
- Real Time X-Ray
- Near Field/Compact Antenna Range
- Thermal Vacuum
- High Power RF Testing
- Optics Lab
- Multi paction, SRS mechanical shock



Connecting Global Markets

Smiths Interconnect's strong focus on serving international markets and customers is supported by our sales and technical teams across the Americas, Europe and Asia.

[more > smithsinterconnect.com](https://www.smithsinterconnect.com) | [in](#) [🐦](#) [📺](#)

Business Unit

Connectors

Fiber Optics &
RF Components

Semiconductor
Test

RF/MW
Subsystems

Worldwide Support

Americas

Sales

connectors.uscsr@smithsinterconnect.com

Technical Support

connectors.ustechsupport@smithsinterconnect.com

Sales

focom.uscsr@smithsinterconnect.com

Technical Support

focom.techsupport@smithsinterconnect.com

Sales

semi.uscsr@smithsinterconnect.com

Technical Support

semi.techsupport@smithsinterconnect.com

Sales

subsystems.csr@smithsinterconnect.com

Technical Support

subsystems.techsupport@smithsinterconnect.com

Europe

Sales

connectors.emeacsr@smithsinterconnect.com

Technical Support

connectors.emeatechsupport@smithsinterconnect.com

Sales

focom.emeacsr@smithsinterconnect.com

Technical Support

focom.techsupport@smithsinterconnect.com

Sales

semi.emeacsr@smithsinterconnect.com

Technical Support

semi.techsupport@smithsinterconnect.com

Sales

subsystems.csr@smithsinterconnect.com

Technical Support

subsystems.techsupport@smithsinterconnect.com

Asia

Sales

asiacsr@smithsinterconnect.com

Technical Support

asiatechsupport@smithsinterconnect.com

Sales

focom.asiacsr@smithsinterconnect.com

Technical Support

focom.techsupport@smithsinterconnect.com

Sales

semi.asiacsr@smithsinterconnect.com

Technical Support

semi.techsupport@smithsinterconnect.com

Sales

subsystems.csr@smithsinterconnect.com

Technical Support

subsystems.techsupport@smithsinterconnect.com

A close-up photograph of a jet engine turbine, showing the intricate, curved blades and the central hub with a logo. The image is partially obscured by a purple and blue geometric overlay.

Pioneers of Progress

Advancing the world through cutting-edge connectivity

We aim to be the partner of choice for innovative connectivity solutions where reliability, high quality, technical expertise, application knowledge, and a reputation for excellence is vital.

smithsinterconnect.com

