Armorized & Weatherized MonoCoil & Polyolefin

OPTIONS SHEET 1 OF 1 **OPTION-MP** DOCUMENT No: SHEET

Typical Properties

Armor Material: Stainless Steel 304 alloy Construction: Spiral Wound Spring Tube

Inner Layer: Fiberglass Braid Polyolefin shrink tube **Jacket Material:**

-55 to +135 **Temperature Rating**

Properties information is typical data only and should not be used for specification requirements.



GENERAL DESCRIPTION

Monocoil is made from a flat T-304 stainless steel strip, spiral wound to form a long spring like tube. A polyolefin jacket (shrink tubing) is applied over the length of the stainless steel armor prevent dirt, water and other elements from pentrating into the armor.

Armorized & Weatherized Overall Length Protective Covering (Optional)

Cable Code: 160 Cable Code: 105

Option Code: MC Option Code: MC Description: SST Monocoil Armor & Jacket Description: SST Monocoil Armor & Jacket

Diameter Outside: .25 Diameter Outside: .19 Bend Radius: Bend Radius: Break lbs/linear: Break lbs/linear: Crush* lbs/inch: Crush* lbs/inch:

Weight lbs/100 ft: Weight lbs/100 ft:

Cable Code: 200

Option Code: MC

Description: SST Monocoil Armor & Ja

Diameter Outside: .30 Bend Radius: Break lbs/linear: Crush* lbs/inch:

Weight lbs/100 ft: .94

CONSULT SALES DEPT FOR OTHER TYPES OF COVERING

PART NUMBERING CODE (EXAMPLE LAB-FLEX 200) CONNECTOR#1 CABLE LENGTH CONNECTOR#2 ASSY. SMS 200 MP SMS F AP 36.0 TYPE OPTION TYPE OPTION TYPE OPTION OPTION LENGTH