


Hood&Housing



Rectangular connector-Hoods/Housings Contents

Size	Type	Page
3A	Hoods/Housings(Plastic,Standard,EMC,Corrosion Resistance)	P15-06 ~ P15-16
10A	Metal Hoods/Housings	P15-17 ~ P15-18
16A	Metal Hoods/Housings	P15-19 ~ P15-20
32A	Metal Hoods/Housings	P15-21 ~ P15-24
6B	Hoods/Housings(Plastic,Metal,Corrosion Resistance)	P15-25 ~ P15-38
10B	Hoods/Housings(Plastic,Metal,suitable for harsh environment,Corrosion Resistance,Pressure Tight)	P15-39~ P15-69
16B	Hoods/Housings(Plastic,Metal,suitable for harsh environment,EMC,Corrosion Resistance,Pressure Tight)	P15-70 ~ P15-107
24B	Hoods/Housings(Plastic,Metal,suitable for harsh environment,Corrosion Resistance,Pressure Tight)	P15-108 ~ P15-150
32B	Hoods/Housings(Metal,Pressure Tight)	P15-151 ~ P15-159
48B	Hoods/Housings(Metal,Pressure Tight)	P15-160 ~ P15-162
HC	Metal Hoods/Housings	P15-163 ~ P15-168
Thickned seal part	(H series BK housing)	P15-169 ~ P15-170

Levers for option

	Identify	Main material	Description	Designation Example	Order NO. Example
	L/SC	Stainless steel+TPR	high-strength locking device with rubber cover, Suitable for harsh environment (anti-corrosion)	H24B-SF-1L/SC-M25	111 024 221 1003
	L/PSE	PC+Stainless steel	removable locking device, suitable for general industrial environment	H24B-SF-1L/PSE-M25	111 024 228 1001


Dear customer:

Thank you very much for your continued trust in our products and your support for our company.

During the course of development, HSI has always been trying to improve and enrich our products. To meet the customers' need for connectors between IP65 and IP68, we develop brand-new IP67 metal shells. Affected models include 6B、10B、16B、24B、32B、32A (3A、10A、16A and 48B are not included at present). These new shells can endure harsher environments especially outdoor operating environments, such as tower crane infrastructure、road construction、construction vehicles、outdoor cabinets、mining machinery and so on.

IP67 shells are named W series products, their designations begin with the letter "W", such as W6B、W10B、W16B、W24B、W32B、W32A. We redesign the appearance、seal flatness and manufacturing technique, while the size remains the same. W series products are compatible with H series products, as well as all standard inserts、modular frames、cable glands and so on.

The differences between W series products and H series products (take 24B for example):




While promoting the W series products, the present H series products are also continued to be supplied, in other words we will supply IP65、IP67、IP68、IP69K products at the same time. (For specific technical parameters of W series products, please kindly refer to our catalogue). Through redesigning these shells, we wish to demonstrate HSI's innovative spirit and the ability of independent development. We appreciate your understanding and support in this matter, and we hope that you will like our redesigned shells. We will offer more products and innovations continuously.

Should you have any questions, please do not hesitate to contact us.

Illustration for IP65 or IP67 under different matches between W series shells and H series metal shells

(take high construction hood+ bulkhead mounted housing for example)



*For the definition and requirements of IP grade, please kindly refer to IEC 60529-2013

Technical characteristics

Size 3A Plastic Hoods & Housings IP65	
Material	polycarbonate
Colour	light grey (RAL 7032)
Locking element	
-Lever type	plastic elastic pressing
-Material	polyamide
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN 60 529 for coupled connector	IP65

Size 3A Metal Hoods & Housings IP65	
Material	zinc die-cast
Colour	grey
Locking element	
-Lever type	metal elastic pressing
-Material	metal galvanized/ nickel plating
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN 60 529 for coupled connector	IP65

3A Pressure tight Hoods & Housings IP68/IP69K	
Surface	Epoxy powder coating
Material	zinc die-cast
Colour	black or grey
Locking element	
-Lever type	screw locking
-Material	stainless steel
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN 60 529 for coupled connector	IP68/IP69K

EMC Electromagnetic Compatibility Hoods & Housings IP65	
Material	zinc die-cast(3A) aluminium die-cast(Type B)
Surface	electrical conductive
Locking element	
-Lever type	metal elastic pressing/screw locking
-Material	see 15-02
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN 60 529 for coupled connector	H version IP65 / W version IP67

HC Metal Hoods & Housings IP65	
Surface	Epoxy powder coating/nickeling
Material	zinc die-cast
Colour	black/brushed nickel
Locking element	
-Lever type	metal elastic pressing
-Material	stainless steel
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN 60 529 for coupled connector	IP65

Plastic Hoods & Housings IP65	
Material	polyamide
Colour	RAL 9005 (black)
Locking element	
-Lever type	plastic elastic pressing
-Material	polyamide
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN 60 529 for coupled connector	IP65

Metal Hoods & Housings IP65	
Material	aluminium die-cast
Colour	grey
Locking element	
-Lever type	metal elastic pressing
-Material	see P15-02
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN 60 529 for coupled connector	H version IP65 / W version IP67

Hoods/Housings for higher environmental requirements IP65	
Material	zinc die-cast(3A), aluminium die-cast,
Colour	RAL 9005 (black)
Surface- Top coat	epoxy powder paint
Locking element	
-Lever type	metal elastic pressing
-Material	stainless steel
Hoods/Housings seal	FFM
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN 60 529 for coupled connector	H version IP65 / W version IP67

Pressure tight Hoods & Housings IP68/IP69K	
Material	aluminium die-cast, corrosion resistant
Colour	black or grey
Locking element	
-Lever type	screw locking
-Material	stainless steel
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN 60 529 for coupled connector	IP68/IP69K

HC Plastic Hoods & Housings IP65	
Material	polycarbonate
Colour	RAL 9005 (black)
Locking element	
-Lever type	plastic elastic pressing
-Material	polyamide
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN 60 529 for coupled connector	IP65


3A Plastic hoods/housings

Degree of protection: IP65

Hoods, side entry




Thread	Designation	Order No.
M20	H3A.P-SE-2B-M20	118 003 510 1002
PG11	H3A.P-SE-2B-PG11	118 003 510 1008



Hoods, top entry




Thread	Designation	Order No.
M20	H3A.P-TE-2B-M20	118 003 410 1002
PG11	H3A.P-TE-2B-PG11	118 003 410 1008



Bulkhead mounted housings




Thread	Designation	Order No.
---	H3A.P-BK-1L	118 003 327 1001



Bulkhead mounted housings




Thread	Designation	Order No.
---	H3A.P-BK-1L-SE	118 003 927 1001



Surface mounted housings




Thread	Designation	Order No.
M20	H3A.P-SF-1L-M20	118 003 227 1002
PG11	H3A.P-SF-1L-PG11	118 003 227 1008



Housings, cable to cable



Thread	Designation	Order No.
M20	H3A.P-CCT-1L-M20	118 003 727 1002
PG11	H3A.P-CCT-1L-PG11	118 003 727 1008



3A Plastic hoods/housings




Degree of protection: IP65

Protection covers




Connect way	Designation	Order No.
	H3A-CV-1L/1M (for male insert)	110 003 027 8001
	H3A-CV-1L/1F (for female insert)	110 003 027 8002



Protection covers, cable to cable



Connect way	Designation	Order No.
	H3A-CV-2B/1M (for male insert)	110 003 010 8001
	H3A-CV-2B/2M (for male insert)	110 003 010 8004
	H3A-CV-2B/1F (for female insert)	110 003 010 8002
	H3A-CV-2B/2F (for female insert)	110 003 010 8005



3A Metal hoods/housings




Degree of protection: IP65

Hoods, side entry




Thread	Designation	Order No.
M20	H3A-SE-2B-M20	110 003 510 1002
PG11	H3A-SE-2B-PG11	110 003 510 1008



Hoods, side entry, high construction




Thread	Designation	Order No.
M20	H3A-SEHC-2B-M20	112 003 510 1001
PG11	H3A-SEHC-2B-PG11	110 003 510 1519



Hoods, top entry




Thread	Designation	Order No.
M20	H3A-TE-2B-M20	110 003 410 1002
PG11	H3A-TE-2B-PG11	110 003 410 1008
PG13.5	H3A-TE-2B-PG13.5	110 003 410 1009



Hoods, top entry




Thread	Designation	Order No.
M25	H3A-TE-2B-M25	110 003 410 1004



Bulkhead mounted housings




Thread	Designation	Order No.
---	H3A-BK-1L/W	110 003 324 1001



Bulkhead mounted housings



Thread	Designation	Order No.
---	H3A-BK-1L/W-MCV/M (for male insert)	110 003 364 1101
---	H3A-BK-1L/W-MCV/F (for female insert)	110 003 364 1102



3A Metal hoods/housings




Degree of protection: IP65

Bulkhead mounted housings




Thread	Designation	Order No.
---	H3A-BK-1L/W-SE	110 003 924 1001



Housings




Thread	Designation	Order No.
Bulkhead mounting		
PG11	H3A-SF/BK-1L/W-PG11	110 003 224 1108
Surface mounting		
M20	H3A-SF-1L/W-M20	110 003 224 1002
PG11	H3A-SF-1L/W-PG11	110 003 224 1008
PG13.5	H3A-SF-1L/W-PG13.5	110 003 224 1009



Housings, cable to cable




Thread	Designation	Order No.
M20	H3A-CCT-1L/W-M20	110 003 724 1002
PG11	H3A-CCT-1L/W-PG11	110 003 724 1008



Housings, cable to cable




Thread	Designation	Order No.
M25	H3A-CCT-1L/W-M25	110 003 724 1003



Hoods, top entry, with cable gland



Thread	Designation	Order No.
M25	H3A-TE-2B-OM25(D6-12)	110 003 410 1003
M25	H3A-TE-2B-OM25(D11-17)	110 003 410 1103



3A Metal hoods/housings




Degree of protection: IP65

Hoods, top entry




Thread	Designation	Order No.
M20	H3A-TE-2B-1L/S-M20	110 003 265 8002



Surface mounted housings




Thread	Designation	Order No.
M20	H3A-SF-1L/S-M20-MC/F (for female insert)	110 003 265 1502



Surface mounted housings with PCB



Thread	Designation	Order No.
M20	H3A-SF-1L/S-M20-MC/PC(1, 2) (for female insert) ¹⁾	110 003 265 8001



1) Only suitable for HA-004 series.


3A Metal hoods/housings(EMC)

Degree of protection: IP65

Hoods, side entry




Thread	Designation	Order No.
M20	EMC.H3A-SE-2B-M20	110 603 510 1002
PG11	EMC.H3A-SE-2B-PG11	110 603 510 1008



Hoods, top entry




Thread	Designation	Order No.
M20	EMC.H3A-TE-2B-M20	110 603 410 1002
PG11	EMC.H3A-TE-2B-PG11	110 603 410 1008



Bulkhead mounted housings




Thread	Designation	Order No.
---	EMCD.H3A-BK-1LW	110 603 324 1101



Bulkhead mounted housings




Thread	Designation	Order No.
---	EMCD.H3A-BK-1LW-MCV/M(for male insert)	110 603 364 1101
---	EMCD.H3A-BK-1LW-MCV/F(for female insert)	110 603 364 1102



Bulkhead mounted housings




Thread	Designation	Order No.
---	EMCD.H3A-BK-1LW-SE	110 603 924 1101



Surface mounted housings




Thread	Designation	Order No.
M20	EMC.H3A-SF-1LW-M20	110 603 224 1002
PG11	EMC.H3A-SF-1LW-PG11	110 603 224 1008



Housings, cable to cable



Thread	Designation	Order No.
M20	EMC.H3A-CCT-1LW-M20	110 603 724 1002
PG11	EMC.H3A-CCT-1LW-PG11	110 603 724 1008



3A Metal hoods/housings(EMC)


Degree of protection: IP65

EMC

Hoods, top entry,with cable gland



Thread	Designation	Order No.
M25	EMC.H3A-TE-2B-OM25(D6-12)	110 603 410 1003
M25	EMC.H3A-TE-2B-OM25(D11-17)	110 603 410 1203




Degree of protection: IP65

Protection covers




Connect way	Designation	Order No.
	H3A-MCV-1L/1M (for male insert)	110 003 024 8101
	H3A-MCV-1L/1F (for female insert)	110 003 024 8102



Protection covers



Connect way	Designation	Order No.
	H3A-MCV-2B/1M (for male insert)	110 003 010 8101
	H3A-MCV-2B/2M (for male insert)	110 003 010 8104
	H3A-MCV-2B/1F (for female insert)	110 003 010 8102
	H3A-MCV-2B/2F (for female insert)	110 003 010 8105



3A Metal hoods/housings

-Suitable for harsh environment(anti-corrosion)




Degree of protection: IP65

Hoods, side entry




Thread	Designation	Order No.
M20	H3A-MSE-2B-M20	112 003 510 1002
PG11	H3A-MSE-2B-PG11	112 003 510 1008



Hoods, top entry




Thread	Designation	Order No.
M20	H3A-MTE-2B-M20	112 003 410 1002
PG11	H3A-MTE-2B-PG11	112 003 410 1008



Bulkhead mounted housings




Thread	Designation	Order No.
---	H3A-MBK-1L/S	112 003 325 1001



Bulkhead mounted housings




Thread	Designation	Order No.
---	H3A-MBK-1L/S-SE	112 003 925 1001



Surface mounted housings




Thread	Designation	Order No.
M20	H3A-MSF-1L/S-M20	112 003 225 1002
PG11	H3A-MSF-1L/S-PG11	112 003 225 1008



Housings, cable to cable



Thread	Designation	Order No.
M20	H3A-MCCT-1L/S-M20	112 003 725 1002
PG11	H3A-MCCT-1L/S-PG11	112 003 725 1008



3A Metal hoods/housings

-Suitable for harsh environment(anti-corrosion)




Degree of protection: IP65

Protection covers




Connect way	Designation	Order No.
	H3A-MCV-1L/1M (for male insert)	112 003 025 8001
	H3A-MCV-1L/1F (for female insert)	112 003 025 8002



Protection covers




Connect way	Order No.
	112 003 010 8001
	112 003 010 8002



Hoods, side entry




Thread	Designation	Order No.
M20	H3A-MSE2/S-2B/S-M20	112 003 515 1002



Bulkhead mounted housings



Thread	Designation	Order No.
---	H3A-MBK-1L/S-MMCV/S/S	112 003 365 1103



3A Pressure tight hoods/housings

Epoxy powder coating


Degree of protection: IP68/IP69K

H version

Hoods, top entry




Thread	Designation	Order No.
Epoxy powder coating • Screw locking		
M20	HP3A/H-TE-2S-M20	113 003 420 1002
PG13.5	HP3A/H-TE-2S-PG13.5	113 003 420 1009
Epoxy powder coating • Toggle locking		
M20	HP3A/H-TE-2T-M20	113 003 440 1002
PG13.5	HP3A/H-TE-2T-PG13.5	113 003 440 1009



Bulkhead mounted housings




Thread	Designation	Order No.
Epoxy powder coating • Screw locking		
---	HP3A/H-BK-2H	113 003 320 1001
Epoxy powder coating • Toggle locking		
---	HP3A/H-BK-2T	113 003 340 1001



Adaptor for Housings




Thread	Designation	Order No.
Epoxy powder coating		
---	HP3A/H-BK-SE	113 003 900 1001



Surface mounted housings




Thread	Designation	Order No.
Epoxy powder coating • Screw locking		
M20	HP3A/H-SF-2H-M20	113 003 220 1002
PG13.5	HP3A/H-SF-2H-PG13.5	113 003 220 1009



Bulkhead mounted housings



Thread	Designation	Order No.
Epoxy powder coating • Screw locking		
---	HP3A/H-SF-2H	113 003 220 1001



3A Pressure tight hoods/housings

Epoxy powder coating


Degree of protection: IP68/IP69K

H version

Hoods, top entry, high construction




Thread	Designation	Order No.
Epoxy powder coating • Screw locking		
M25	HP3A/H-TEH-2S-M25	113 003 420 5003
Epoxy powder coating • Toggle locking		
M25	HP3A/H-TEH-2T-M25	113 003 440 5003



Protection covers, for housings



Thread	Designation	Order No.
Epoxy powder coating • Screw locking		
---	HP3A/H-MCV-2S	113 003 020 8103
⌘	HP3A/H-MCV-2S/2S	113 003 020 8102
Epoxy powder coating • Toggle locking		
---	HP3A/H-MCV-2T	113 003 040 8103
⌘	HP3A/H-MCV-2T/2S	113 003 040 8102




Degree of protection: IP68/IP69K

W version

Hoods, top entry




Thread	Designation	Order No.
M20	HP3A-TE-2S-M20	115 003 420 1002
PG11	HP3A-TE-2S-PG11	115 003 420 1008



Bulkhead mounted housings



Thread	Designation	Order No.
---	HP3A-BK-2H	115 003 320 1001



3A Pressure tight hoods/housings




Epoxy powder coating

Degree of protection: IP68/IP69K

H version

Hoods, side entry, high construction

Thread	Designation	Order No.
Epoxy powder coating • Screw locking		
M20	HP3A/H-SEH-2S-M20	113 003 520 5002
M25	HP3A/H-SEH-2S-M25	113 003 520 5001
Epoxy powder coating • Toggle locking		
M20	HP3A/H-SEH-2T-M20	113 003 540 5002
M25	HP3A/H-SEH-2T-M25	113 003 540 5001




10A Metal hoods/housings



Degree of protection: IP65


Hoods, side entry

Thread	Designation	Order No.
M20	H10A-SE-2B-M20	110 010 510 1002
PG16	H10A-SE-2B-PG16	110 010 510 1010




Hoods, side entry, high construction

Thread	Designation	Order No.
M25	H10A-SEH-2B-M25	110 010 510 5003
PG16	H10A-SEH-2B-PG16	110 010 510 5010
PG21	H10A-SEH-2B-PG21	110 010 510 5011




Hoods, top entry

Thread	Designation	Order No.
M20	H10A-TE-2B-M20	110 010 410 1002
PG13.5	H10A-TE-2B-PG13.5	110 010 410 1009




Hoods, top entry, high construction

Thread	Designation	Order No.
M25	H10A-TEH-2B-M25	110 010 410 5003
PG16	H10A-TEH-2B-PG16	110 010 410 5010
PG21	H10A-TEH-2B-PG21	110 010 410 5011



Bulkhead mounted housings

Thread	Designation	Order No.
---	H10A-BK-1L/SC	110 010 321 1001
---	with plastic cover	
---	H10A-BK-1L/SC-CV	110 010 361 1001
---	with metal cover	
---	H10A-BK-1L/SC-MCV	110 010 361 1101



Please refer to page 15-02 for choosing proper model of lock.


16A Metal hoods/housings

Degree of protection: IP65

Hoods, side entry




Thread	Designation	Order No.
M20	H16A-SE-2B-M20	110 016 510 1002
PG16	H16A-SE-2B-PG16	110 016 510 1010



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	H16A-SEH-2B-M25	110 016 510 5003
PG16	H16A-SEH-2B-PG16	110 016 510 5010
PG21	H16A-SEH-2B-PG21	110 016 510 5011



Hoods, top entry




Thread	Designation	Order No.
M20	H16A-TE-2B-M20	110 016 410 1002
PG16	H16A-TE-2B-PG16	110 016 410 1010



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	H16A-TEH-2B-M25	110 016 410 5003
PG16	H16A-TEH-2B-PG16	110 016 410 5010
PG21	H16A-TEH-2B-PG21	110 016 410 5011



Bulkhead mounted housings



Thread	Designation	Order No.
---	H16A-BK-1L/SC	110 016 321 1001
---	with plastic cover	
---	H16A-BK-1L/SC-CV	110 016 361 1001
---	with metal cover	
---	H16A-BK-1L/SC-MCV	110 016 361 1101



Please refer to page 15-02 for choosing proper model of lock.

16A Metal hoods/housings


Degree of protection: IP65

Surface mounted housings



Thread	Designation	Order No.
M20	H16A-SF-1L/SC-M20	110 016 221 1002
2M20	H16A-SF-1L/SC-2M20	110 016 221 1022
M25	H16A-SF-1L/SC-M25	110 016 221 1003
2M25	H16A-SF-1L/SC-2M25	110 016 221 1023
PG16	H16A-SF-1L/SC-PG16	110 016 221 1010
2PG16	H16A-SF-1L/SC-2PG16	110 016 221 1030
PG21	H16A-SF-1L/SC-PG21	110 016 221 1011
with plastic cover		
M20	H16A-SF-1L/SC-CV-M20	110 016 261 1002
2M20	H16A-SF-1L/SC-CV-2M20	110 016 261 1022
M25	H16A-SF-1L/SC-CV-M25	110 016 261 1003
2M25	H16A-SF-1L/SC-CV-2M25	110 016 261 1023
PG16	H16A-SF-1L/SC-CV-PG16	110 016 261 1010
2PG16	H16A-SF-1L/SC-CV-2PG16	110 016 261 1030
PG21	H16A-SF-1L/SC-CV-PG21	110 016 261 1011
with metal cover		
M20	H16A-SF-1L/SC-MCV-M20	110 016 261 1102
2M20	H16A-SF-1L/SC-MCV-2M20	110 016 261 1122
M25	H16A-SF-1L/SC-MCV-M25	110 016 261 1103
2M25	H16A-SF-1L/SC-MCV-2M25	110 016 261 1123
PG16	H16A-SF-1L/SC-MCV-PG16	110 016 261 1110
2PG16	H16A-SF-1L/SC-MCV-2PG16	110 016 261 1130
PG21	H16A-SF-1L/SC-MCV-PG21	110 016 261 1111

Please refer to page 15-02 for choosing proper model of lock.




Protection covers, metal cover



Connect way	Applications	Designation	Order No.
	for hoods	H16A-MCV-1L/SC.1	110 016 021 8101


Please refer to page 15-02 for choosing proper model of lock.



Protection covers, metal cover



Connect way	Applications	Designation	Order No.
	for housings	H16A-MCV-2B/1S	110 016 010 8101
	for housings	H16A-MCV-2B/2S	110 016 010 8102




32A Metal hoods/housings

Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H32A-BK-2L/SC	110 032 341 1001




Please refer to page 15-02 for choosing proper model of lock.

Housings, surface mounting



Thread	Designation	Order No.
M25	H32A-SF-2L/SC-M25	110 032 241 1003
M32	H32A-SF-2L/SC-M32	110 032 241 1004
2M32	H32A-SF-2L/SC-2M32	110 032 241 1024
PG21	H32A-SF-2L/SC-PG21	110 032 241 1011
2PG21	H32A-SF-2L/SC-2PG21	110 032 241 1031
PG29	H32A-SF-2L/SC-PG29	110 032 241 1012
2PG29	H32A-SF-2L/SC-2PG29	110 032 241 1032




Please refer to page 15-02 for choosing proper model of lock.

Protection covers, plastic cover

4 clamps




Connect way	Applications	Designation	Order No.
	for hoods	H32A-CV-4C	110 032 090 8009



Protection covers, plastic cover



Connect way	Applications	Designation	Order No.
	for cable to cable	H32A-CV-4B/1	110 032 030 8001
	for housings	H32A-CV-4B/2	110 032 030 8002




32A Metal hoods/housings

Degree of protection: IP65

Housings, bulkhead mounting




Thread	Designation	Order No.
---	H32A-BK-4B	110 032 330 1001
---	with plastic cover	
---	H32A-BK-4B-CV	110 032 370 1001
---	with metal cover	
---	H32A-BK-4B-MCV	110 032 370 1101



Housings, surface mounting



Thread	Designation	Order No.
M25	H32A-SF-4B-M25	110 032 230 1003
M32	H32A-SF-4B-M32	110 032 230 1004
2M32	H32A-SF-4B-2M32	110 032 230 1024
PG21	H32A-SF-4B-PG21	110 032 230 1011
2PG21	H32A-SF-4B-2PG21	110 032 230 1031
PG29	H32A-SF-4B-PG29	110 032 230 1012
2PG29	H32A-SF-4B-2PG29	110 032 230 1032
	with plastic cover	
M25	H32A-SF-4B-CV-M25	110 032 270 1003
M32	H32A-SF-4B-CV-M32	110 032 270 1004
2M32	H32A-SF-4B-CV-2M32	110 032 270 1024
PG21	H32A-SF-4B-CV-PG21	110 032 270 1011
2PG21	H32A-SF-4B-CV-2PG21	110 032 270 1031
PG29	H32A-SF-4B-CV-PG29	110 032 270 1012
2PG29	H32A-SF-4B-CV-2PG29	110 032 270 1032
	with metal cover	
M25	H32A-SF-4B-MCV-M25	110 032 270 1103
M32	H32A-SF-4B-MCV-M32	110 032 270 1104
2M32	H32A-SF-4B-MCV-2M32	110 032 270 1124
PG21	H32A-SF-4B-MCV-PG21	110 032 270 1111
2PG21	H32A-SF-4B-MCV-2PG21	110 032 270 1131
PG29	H32A-SF-4B-MCV-PG29	110 032 270 1112
2PG29	H32A-SF-4B-MCV-2PG29	110 032 270 1132



32A Metal hoods/housings


Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M25	W32A-SE-4B-M25	110 132 530 1001
PG21	W32A-SE-4B-PG21	110 132 530 1003



Hoods, side entry, high construction



Thread	Designation	Order No.
M32	W32A-SEH-4B-M32	110 132 530 5001
PG21	W32A-SEH-4B-PG21	110 132 530 5002
PG29	W32A-SEH-4B-PG29	110 132 530 5003



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	W32A-TEH-4B-M25	110 132 430 5001
M32	W32A-TEH-4B-M32	110 132 430 5002
PG21	W32A-TEH-4B-PG21	110 132 430 5003
PG29	W32A-TEH-4B-PG29	110 132 430 5004



Bulkhead mounted housings



Thread	Designation	Order No.
---	W32A-BK-2L/SC	110 132 341 1001



Please refer to page 15-02 for choosing proper model of lock.

32A Metal hoods/housings


Degree of protection: IP67



Hoods, side entry



Thread	Designation	Order No.
M25	W32A-SE-2L/SC-M25	110 132 541 1001
PG21	W32A-SE-2L/SC-PG21	110 132 541 1002




Please refer to page 15-02 for choosing proper model of lock.

Hoods, side entry, high construction



Thread	Designation	Order No.
M32	W32A-SEH-2L/SC-M32	110 132 541 5001
PG21	W32A-SEH-2L/SC-PG21	110 132 541 5002
PG29	W32A-SEH-2L/SC-PG29	110 132 541 5003




Please refer to page 15-02 for choosing proper model of lock.

Hoods, top entry, high construction



Thread	Designation	Order No.
M25	W32A-TEH-2L/SC-M25	110 132 441 5001
M32	W32A-TEH-2L/SC-M32	110 132 441 5002
PG21	W32A-TEH-2L/SC-PG21	110 132 441 5003
PG29	W32A-TEH-2L/SC-PG29	110 132 441 5004




Please refer to page 15-02 for choosing proper model of lock.

Bulkhead mounted housings



Thread	Designation	Order No.
---	W32A-BK-4B	110 132 330 1001




6B Plastic hoods/housings

Degree of protection: IP65

Hoods, side entry, high construction




Thread	Designation	Order No.
M25	H6B.P-SEH-4B-M25	117 006 530 5003
M32	H6B.P-SEH-4B-M32	117 006 530 5004



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	H6B.P-TEH-4B-M25	117 006 430 5003
M32	H6B.P-TEH-4B-M32	117 006 430 5004



Housings, bulkhead mounting




Thread	Designation	Order No.
---	H6B.P-BK-2L	117 006 347 1001



Housings, surface mounting




Thread	Designation	Order No.
M25	H6B.P-SFH-2L-M25	117 006 247 5003
2M25	H6B.P-SFH-2L-2M25	117 006 247 5023
M32	H6B.P-SFH-2L-M32	117 006 247 5004
2M32	H6B.P-SFH-2L-2M32	117 006 247 5024



Protection covers, for housings




Connect way	Designation	Order No.
---	H6B.P-CV-4B/2	117 006 030 8002



Protection covers, for hoods



Connect way	Designation	Order No.
---	H6B.P-CV-2L/1	117 006 047 8001



6B Metal hoods/housings


Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H6B-BK-1L/SC	111 006 321 1001
with plastic cover		
---	H6B-BK-1L/SC-CV	111 006 361 1001
with metal cover		
---	H6B-BK-1L/SC-MCV	111 006 361 1101

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M20	H6B-SF-1L/SC-M20	111 006 221 1002
2M20	H6B-SF-1L/SC-2M20	111 006 221 1022
M25	H6B-SF-1L/SC-M25	111 006 221 1003
2M25	H6B-SF-1L/SC-2M25	111 006 221 1023
PG16	H6B-SF-1L/SC-PG16	111 006 221 1010
2PG16	H6B-SF-1L/SC-2PG16	111 006 221 1030
with plastic cover		
M20	H6B-SF-1L/SC-CV-M20	111 006 261 1002
2M20	H6B-SF-1L/SC-CV-2M20	111 006 261 1022
M25	H6B-SF-1L/SC-CV-M25	111 006 261 1003
2M25	H6B-SF-1L/SC-CV-2M25	111 006 261 1023
PG16	H6B-SF-1L/SC-CV-PG16	111 006 261 1010
2PG16	H6B-SF-1L/SC-CV-2PG16	111 006 261 1030
with metal cover		
M20	H6B-SF-1L/SC-MCV-M20	111 006 261 1102
2M20	H6B-SF-1L/SC-MCV-2M20	111 006 261 1122
M25	H6B-SF-1L/SC-MCV-M25	111 006 261 1103
2M25	H6B-SF-1L/SC-MCV-2M25	111 006 261 1123
PG16	H6B-SF-1L/SC-MCV-PG16	111 006 261 1110
2PG16	H6B-SF-1L/SC-MCV-2PG16	111 006 261 1130

lease refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting

high construction



Thread	Designation	Order No.
M25	H6B-SFH-1L/SC-M25	111 006 221 5003
2M25	H6B-SFH-1L/SC-2M25	111 006 221 5023
M32	H6B-SFH-1L/SC-M32	111 006 221 5004
2M32	H6B-SFH-1L/SC-2M32	111 006 221 5024
PG21	H6B-SFH-1L/SC-PG21	111 006 221 5011
2PG21	H6B-SFH-1L/SC-2PG21	111 006 221 5031
PG29	H6B-SFH-1L/SC-PG29	111 006 221 5012
2PG29	H6B-SFH-1L/SC-2PG29	111 006 221 5032
with plastic cover		
M25	H6B-SFH-1L/SC-CV-M25	111 006 261 5003
2M25	H6B-SFH-1L/SC-CV-2M25	111 006 261 5023
M32	H6B-SFH-1L/SC-CV-M32	111 006 261 5004
2M32	H6B-SFH-1L/SC-CV-2M32	111 006 261 5024
PG21	H6B-SFH-1L/SC-CV-PG21	111 006 261 5011
2PG21	H6B-SFH-1L/SC-CV-2PG21	111 006 261 5031
PG29	H6B-SFH-1L/SC-CV-PG29	111 006 261 5012
2PG29	H6B-SFH-1L/SC-CV-2PG29	111 006 261 5032
with metal cover		
M25	H6B-SFH-1L/SC-MCV-M25	111 006 261 5103
2M25	H6B-SFH-1L/SC-MCV-2M25	111 006 261 5123
M32	H6B-SFH-1L/SC-MCV-M32	111 006 261 5104
2M32	H6B-SFH-1L/SC-MCV-2M32	111 006 261 5124
PG21	H6B-SFH-1L/SC-MCV-PG21	111 006 261 5111
2PG21	H6B-SFH-1L/SC-MCV-2PG21	111 006 261 5131
PG29	H6B-SFH-1L/SC-MCV-PG29	111 006 261 5112
2PG29	H6B-SFH-1L/SC-MCV-2PG29	111 006 261 5132

lease refer to page 15-02 for choosing proper model of lock.




6B Metal hoods/housings

Degree of protection: IP65

Protection covers, plastic




Connect way	Application	Designation	Order No.
---	for hoods	H6B-CV-2C	111 006 000 8009



Protection covers, metal




Connect way	Application	Designation	Order No.
	for hoods	H6B-MCV-2B/1	111 006 010 8101
	for housings	H6B-MCV-2B/2	111 006 010 8102



Protection covers, plastic(P54)



Connect way	Application	Designation	Order No.
---	for housings	6B-CV/C	111 006 000 8002




Protection covers, metal



Connect way	Application	Designation	Order No.
	for hoods	H6B-MCV-1L/SC.1S	111 006 021 8101


lease refer to page 15-02 for choosing proper model of lock.



Housings, bulkhead mounting



Thread	Designation	Order No.
---	H6B-BK-2B/C	111 006 350 1003






6B Metal hoods/housings

Degree of protection: IP65

Housings, bulkhead mounting




Thread	Designation	Order No.
---	H6B-MBK-1L/S	112 006 325 1001
	with metal cover	
---	H6B-MBK-1L/S-MMCV	112 006 365 1101



Housings, surface mounting




Thread	Designation	Order No.
2PG16	H6B-MSF-1L/S-2PG16	112 006 225 1030
2M20	H6B-MSF-1L/S-2M20	112 006 225 1022



Protection covers, metal



Thread	Designation	Order No.
⌀ 1.6	H6B-MMCV-2B/1	112 006 010 8001
⌀ 2.0	H6B-MMCV-2B/2	112 006 010 8002



6B Plastic hoods/housings


Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M20	W6B-SE-2B-M20	111 106 510 1001
M25	W6B-SE-2B-M25	111 106 510 1002
PG13.5	W6B-SE-2B-PG13.5	111 106 510 1003
PG16	W6B-SE-2B-PG16	111 106 510 1004



Hoods, side entry, high construction




Thread	Designation	Order No.
---	W6B-BEH-2B	111 106 910 5001
M25	W6B-SEH-2B-M25	111 106 510 5001
M32	W6B-SEH-2B-M32	111 106 510 5002
PG21	W6B-SEH-2B-PG21	111 106 510 5003
PG29	W6B-SEH-2B-PG29	111 106 510 5004



Hoods, top entry




Thread	Designation	Order No.
M20	W6B-TE-2B-M20	111 106 410 1001
M25	W6B-TE-2B-M25	111 106 410 1002
PG13.5	W6B-TE-2B-PG13.5	111 106 410 1003
PG16	W6B-TE-2B-PG16	111 106 410 1004



Hoods, top entry, high construction



Thread	Designation	Order No.
---	W6B-BEH-2B	111 106 910 5001
M25	W6B-TEH-2B-M25	111 106 410 5001
M32	W6B-TEH-2B-M32	111 106 410 5002
PG21	W6B-TEH-2B-PG21	111 106 410 5003
PG29	W6B-TEH-2B-PG29	111 106 410 5004




Housings, cable to cable




Thread	Designation	Order No.
M20	W6B-CCT-1LSC-M20	111 106 721 1005
PG13.5	W6B-CCT-1LSC-PG13.5	111 106 721 1006
PG16	W6B-CCT-1LSC-PG16	111 106 721 1007

Please refer to page 15-02 for choosing proper model of lock.

Housings, cable to cable
high construction

Thread	Designation	Order No.
M25	W6B-CCTH-1LSC-M25	111 106 721 5001
M32	W6B-CCTH-1LSC-M32	111 106 721 5002
PG21	W6B-CCTH-1LSC-PG21	111 106 721 5003
PG29	W6B-CCTH-1LSC-PG29	111 106 721 5004

Please refer to page 15-02 for choosing proper model of lock.



6B Metal hoods/housings

Degree of protection: IP67




Bulkhead mounted housings

IP67



Thread	Designation	Order No.
---	W6B-BK-1LSC	111 106 321 1002
---	with plastic cover	
---	W6B-BK-1LSC-CV	111 106 321 8001
---	with metal cover	
---	W6B-BK-1LSC-MCV	111 106 321 8002


Please refer to page 15-02 for choosing proper model of lock.



Hoods, side entry, high construction




Thread	Designation	Order No.
M20	W6B-SEH-1L/C-M20	111 106 550 5002
M25	W6B-SEH-1L/C-M25	111 106 550 5001



Housings, bulkhead mounting



Thread	Designation	Order No.
---	W6B-BK-2B/C	111 106 350 1001



6B Metal hoods/housings

-Suitable for harsh environment(anti-corrosion)




Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M20	W6B-MSE-2B-M20	112 106 510 1001
PG13.5	W6B-MSE-2B-PG13.5	112 106 510 1002



Hoods, side entry, high construction




Thread	Designation	Order No.
M20	W6B-MSEH-2B-M20	112 106 510 5005
M25	W6B-MSEH-2B-M25	112 106 510 5006
PG21	W6B-MSEH-2B-PG21	112 106 510 5007



Hoods, top entry




Thread	Designation	Order No.
M20	W6B-MTE-2B-M20	112 106 410 1001
PG13.5	W6B-MTE-2B-PG13.5	112 106 410 1002
PG16	W6B-MTE-2B-PG16	112 106 410 1003



Hoods, top entry, high construction




Thread	Designation	Order No.
M20	W6B-MTEH-2B-M20	112 106 410 5007
M25	W6B-MTEH-2B-M25	112 106 410 5006



Housings, cable to cable





Thread	Designation	Order No.
PG13.5	W6B-MCCT-1L/S-PG13.5	112 106 725 1001



Bulkhead mounted housings



Thread	Designation	Order No.
---	W6B-MBK-1L/SC	112 106 321 1001



6B EMC Metal hoods/housings




Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M25	EMC.W6B-SE-2B-M25	111 206 510 1001
PG13.5	EMC.W6B-SE-2B-PG13.5	111 206 510 1002
PG16	EMC.W6B-SE-2B-PG16	111 206 510 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	EMC.W6B-SEH-2B-M25	111 206 510 5001
M32	EMC.W6B-SEH-2B-M32	111 206 510 5002
PG21	EMC.W6B-SEH-2B-PG21	111 206 510 5003
PG29	EMC.W6B-SEH-2B-PG29	111 206 510 5004



Hoods, top entry




Thread	Designation	Order No.
M20	EMC.W6B-TE-2B-M20	111 206 410 1001
M25	EMC.W6B-TE-2B-M25	111 206 410 1002
PG13.5	EMC.W6B-TE-2B-PG13.5	111 206 410 1003
PG16	EMC.W6B-TE-2B-PG16	111 206 410 1004



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	EMC.W6B-TEH-2B-M25	111 206 410 5001
M32	EMC.W6B-TEH-2B-M32	111 206 410 5002
PG21	EMC.W6B-TEH-2B-PG21	111 206 410 5003
PG29	EMC.W6B-TEH-2B-PG29	111 206 410 5004



Bulkhead mounted housings



Thread	Designation	Order No.
---	EMC1.W6B-BK-1L/SC	111 106 321 1001



6B Pressure tight hoods/housings




Degree of protection: IP68/IP69K

Hoods, side entry, high construction



Thread	Designation	Order No.
M20	HP6B-SEH-2S-M20	115 006 520 5102
M25	HP6B-SEH-2S-M25	115 006 520 5103
M32	HP6B-SEH-2S-M32	115 006 520 5104
PG16	HP6B-SEH-2S-PG16	115 006 520 5110
PG21	HP6B-SEH-2S-PG21	115 006 520 5111


W version




Hoods, top entry, high construction



Thread	Designation	Order No.
M20	HP6B-TEH-2S-M20	115 006 420 5102
M25	HP6B-TEH-2S-M25	115 006 420 5103
M32	HP6B-TEH-2S-M32	115 006 420 5104
PG16	HP6B-TEH-2S-PG16	115 006 420 5110
PG21	HP6B-TEH-2S-PG21	115 006 420 5111
PG29	HP6B-TEH-2S-PG29	115 006 420 5112

Housings, surface mounting
high construction


Thread	Designation	Order No.
M20	HP6B-SFH-2H-M20	115 006 220 5002
M25	HP6B-SFH-2H-M25	115 006 220 5003
M32	HP6B-SFH-2H-M32	115 006 220 5004
PG16	HP6B-SFH-2H-PG16	115 006 220 5010
PG21	HP6B-SFH-2H-PG21	115 006 220 5011



Bulkhead mounted housings




Thread	Designation	Order No.
---	HP6B-BK-2H	115 006 320 1001



Protection covers, plastic



Thread	Designation	Order No.
---	HP6B-CV-2S/2	115 006 020 8002



6B Pressure tight hoods/housings




Degree of protection: IP68/IP69K

Hoods, side entry, high construction




Thread	Designation	Order No.
Screw locking		
M20	HP6B/H-SEH-2S-M20	113 606 520 5002
M25	HP6B/H-SEH-2S-M25	113 606 520 5003
M32	HP6B/H-SEH-2S-M32	113 606 520 5004
M40	HP6B/H-SEH-2S-M40	113 606 520 5005
PG16	HP6B/H-SEH-2S-PG16	113 606 520 5010
PG21	HP6B/H-SEH-2S-PG21	113 606 520 5011
PG29	HP6B/H-SEH-2S-PG29	113 606 520 5012
Toggle locking		
M20	HP6B/H-SEH-2T-M20	113 606 540 5002
M25	HP6B/H-SEH-2T-M25	113 606 540 5003
M32	HP6B/H-SEH-2T-M32	113 606 540 5004
M40	HP6B/H-SEH-2T-M40	113 606 540 5005
PG16	HP6B/H-SEH-2T-PG16	113 606 540 5010
PG21	HP6B/H-SEH-2T-PG21	113 606 540 5011
PG29	HP6B/H-SEH-2T-PG29	113 606 540 5012



Hoods, top entry, high construction



Thread	Designation	Order No.
Screw locking		
M20	HP6B/H-TEH-2S-M20	113 606 420 5002
M25	HP6B/H-TEH-2S-M25	113 606 420 5003
M32	HP6B/H-TEH-2S-M32	113 606 420 5004
PG16	HP6B/H-TEH-2S-PG16	113 606 420 5010
PG21	HP6B/H-TEH-2S-PG21	113 606 420 5011
PG29	HP6B/H-TEH-2S-PG29	113 606 420 5012
Toggle locking		
M20	HP6B/H-TEH-2T-M20	113 606 440 5002
M25	HP6B/H-TEH-2T-M25	113 606 440 5003
M32	HP6B/H-TEH-2T-M32	113 606 440 5004
PG16	HP6B/H-TEH-2T-PG16	113 606 440 5010
PG21	HP6B/H-TEH-2T-PG21	113 606 440 5011
PG29	HP6B/H-TEH-2T-PG29	113 606 440 5012




Surface mounted housings

high construction




Thread	Designation	Order No.
Screw locking		
M20	HP6B/H-SFH-2H-M20	113 606 220 5002
M25	HP6B/H-SFH-2H-M25	113 606 220 5003
M32	HP6B/H-SFH-2H-M32	113 606 220 5004
PG16	HP6B/H-SFH-2H-PG16	113 606 220 5010
PG21	HP6B/H-SFH-2H-PG21	113 606 220 5011
PG29	HP6B/H-SFH-2H-PG29	113 606 220 5012
Toggle locking		
M20	HP6B/H-SFH-2T-M20	113 606 240 5002
M25	HP6B/H-SFH-2T-M25	113 606 240 5003
M32	HP6B/H-SFH-2T-M32	113 606 240 5004
PG16	HP6B/H-SFH-2T-PG16	113 606 240 5010
PG21	HP6B/H-SFH-2T-PG21	113 606 240 5011
PG29	HP6B/H-SFH-2T-PG29	113 606 240 5012



Bulkhead mounted housings



Thread	Designation	Order No.
Screw locking		
---	HP6B/H-BK-2H	113 606 320 1001
Toggle locking		
---	HP6B/H-BK-2T	113 606 340 1001
with metal cover		
---	Screw locking	
---	HP6B/H-BK-2H-MCV	113 606 360 1001
---	Toggle locking	
---	HP6B/H-BK-2T-MCV	113 606 370 1001



Remark: 1) When mached the HC650 insert, the size is 43


6B Pressure tight hoods/housings

Degree of protection: IP68/IP69K

Protection covers, for housings




Connect way	Designation	Order No.
	HP68/H-MCV-2S	113 606 020 8101
	HP68/H-MCV-2T	113 606 040 8103



Protection covers, for hoods



Connect way	Designation	Order No.
	HP68/H-MCV-2H/1	113 606 020 8111
	HP68/H-MCV-2T/1	113 606 040 8101



Degree of protection: IP68/IP69K


The following hoods/housings comply with the standards for rail transport industry in China.

H version

Hoods, side entry, high construction




Thread	Designation	Order No.
M20	HP68/H-SEH-4S-M20	113 606 530 5002
M25	HP68/H-SEH-4S-M25	113 606 530 5003
M32	HP68/H-SEH-4S-M32	113 606 530 5004
M40	HP68/H-SEH-4S-M40	113 606 530 5005
PG16	HP68/H-SEH-4S-PG16	113 606 530 5010
PG21	HP68/H-SEH-4S-PG21	113 606 530 5011



Hoods, top entry, high construction




Thread	Designation	Order No.
M20	HP68/H-TEH-4S-M20	113 606 430 5002
M25	HP68/H-TEH-4S-M25	113 606 430 5003
M32	HP68/H-TEH-4S-M32	113 606 430 5004
M40	HP68/H-TEH-4S-M40	113 606 430 5005
PG16	HP68/H-TEH-4S-PG16	113 606 430 5010
PG21	HP68/H-TEH-4S-PG21	113 606 430 5011
PG29	HP68/H-TEH-4S-PG29	113 606 430 5012



Bulkhead mounted housings



Thread	Designation	Order No.
---	HP68/H-BK-4H	113 606 330 1001



Remark: 1L When mached the HC650 insert, the size is 43

6B Pressure tight hoods/housings/EMC Pressure tight hoods/housings


Degree of protection: IP68/IP69K

EMC Pressure tight hoods/housings

Hoods, top entry, high construction




Thread	Designation	Order No.
M25	EMC.W6B-TEH-4S-M25	111 106 430 5001
M32	EMC.W6B-TEH-4S-M32	111 106 430 5002



Bulkhead mounted housings



Thread	Designation	Order No.
---	EMC.W6B-BK-4H	111 206 330 1001



Panel cut out

10B Plastic hoods/housings




Degree of protection: IP65

Hoods, side entry, high construction




Thread	Designation	Order No.
M25	H10B.P-SEH-4B-M25	117 010 530 5003
M32	H10B.P-SEH-4B-M32	117 010 530 5004



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	H10B.P-TEH-4B-M25	117 010 430 5003
M32	H10B.P-TEH-4B-M32	117 010 430 5004



Housings, bulkhead mounting



Thread	Designation	Order No.
---	H10B.P-BK-2L	117 010 340 1001




Housings, surface mounting

high construction




Thread	Designation	Order No.
M25	H10B.P-SFH-2L-M25	117 010 247 5003
2M25	H10B.P-SFH-2L-2M25	117 010 247 5023
M32	H10B.P-SFH-2L-M32	117 010 247 5004
2M32	H10B.P-SFH-2L-2M32	117 010 247 5024



Protection covers, for housings




Connect way	Designation	Order No.
---	H10B.P-CV-4B/2	117 010 030 8002



Protection covers, for hoods



Connect way	Designation	Order No.
---	H10B.P-CV-2L/1	117 010 040 8001



10B Metal hoods/housings




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H10B-BK-SE-1L/SC(82-68-4.5)	111 010 921 1001
---	H10B-BK-SE-1L/SC(82-70-4.5)	111 010 921 1002
---	H10B-BK-SE-1L/SC(85-73-4.5)	111 010 921 1003
---	H10B-BK-SE-1L/SC(85-75-5.5)	111 010 921 1004
---	H10B-BK-SE-1L/SC(92-70-4.1)	111 010 921 1005
---	H10B-BK-SE-1L/SC(92-70-4.3)	111 010 921 1006
---	H10B-BK-SE-1L/SC(92-77-4.3)	111 010 921 1007
---	H10B-BK-SE-1L/SC(92-80-5.1)	111 010 921 1008
---	H10B-BK-SE-1L/SC(98-70-4.3)	111 010 921 1009
---	H10B-BK-SE-1L/SC(98-68-4.5)	111 010 921 1010



Please refer to page 15-02 for choosing proper model of lock.

10B Metal hoods/housings




Degree of protection : IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H10B-BK-1L/SC with plastic cover	111 010 321 1001
---	H10B-BK-1L/SC-CV	111 010 361 1001
---	with metal cover	
---	H10B-BK-1L/SC-MCV	111 010 361 1101

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M20	H10B-SF-1L/SC-M20	111 010 221 1002
2M20	H10B-SF-1L/SC-2M20	111 010 221 1022
M25	H10B-SF-1L/SC-M25	111 010 221 1003
2M25	H10B-SF-1L/SC-2M25	111 010 221 1023
PG16	H10B-SF-1L/SC-PG16	111 010 221 1010
2PG16	H10B-SF-1L/SC-2PG16	111 010 221 1030
with plastic cover		
M20	H10B-SF-1L/SC-CV-M20	111 010 261 1002
2M20	H10B-SF-1L/SC-CV-2M20	111 010 261 1022
M25	H10B-SF-1L/SC-CV-M25	111 010 261 1003
2M25	H10B-SF-1L/SC-CV-2M25	111 010 261 1023
PG16	H10B-SF-1L/SC-CV-PG16	111 010 261 1010
2PG16	H10B-SF-1L/SC-CV-2PG16	111 010 261 1030
with metal cover		
M20	H10B-SF-1L/SC-MCV-M20	111 010 261 1102
2M20	H10B-SF-1L/SC-MCV-2M20	111 010 261 1122
M25	H10B-SF-1L/SC-MCV-M25	111 010 261 1103
2M25	H10B-SF-1L/SC-MCV-2M25	111 010 261 1123
PG16	H10B-SF-1L/SC-MCV-PG16	111 010 261 1110
2PG16	H10B-SF-1L/SC-MCV-2PG16	111 010 261 1130

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting

high construction



Thread	Designation	Order No.
M25	H10B-SFH-1L/SC-M25	111 010 221 5003
2M25	H10B-SFH-1L/SC-2M25	111 010 221 5023
M32	H10B-SFH-1L/SC-M32	111 010 221 5004
2M32	H10B-SFH-1L/SC-2M32	111 010 221 5024
PG21	H10B-SFH-1L/SC-PG21	111 010 221 5011
2PG21	H10B-SFH-1L/SC-2PG21	111 010 221 5031
PG29	H10B-SFH-1L/SC-PG29	111 010 221 5012
2PG29	H10B-SFH-1L/SC-2PG29	111 010 221 5032
with plastic cover		
M25	H10B-SFH-1L/SC-CV-M25	111 010 261 5003
2M25	H10B-SFH-1L/SC-CV-2M25	111 010 261 5023
M32	H10B-SFH-1L/SC-CV-M32	111 010 261 5004
2M32	H10B-SFH-1L/SC-CV-2M32	111 010 261 5024
PG21	H10B-SFH-1L/SC-CV-PG21	111 010 261 5011
2PG21	H10B-SFH-1L/SC-CV-2PG21	111 010 261 5031
PG29	H10B-SFH-1L/SC-CV-PG29	111 010 261 5012
2PG29	H10B-SFH-1L/SC-CV-2PG29	111 010 261 5032
with metal cover		
M25	H10B-SFH-1L/SC-MCV-M25	111 010 261 5103
2M25	H10B-SFH-1L/SC-MCV-2M25	111 010 261 5123
M32	H10B-SFH-1L/SC-MCV-M32	111 010 261 5104
2M32	H10B-SFH-1L/SC-MCV-2M32	111 010 261 5124
PG21	H10B-SFH-1L/SC-MCV-PG21	111 010 261 5111
2PG21	H10B-SFH-1L/SC-MCV-2PG21	111 010 261 5131
PG29	H10B-SFH-1L/SC-MCV-PG29	111 010 261 5112
2PG29	H10B-SFH-1L/SC-MCV-2PG29	111 010 261 5132

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings




Degree of protection : IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H10B-BK-2L/SC	111 010 341 1001

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M20	H10B-SF-2L/SC-M20	111 010 241 1002
2M20	H10B-SF-2L/SC-2M20	111 010 241 1022
M25	H10B-SF-2L/SC-M25	111 010 241 1003
2M25	H10B-SF-2L/SC-2M25	111 010 241 1023
PG16	H10B-SF-2L/SC-PG16	111 010 241 1010
2PG16	H10B-SF-2L/SC-2PG16	111 010 241 1030

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings



Degree of protection: IP65


Housings, surface mounting

high construction



Thread	Designation	Order No.
M25	H10B-SFH-2L/SC-M25	111 010 241 5003
2M25	H10B-SFH-2L/SC-2M25	111 010 241 5023
M32	H10B-SFH-2L/SC-M32	111 010 241 5004
2M32	H10B-SFH-2L/SC-2M32	111 010 241 5024
PG21	H10B-SFH-2L/SC-PG21	111 010 241 5011
2PG21	H10B-SFH-2L/SC-2PG21	111 010 241 5031
PG29	H10B-SFH-2L/SC-PG29	111 010 241 5012
2PG29	H10B-SFH-2L/SC-2PG29	111 010 241 5032


Please refer to page 15-02 for choosing proper model of lock.



Protection covers, plastic




Connect way	Application	Designation	Order No.
---	for hoods	H10B-CV-4C	111 010 030 8009



Protection covers, plastic



Connect way	Application	Designation	Order No.
	for Housings, cable to cable	H10B-CV-4B/1	111 010 030 8001
	for Housings, bulkhead mounting/surface mounting	H10B-CV-4B/2	111 010 030 8002



10B Metal hoods/housings




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H10B-BK-4B	111 010 330 1001
---	with plastic cover	
---	H10B-BK-4B-CV	111 010 370 1001
---	with metal cover	
---	H10B-BK-4B-MCV	111 010 370 1101




10B Metal hoods/housings



Degree of protection: IP65

Housings, surface mounting


Thread	Designation	Order No.
M20	H10B-SF-4B-M20	111 010 230 1002
2M20	H10B-SF-4B-2M20	111 010 230 1022
M25	H10B-SF-4B-M25	111 010 230 1003
2M25	H10B-SF-4B-2M25	111 010 230 1023
PG16	H10B-SF-4B-PG16	111 010 230 1010
2PG16	H10B-SF-4B-2PG16	111 010 230 1030
with plastic cover		
M20	H10B-SF-4B-CV-M20	111 010 270 1002
2M20	H10B-SF-4B-CV-2M20	111 010 270 1022
M25	H10B-SF-4B-CV-M25	111 010 270 1003
2M25	H10B-SF-4B-CV-2M25	111 010 270 1023
PG16	H10B-SF-4B-CV-PG16	111 010 270 1010
2PG16	H10B-SF-4B-CV-2PG16	111 010 270 1030
with metal cover		
M20	H10B-SF-4B-MCV-M20	111 010 270 1102
2M20	H10B-SF-4B-MCV-2M20	111 010 270 1122
M25	H10B-SF-4B-MCV-M25	111 010 270 1103
2M25	H10B-SF-4B-MCV-2M25	111 010 270 1123
PG16	H10B-SF-4B-MCV-PG16	111 010 270 1110
2PG16	H10B-SF-4B-MCV-2PG16	111 010 270 1130



Housings, surface mounting


high construction

Thread	Designation	Order No.
M25	H10B-SFH-4B-M25	111 010 230 5003
2M25	H10B-SFH-4B-2M25	111 010 230 5023
M32	H10B-SFH-4B-M32	111 010 230 5004
2M32	H10B-SFH-4B-2M32	111 010 230 5024
PG21	H10B-SFH-4B-PG21	111 010 230 5011
2PG21	H10B-SFH-4B-2PG21	111 010 230 5031
PG29	H10B-SFH-4B-PG29	111 010 230 5012
2PG29	H10B-SFH-4B-2PG29	111 010 230 5032
with plastic cover		
M25	H10B-SFH-4B-CV-M25	111 010 270 5003
2M25	H10B-SFH-4B-CV-2M25	111 010 270 5023
M32	H10B-SFH-4B-CV-M32	111 010 270 5004
2M32	H10B-SFH-4B-CV-2M32	111 010 270 5024
PG21	H10B-SFH-4B-CV-PG21	111 010 270 5011
2PG21	H10B-SFH-4B-CV-2PG21	111 010 270 5031
PG29	H10B-SFH-4B-CV-PG29	111 010 270 5012
2PG29	H10B-SFH-4B-CV-2PG29	111 010 270 5032
with metal cover		
M25	H10B-SFH-4B-MCV-M25	111 010 270 5103
2M25	H10B-SFH-4B-MCV-2M25	111 010 270 5123
M32	H10B-SFH-4B-MCV-M32	111 010 270 5104
2M32	H10B-SFH-4B-MCV-2M32	111 010 270 5124
PG21	H10B-SFH-4B-MCV-PG21	111 010 270 5111
2PG21	H10B-SFH-4B-MCV-2PG21	111 010 270 5131
PG29	H10B-SFH-4B-MCV-PG29	111 010 270 5112
2PG29	H10B-SFH-4B-MCV-2PG29	111 010 270 5132



Protection covers, metal


Connect way	Application	Designation	Order No.
	for hoods	H10B-MCV-4B/1S	111 010 030 8103
	for housings, without sealing	H10B-MCV-4B/2	111 010 030 8102



Protection covers, metal

Connect way	Application	Designation	Order No.
	for hoods	H10B-MCV-2L/SC.1S	111 010 041 8101
	for housings	H10B-MCV-2L/SC.2	111 010 041 8102

Please refer to page 15-02 for choosing proper model of lock.




10B Metal hoods/housings



Degree of protection: IP65


Protection covers, plastic(IP54)

Connect way	Application	Designation	Order No.
	for housings	10B-CV/C	111 010 000 8002



Housings, bulkhead mounting

Thread	Designation	Order No.
---	H10B-BK-2B/C	111 010 350 1001



10B Metal hoods/housings
-Suitable for harsh environment(anti-corrosion)




Degree of protection: IP65

Housings, bulkhead mounting




Thread	Designation	Order No.
---	H10B-MBK-2L/SC	112 010 341 1001



Housings, surface mounting




Thread	Designation	Order No.
M20	H10B-MSF-2L/SC-2M20	112 010 241 1022
PG16	H10B-MSF-2L/SC-2PG16	112 010 241 1030



Housings, surface mounting



Thread	Designation	Order No.
M25	H10B-MSFH-2L/SC-2M32	112 010 241 5024



10B Metal hoods/housings
-Suitable for harsh environment(anti-corrosion)




Degree of protection: IP65

Protection covers, metal




Connect way	Application	Order No.
	H10B-MMCV-2L/SC.1S	112 010 041 8001



Protection covers, metal



Connect way	Application	Order No.
	H10B-MMCV-4B/2	112 010 030 8002




Degree of protection: IP65 1 lever locking system

Housings, surface mounting



Thread	Designation	Order No.
M25	H10B-MSFH-1L/S-M25	112 010 225 5003



10B Metal hoods/housings




Degree of protection : IP67



Hoods, side entry




Thread	Designation	Order No.
M20	W10B-SE-2B-M20	111 110 510 1001
M25	W10B-SE-2B-M25	111 110 510 1002
PG16	W10B-SE-2B-PG16	111 110 510 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
---	W10B-BEH-2B	111 110 910 5001
M25	W10B-SEH-2B-M25	111 110 510 5001
M32	W10B-SEH-2B-M32	111 110 510 5002
PG21	W10B-SEH-2B-PG21	111 110 510 5003
PG29	W10B-SEH-2B-PG29	111 110 510 5004



Hoods, top entry




Thread	Designation	Order No.
M20	W10B-TE-2B-M20	111 110 410 1001
M25	W10B-TE-2B-M25	111 110 410 1002
PG16	W10B-TE-2B-PG16	111 110 410 1003



Hoods, top entry, high construction



Thread	Designation	Order No.
---	W10B-BEH-4B	111 110 910 5001
M25	W10B-TEH-2B-M25	111 110 410 5001
M32	W10B-TEH-2B-M32	111 110 410 5002
PG21	W10B-TEH-2B-PG21	111 110 410 5003
PG29	W10B-TEH-2B-PG29	111 110 410 5004




Housings, cable to cable



Thread	Designation	Order No.
M20	W10B-CCT-1L/SC-M20	111 110 721 1002
M25	W10B-CCT-1L/SC-M25	111 110 721 1003
PG16	W10B-CCT-1L/SC-PG16	111 110 721 1004

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable high construction



Thread	Designation	Order No.
M25	W10B-CCTH-1L/SC-M25	111 110 721 5001
M32	W10B-CCTH-1L/SC-M32	111 110 721 5002
PG21	W10B-CCTH-1L/SC-PG21	111 110 721 5003
PG29	W10B-CCTH-1L/SC-PG29	111 110 721 5004

Please refer to page 15-02 for choosing proper model of lock.




Housings, bulkhead mounting



Thread	Designation	Order No.
---	W10B-BK-1L/SC	111 110 321 1001
---	with plastic cover	
---	W10B-BK-1L/SC-CV	111 110 321 8001
---	with metal cover	
---	W10B-BK-1L/SC-MCV	111 110 321 8002

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings



Degree of protection : IP67



Hoods, side entry




Thread	Designation	Order No.
M20	W10B-SE-4B-M20	111 110 530 1005
M25	W10B-SE-4B-M25	111 110 530 1006
PG16	W10B-SE-4B-PG16	111 110 530 1007



Hoods, side entry, high construction




Thread	Designation	Order No.
---	W10B-BEH-4B	111 110 930 5003
M25	W10B-SEH-4B-M25	111 110 530 5001
M32	W10B-SEH-4B-M32	111 110 530 5002
PG21	W10B-SEH-4B-PG21	111 110 530 5003
PG29	W10B-SEH-4B-PG29	111 110 530 5004



Hoods, top entry




Thread	Designation	Order No.
M20	W10B-TE-4B-M20	111 110 430 1005
M25	W10B-TE-4B-M25	111 110 430 1006
PG16	W10B-TE-4B-PG16	111 110 430 1007



Hoods, top entry, high construction



Thread	Designation	Order No.
---	W10B-BEH-4B	111 110 930 5003
M25	W10B-TEH-4B-M25	111 110 430 5001
M32	W10B-TEH-4B-M32	111 110 430 5004
PG21	W10B-TEH-4B-PG21	111 110 430 5005
PG29	W10B-TEH-4B-PG29	111 110 430 5006




Bulkhead mounted housings

IP67



Thread	Designation	Order No.
---	W10B-BK-2L/SC	111 110 341 1002

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings




Degree of protection : IP67



Thread	Designation	Order No.
M20	W10B-CCT-2L/SC-M20	111 110 741 1002
M25	W10B-CCT-2L/SC-M25	111 110 741 1003
PG16	W10B-CCT-2L/SC-PG16	111 110 741 1004

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable
high construction



Thread	Designation	Order No.
M25	W10B-CCTH-2L/SC-M25	111 110 741 5001
M32	W10B-CCTH-2L/SC-M32	111 110 741 5002
PG21	W10B-CCTH-2L/SC-PG21	111 110 741 5003
PG29	W10B-CCTH-2L/SC-PG29	111 110 741 5004

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings



Degree of protection : IP67




Hoods, side entry



Thread	Designation	Order No.
M20	W10B-SE-2L/SC-M20	111 110 541 1001
PG16	W10B-SE-2L/SC-PG16	111 110 541 1002

Please refer to page 15-02 for choosing proper model of lock.




Hoods, side entry, high construction



Thread	Designation	Order No.
M25	W10B-SEH-2L/SC-M25	111 110 541 5001
M32	W10B-SEH-2L/SC-M32	111 110 541 5002
PG21	W10B-SEH-2L/SC-PG21	111 110 541 5003
PG29	W10B-SEH-2L/SC-PG29	111 110 541 5004

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry



Thread	Designation	Order No.
M20	W10B-TE-2L/SC-M20	111 110 441 1001
PG16	W10B-TE-2L/SC-PG16	111 110 441 1002

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry, high construction



Thread	Designation	Order No.
M25	W10B-TEH-2L/SC-M25	111 110 441 5001
M32	W10B-TEH-2L/SC-M32	111 110 441 5002
PG21	W10B-TEH-2L/SC-PG21	111 110 441 5003
PG29	W10B-TEH-2L/SC-PG29	111 110 441 5004


Please refer to page 15-02 for choosing proper model of lock.



Bulkhead mounted housings



Thread	Designation	Order No.
---	W10B-BK-4B	111 110 330 1001



10B Metal hoods/housings




Degree of protection: IP67



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	W10B-SEH-1L/C-M25	111 110 550 5002
M32	W10B-SEH-1L/C-M32	111 110 550 5001



Housings, bulkhead mounting



Thread	Designation	Order No.
---	W10B-BK-2B/C	111 110 350 1001



10B Metal hoods/housings

-Suitable for harsh environment(anti-corrosion)




Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M20	W10B-MSE-4B-M20	112 110 530 1001
PG16	W10B-MSE-4B-PG16	112 110 530 1002



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	W10B-MSEH-4B-M25	112 110 530 5001



Hoods, top entry




Thread	Designation	Order No.
M20	W10B-MTE-4B-M20	112 110 430 1001
PG16	W10B-MTE-4B-PG16	112 110 430 1002



Hoods, top entry, high construction




Thread	Designation	Order No.
M32	W10B-MTEH-4B-M32	112 110 430 5001



Housings, cable to cable




Thread	Designation	Order No.
PG16	W10B-MCCT-2L/SC-PG16	112 110 741 1001



Bulkhead mounted housings



Thread	Designation	Order No.
---	W10B-MBK-2L/SC	112 010 341 1001



10B Metal hoods/housings

-Suitable for harsh environment(anti-corrosion)




Degree of protection: IP67 1 lever locking system

Hoods, top entry, high construction




Thread	Designation	Order No.
M32	W10B-MTEH-2B-M32	112 110 410 5005



Bulkhead mounted housings



Thread	Designation	Order No.
M25	W10B-MBK-1L/SC	112 110 321 1001




10B EMC Metal hoods/housings

Degree of protection: IP67

Hoods, side entry




Thread	Designation	Order No.
M20	EMC.W10B-SE-4B-M20	111 210 530 1001
M25	EMC.W10B-SE-4B-M25	111 210 530 1002
PG16	EMC.W10B-SE-4B-PG16	111 210 530 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	EMC.W10B-SEH-4B-M25	111 210 530 5001
M32	EMC.W10B-SEH-4B-M32	111 210 530 5002
PG21	EMC.W10B-SEH-4B-PG21	111 210 530 5003
PG29	EMC.W10B-SEH-4B-PG29	111 210 530 5004



Hoods, top entry




Thread	Designation	Order No.
M20	EMC.W10B-TE-4B-M20	111 210 430 1001
M25	EMC.W10B-TE-4B-M25	111 210 430 1002
PG16	EMC.W10B-TE-4B-PG16	111 210 430 1003



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	EMC.W10B-TEH-4B-M25	111 210 430 5001
M32	EMC.W10B-TEH-4B-M32	111 210 430 5002
PG21	EMC.W10B-TEH-4B-PG21	111 210 430 5003
PG29	EMC.W10B-TEH-4B-PG29	111 210 430 5004



Bulkhead mounted housings



Thread	Designation	Order No.
---	EMC1.W10B-BK-2L/SC	111 110 341 1001



10B Pressure tight hoods/housings




Degree of protection: IP68/IP69K

W version

Hoods, side entry, high construction




Thread	Designation	Order No.
M20	HP10B-SEH-2S-M20	115 010 520 5002
M25	HP10B-SEH-2S-M25	115 010 520 5103
M32	HP10B-SEH-2S-M32	115 010 520 5104
PG16	HP10B-SEH-2S-PG16	115 010 520 5110
PG21	HP10B-SEH-2S-PG21	115 010 520 5111



Hoods, top entry, high construction




Thread	Designation	Order No.
M20	HP10B-TEH-2S-M20	115 010 420 5002
M25	HP10B-TEH-2S-M25	115 010 420 5103
M32	HP10B-TEH-2S-M32	115 010 420 5104
PG16	HP10B-TEH-2S-PG16	115 010 420 5110
PG21	HP10B-TEH-2S-PG21	115 010 420 5111
PG29	HP10B-TEH-2S-PG29	115 010 420 5012



Surface mounted housings high construction




Thread	Designation	Order No.
M20	HP10B-SFH-2H-M20	115 010 220 5002
M25	HP10B-SFH-2H-M25	115 010 220 5003
M32	HP10B-SFH-2H-M32	115 010 220 5004
PG16	HP10B-SFH-2H-PG16	115 010 220 5010
PG21	HP10B-SFH-2H-PG21	115 010 220 5011



Bulkhead mounted housings




Thread	Designation	Order No.
---	HP10B-BK-2H	115 010 320 1001



Protection covers, plastic



Thread	Designation	Order No.
---	HP10B-CV-2S/2	115 010 020 8002



10B Pressure tight hoods/housings




Degree of protection: IP68/IP69K

H version

Hoods, side entry, high construction




Thread	Designation	Order No.
Screw locking		
M20	HP10B/H-SEH-2S-M20	113 610 520 5002
M25	HP10B/H-SEH-2S-M25	113 610 520 5003
M32	HP10B/H-SEH-2S-M32	113 610 520 5004
PG16	HP10B/H-SEH-2S-PG16	113 610 520 5010
PG21	HP10B/H-SEH-2S-PG21	113 610 520 5011
Toggle locking		
M20	HP10B/H-SEH-2T-M20	113 610 540 5002
M25	HP10B/H-SEH-2T-M25	113 610 540 5003
M32	HP10B/H-SEH-2T-M32	113 610 540 5004
PG16	HP10B/H-SEH-2T-PG16	113 610 540 5010
PG21	HP10B/H-SEH-2T-PG21	113 610 540 5011



Hoods, top entry, high construction



Thread	Designation	Order No.
Screw locking		
M20	HP10B/H-TEH-2S-M20	113 610 420 5002
M25	HP10B/H-TEH-2S-M25	113 610 420 5003
M32	HP10B/H-TEH-2S-M32	113 610 420 5004
PG16	HP10B/H-TEH-2S-PG16	113 610 420 5010
PG21	HP10B/H-TEH-2S-PG21	113 610 420 5011
PG29	HP10B/H-TEH-2S-PG29	113 610 420 5012
Toggle locking		
M20	HP10B/H-TEH-2T-M20	113 610 440 5002
M25	HP10B/H-TEH-2T-M25	113 610 440 5003
M32	HP10B/H-TEH-2T-M32	113 610 440 5004
PG16	HP10B/H-TEH-2T-PG16	113 610 440 5010
PG21	HP10B/H-TEH-2T-PG21	113 610 440 5011
PG29	HP10B/H-TEH-2T-PG29	113 610 440 5012




Surface mounted housings

high construction




Thread	Designation	Order No.
Screw locking		
M20	HP10B/H-SFH-2H-M20	113 610 220 5002
M25	HP10B/H-SFH-2H-M25	113 610 220 5003
M32	HP10B/H-SFH-2H-M32	113 610 220 5004
PG16	HP10B/H-SFH-2H-PG16	113 610 220 5010
PG21	HP10B/H-SFH-2H-PG21	113 610 220 5011
Toggle locking		
M20	HP10B/H-SFH-2T-M20	113 610 240 5002
M25	HP10B/H-SFH-2T-M25	113 610 240 5003
M32	HP10B/H-SFH-2T-M32	113 610 240 5004
PG16	HP10B/H-SFH-2T-PG16	113 610 240 5010
PG21	HP10B/H-SFH-2T-PG21	113 610 240 5011



Bulkhead mounted housings



Thread	Designation	Order No.
Screw locking		
---	HP10B/H-BK-2H	113 610 320 1001
Toggle locking		
---	HP10B/H-BK-2T	113 610 340 1001
with metal cover		
Screw locking		
---	HP10B/H-BK-2H-MCV	113 610 360 1001
Toggle locking		
---	HP10B/H-BK-2T-MCV	113 610 370 1001



10B Pressure tight hoods/housings




Degree of protection: IP68/IP69K

H version

Protection covers,for housings




Connect way	Designation	Order No.
○	HP10B/H-MCV-2S	113 610 020 8101
○	HP10B/H-MCV-2T	113 610 040 8103



Protection covers,for hoods



Connect way	Designation	Order No.
○	HP10B/H-MCV-2H/1	113 610 020 8111
○	HP10B/H-MCV-2T/1	113 610 040 8101



Degree of protection: IP68/IP69K


The following hoods/housings comply with the standards for rail transport industry in China.

H version

Hoods, side entry, high construction




Thread	Designation	Order No.
M20	HP10B/H-SEH-4S-M20	113 610 530 5002
M25	HP10B/H-SEH-4S-M25	113 610 530 5003
M32	HP10B/H-SEH-4S-M32	113 610 530 5004
M40	HP10B/H-SEH-4S-M40	113 610 530 5005
PG16	HP10B/H-SEH-4S-PG16	113 610 530 5010
PG21	HP10B/H-SEH-4S-PG21	113 610 530 5011



Hoods, top entry, high construction




Thread	Designation	Order No.
M20	HP10B/H-TEH-4S-M20	113 610 430 5002
M25	HP10B/H-TEH-4S-M25	113 610 430 5003
M32	HP10B/H-TEH-4S-M32	113 610 430 5004
M40	HP10B/H-TEH-4S-M40	113 610 430 5005
PG16	HP10B/H-TEH-4S-PG16	113 610 430 5010
PG21	HP10B/H-TEH-4S-PG21	113 610 430 5011
PG29	HP10B/H-TEH-4S-PG29	113 610 430 5012



Bulkhead mounted housings



Thread	Designation	Order No.
---	HP10B/H-BK-4H	113 610 330 1001




Degree of protection: IP68/IP69K

EMC Pressure tight hoods/housings

Hoods, top entry, high construction





Thread	Designation	Order No.
M25	EMC.W10B-TEH-4S-M25	111 110 430 5002
M32	EMC.W10B-TEH-4S-M32	111 110 430 5003



Bulkhead mounted housings



Thread	Designation	Order No.
---	EMC.W10B-BK-4H	111 210 330 1001



HV10B Metal hoods/housings - for high voltage inserts(HVE Series)




Degree of protection : IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV10B-BK-1L/SC with plastic cover	124 010 321 1001
---	HV10B-BK-1L/SC-CV with metal cover	124 010 361 1001
---	HV10B-BK-1L/SC-MCV	124 010 361 1101

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M20	HV10B-SF-1L/SC-M20	124 010 221 1002
2M20	HV10B-SF-1L/SC-2M20	124 010 221 1022
M25	HV10B-SF-1L/SC-M25	124 010 221 1003
2M25	HV10B-SF-1L/SC-2M25	124 010 221 1023
PG16	HV10B-SF-1L/SC-PG16	124 010 221 1010
2PG16	HV10B-SF-1L/SC-2PG16	124 010 221 1030
with plastic cover		
M20	HV10B-SF-1L/SC-CV-M20	124 010 261 1002
2M20	HV10B-SF-1L/SC-CV-2M20	124 010 261 1022
M25	HV10B-SF-1L/SC-CV-M25	124 010 261 1003
2M25	HV10B-SF-1L/SC-CV-2M25	124 010 261 1023
PG16	HV10B-SF-1L/SC-CV-PG16	124 010 261 1010
2PG16	HV10B-SF-1L/SC-CV-2PG16	124 010 261 1030
with metal cover		
M20	HV10B-SF-1L/SC-MCV-M20	124 010 261 1102
2M20	HV10B-SF-1L/SC-MCV-2M20	124 010 261 1122
M25	HV10B-SF-1L/SC-MCV-M25	124 010 261 1103
2M25	HV10B-SF-1L/SC-MCV-2M25	124 010 261 1123
PG16	HV10B-SF-1L/SC-MCV-PG16	124 010 261 1110
2PG16	HV10B-SF-1L/SC-MCV-2PG16	124 010 261 1130

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting

high construction



Thread	Designation	Order No.
M25	HV10B-SFH-1L/SC-M25	124 010 221 5003
2M25	HV10B-SFH-1L/SC-2M25	124 010 221 5023
M32	HV10B-SFH-1L/SC-M32	124 010 221 5004
2M32	HV10B-SFH-1L/SC-2M32	124 010 221 5024
PG21	HV10B-SFH-1L/SC-PG21	124 010 221 5011
2PG21	HV10B-SFH-1L/SC-2PG21	124 010 221 5031
PG29	HV10B-SFH-1L/SC-PG29	124 010 221 5012
2PG29	HV10B-SFH-1L/SC-2PG29	124 010 221 5032
with plastic cover		
M25	HV10B-SFH-1L/SC-CV-M25	124 010 261 5003
2M25	HV10B-SFH-1L/SC-CV-2M25	124 010 261 5023
M32	HV10B-SFH-1L/SC-CV-M32	124 010 261 5004
2M32	HV10B-SFH-1L/SC-CV-2M32	124 010 261 5024
PG21	HV10B-SFH-1L/SC-CV-PG21	124 010 261 5011
2PG21	HV10B-SFH-1L/SC-CV-2PG21	124 010 261 5031
PG29	HV10B-SFH-1L/SC-CV-PG29	124 010 261 5012
2PG29	HV10B-SFH-1L/SC-CV-2PG29	124 010 261 5032
with metal cover		
M25	HV10B-SFH-1L/SC-MCV-M25	124 010 261 5103
2M25	HV10B-SFH-1L/SC-MCV-2M25	124 010 261 5123
M32	HV10B-SFH-1L/SC-MCV-M32	124 010 261 5104
2M32	HV10B-SFH-1L/SC-MCV-2M32	124 010 261 5124
PG21	HV10B-SFH-1L/SC-MCV-PG21	124 010 261 5111
2PG21	HV10B-SFH-1L/SC-MCV-2PG21	124 010 261 5131
PG29	HV10B-SFH-1L/SC-MCV-PG29	124 010 261 5112
2PG29	HV10B-SFH-1L/SC-MCV-2PG29	124 010 261 5132

Please refer to page 15-02 for choosing proper model of lock.



HV10B Metal hoods/housings - for high voltage inserts(HVE Series)




Degree of protection : IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV10B-BK-2L/SC	124 010 341 1001

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M20	HV10B-SF-2L/SC-M20	124 010 241 1002
2M20	HV10B-SF-2L/SC-2M20	124 010 241 1022
M25	HV10B-SF-2L/SC-M25	124 010 241 1003
2M25	HV10B-SF-2L/SC-2M25	124 010 241 1023
PG16	HV10B-SF-2L/SC-PG16	124 010 241 1010
2PG16	HV10B-SF-2L/SC-2PG16	124 010 241 1030

Please refer to page 15-02 for choosing proper model of lock.



HV10B Metal hoods/housings

- for high voltage inserts(HVE Series)



Degree of protection: IP65


Housings, surface mounting

high construction



Thread	Designation	Order No.
M25	HV10B-SFH-2LJSC-M25	124 010 241 5003
2M25	HV10B-SFH-2LJSC-2M25	124 010 241 5023
M32	HV10B-SFH-2LJSC-M32	124 010 241 5004
2M32	HV10B-SFH-2LJSC-2M32	124 010 241 5024
PG21	HV10B-SFH-2LJSC-PG21	124 010 241 5011
2PG21	HV10B-SFH-2LJSC-2PG21	124 010 241 5031
PG29	HV10B-SFH-2LJSC-PG29	124 010 241 5012
2PG29	HV10B-SFH-2LJSC-2PG29	124 010 241 5032


Please refer to page 15-02 for choosing proper model of lock.



Protection covers, plastic




Connect way	Application	Designation	Order No.
---	for hoods	H10B-CV-4C	111 010 030 8009



Protection covers, plastic



Connect way	Application	Designation	Order No.
	for Housings, cable to cable	H10B-CV-4B/1	111 010 030 8001
	for Housings, bulkhead mounting / surface mounting	H10B-CV-4B/2	111 010 030 8002



HV10B Metal hoods/housings

- for high voltage inserts(HVE Series)




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV10B-BK-4B	124 010 330 1001
---	with plastic cover	
---	HV10B-BK-4B-CV	124 010 370 1001
---	with metal cover	
---	HV10B-BK-4B-MCV	124 010 370 1101




HV10B Metal hoods/housings
- for high voltage inserts(HVE Series)



Degree of protection: IP65

Housings, surface mounting


Thread	Designation	Order No.
M20	HV10B-SF-4B-M20	124 010 230 1002
2M20	HV10B-SF-4B-2M20	124 010 230 1022
M25	HV10B-SF-4B-M25	124 010 230 1003
2M25	HV10B-SF-4B-2M25	124 010 230 1023
PG16	HV10B-SF-4B-PG16	124 010 230 1010
2PG16	HV10B-SF-4B-2PG16	124 010 230 1030
with plastic cover		
M20	HV10B-SF-4B-CV-M20	124 010 270 1002
2M20	HV10B-SF-4B-CV-2M20	124 010 270 1022
M25	HV10B-SF-4B-CV-M25	124 010 270 1003
2M25	HV10B-SF-4B-CV-2M25	124 010 270 1023
PG16	HV10B-SF-4B-CV-PG16	124 010 270 1010
2PG16	HV10B-SF-4B-CV-2PG16	124 010 270 1030
with metal cover		
M20	HV10B-SF-4B-MCV-M20	124 010 270 1102
2M20	HV10B-SF-4B-MCV-2M20	124 010 270 1122
M25	HV10B-SF-4B-MCV-M25	124 010 270 1103
2M25	HV10B-SF-4B-MCV-2M25	124 010 270 1123
PG16	HV10B-SF-4B-MCV-PG16	124 010 270 1110
2PG16	HV10B-SF-4B-MCV-2PG16	124 010 270 1130



Housings, surface mounting


high construction

Thread	Designation	Order No.
M25	HV10B-SFH-4B-M25	124 010 230 5003
2M25	HV10B-SFH-4B-2M25	124 010 230 5023
M32	HV10B-SFH-4B-M32	124 010 230 5004
2M32	HV10B-SFH-4B-2M32	124 010 230 5024
PG21	HV10B-SFH-4B-PG21	124 010 230 5011
2PG21	HV10B-SFH-4B-2PG21	124 010 230 5031
PG29	HV10B-SFH-4B-PG29	124 010 230 5012
2PG29	HV10B-SFH-4B-2PG29	124 010 230 5032
with plastic cover		
M25	HV10B-SFH-4B-CV-M25	124 010 270 5003
2M25	HV10B-SFH-4B-CV-2M25	124 010 270 5023
M32	HV10B-SFH-4B-CV-M32	124 010 270 5004
2M32	HV10B-SFH-4B-CV-2M32	124 010 270 5024
PG21	HV10B-SFH-4B-CV-PG21	124 010 270 5011
2PG21	HV10B-SFH-4B-CV-2PG21	124 010 270 5031
PG29	HV10B-SFH-4B-CV-PG29	124 010 270 5012
2PG29	HV10B-SFH-4B-CV-2PG29	124 010 270 5032
with metal cover		
M25	HV10B-SFH-4B-MCV-M25	124 010 270 5103
2M25	HV10B-SFH-4B-MCV-2M25	124 010 270 5123
M32	HV10B-SFH-4B-MCV-M32	124 010 270 5104
2M32	HV10B-SFH-4B-MCV-2M32	124 010 270 5124
PG21	HV10B-SFH-4B-MCV-PG21	124 010 270 5111
2PG21	HV10B-SFH-4B-MCV-2PG21	124 010 270 5131
PG29	HV10B-SFH-4B-MCV-PG29	124 010 270 5112
2PG29	HV10B-SFH-4B-MCV-2PG29	124 010 270 5132




Protection covers, metal

Connect way	Application	Designation	Order No.
	for hoods	H10B-MCV-4B/1S	111 010 030 8103
	for housings, without sealing	H10B-MCV-4B/2	111 010 030 8102



Protection covers, metal

Connect way	Application	Designation	Order No.
	for hoods	H10B-MCV-2L/SC.1S	111 010 041 8101
	for housings	H10B-MCV-2L/SC.2	111 010 041 8102



Please refer to page 15-02 for choosing proper model of lock.


10B Metal hoods/housings
- for high voltage inserts(HVE Series)



Degree of protection: IP67


Hoods, side entry

Thread	Designation	Order No.
M20	WV10B-SE-2B-M20	124 110 510 1001
PG16	WV10B-SE-2B-PG16	124 110 510 1002




Hoods, side entry, high construction

Thread	Designation	Order No.
M25	WV10B-SEH-2B-M25	124 110 510 5001
M32	WV10B-SEH-2B-M32	124 110 510 5002
PG21	WV10B-SEH-2B-PG21	124 110 510 5003
PG29	WV10B-SEH-2B-PG29	124 110 510 5004




Hoods, top entry

Thread	Designation	Order No.
M20	WV10B-TE-2B-M20	124 110 410 1001
PG16	WV10B-TE-2B-PG16	124 110 410 1002




Hoods, top entry, high construction

Thread	Designation	Order No.
M25	WV10B-TEH-2B-M25	124 110 410 5001
M32	WV10B-TEH-2B-M32	124 110 410 5002
PG21	WV10B-TEH-2B-PG21	124 110 410 5003
PG29	WV10B-TEH-2B-PG29	124 110 410 5004



Housings, cable to cable

Thread	Designation	Order No.
M20	WV10B-CCT-1L/SC-M20	124 110 721 1001
PG16	WV10B-CCT-1L/SC-PG16	124 110 721 1002




Please refer to page 15-02 for choosing proper model of lock.

Housings, cable to cable

high construction


Thread	Designation	Order No.
M25	WV10B-CCTH-1L/SC-M25	124 110 721 5001
M32	WV10B-CCTH-1L/SC-M32	124 110 721 5002
PG21	WV10B-CCTH-1L/SC-PG21	124 110 721 5003
PG29	WV10B-CCTH-1L/SC-PG29	124 110 721 5004



Please refer to page 15-02 for choosing proper model of lock.

Bulkhead mounted housings

Thread	Designation	Order No.
---	WV10B-BK-1L/SC	124 110 361 1101
---	with plastic cover	
---	WV10B-BK-1L/SC-CV	111 110 321 8003
---	with metal cover	
---	WV10B-BK-1L/SC-MCV	111 110 321 8004



Please refer to page 15-02 for choosing proper model of lock.

10B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection : IP67



Hoods, side entry




Thread	Designation	Order No.
M20	WV10B-SE-4B-M20	124 110 530 1001
PG16	WV10B-SE-4B-PG16	124 110 530 1002



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	WV10B-SEH-4B-M25	124 110 530 5001
M32	WV10B-SEH-4B-M32	124 110 530 5002
PG21	WV10B-SEH-4B-PG21	124 110 530 5003
PG29	WV10B-SEH-4B-PG29	124 110 530 5004



Hoods, top entry




Thread	Designation	Order No.
M20	WV10B-TE-4B-M20	124 110 430 1001
PG16	WV10B-TE-4B-PG16	124 110 430 1002



Hoods, top entry, high construction



Thread	Designation	Order No.
M25	WV10B-TEH-4B-M25	124 110 430 5001
M32	WV10B-TEH-4B-M32	124 110 430 5002
PG21	WV10B-TEH-4B-PG21	124 110 430 5003
PG29	WV10B-TEH-4B-PG29	124 110 430 5004




Bulkhead mounted housings

IP67



Thread	Designation	Order No.
---	WV10B-BK-2LSC	124 110 341 1101

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings
- for high voltage inserts(HVE Series)

Degree of protection: IP67




Housings, cable to cable



Thread	Designation	Order No.
M20	WV10B-CCT-2LSC-M20	124 110 741 1001
PG16	WV10B-CCT-2LSC-PG16	124 110 741 1002

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable
high construction



Thread	Designation	Order No.
M25	WV10B-CCTH-2LSC-M25	124 110 741 5001
M32	WV10B-CCTH-2LSC-M32	124 110 741 5002
PG21	WV10B-CCTH-2LSC-PG21	124 110 741 5003
PG29	WV10B-CCTH-2LSC-PG29	124 110 741 5004

Please refer to page 15-02 for choosing proper model of lock.



HV10B Metal hoods/housings
- for high voltage inserts (HVE Series)




Degree of protection: IP67



Hoods, side entry



Thread	Designation	Order No.
M20	WV10B-SE-2L/SC-M20	124 110 541 1001
PG16	WV10B-SE-2L/SC-PG16	124 110 541 1002




Please refer to page 15-02 for choosing proper model of lock.

Hoods, side entry, high construction



Thread	Designation	Order No.
M25	WV10B-SEH-2L/SC-M25	124 110 541 5001
M32	WV10B-SEH-2L/SC-M32	124 110 541 5002
PG21	WV10B-SEH-2L/SC-PG21	124 110 541 5003
PG29	WV10B-SEH-2L/SC-PG29	124 110 541 5004




Please refer to page 15-02 for choosing proper model of lock.

Hoods, top entry



Thread	Designation	Order No.
M20	WV10B-TE-2L/SC-M20	124 110 441 1001
PG16	WV10B-TE-2L/SC-PG16	124 110 441 1002




Please refer to page 15-02 for choosing proper model of lock.

Hoods, top entry, high construction



Thread	Designation	Order No.
M25	WV10B-TEH-2L/SC-M25	124 110 441 5001
M32	WV10B-TEH-2L/SC-M32	124 110 441 5002
PG21	WV10B-TEH-2L/SC-PG21	124 110 441 5003
PG29	WV10B-TEH-2L/SC-PG29	124 110 441 5004




Please refer to page 15-02 for choosing proper model of lock.

Bulkhead mounted housings



Thread	Designation	Order No.
---	WV10B-BK-4B	124 110 330 1101



16B Plastic hoods/housings




Degree of protection: IP65

Hoods, side entry, high construction




Thread	Designation	Order No.
M32	H16B.P-SEH-4B-M32	117 016 530 5004
M40	H16B.P-SEH-4B-M40	117 016 530 5005



Hoods, side entry, high construction




Thread	Designation	Order No.
M50	H16B.P-SEH-4B-M50	117 016 530 5005



Hoods, top entry, high construction




Thread	Designation	Order No.
M32	H16B.P-TEH-4B-M32	117 016 430 5004
M40	H16B.P-TEH-4B-M40	117 016 430 5005



Housings, bulkhead mounting




Thread	Designation	Order No.
---	H16B.P-BK-2L	117 016 347 1001



Housings, surface mounting high construction




Thread	Designation	Order No.
M32	H16B.P-SFH-2L-M32	117 016 247 5004
2M32	H16B.P-SFH-2L-2M32	117 016 247 5024
M40	H16B.P-SFH-2L-M40	117 016 247 5005
2M40	H16B.P-SFH-2L-2M40	117 016 247 5025



Protection covers, for housings




Connect way	Designation	Order No.
---	H16B.P-CV-4B/2	117 016 030 8002



Protection covers, for hoods



Connect way	Designation	Order No.
---	H16B.P-CV-2L/1	117 016 047 8001



16B Metal hoods/housings


Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H16B-BK-1L/SC	111 016 321 1001
with plastic cover		
---	H16B-BK-1L/SC-CV	111 016 361 1001
with metal cover		
---	H16B-BK-1L/SC-MCV	111 016 361 1101

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M25	H16B-SF-1L/SC-M25	111 016 221 1003
2M25	H16B-SF-1L/SC-2M25	111 016 221 1023
PG21	H16B-SF-1L/SC-PG21	111 016 221 1011
2PG21	H16B-SF-1L/SC-2PG21	111 016 221 1031
with plastic cover		
M25	H16B-SF-1L/SC-CV-M25	111 016 261 1003
2M25	H16B-SF-1L/SC-CV-2M25	111 016 261 1023
PG21	H16B-SF-1L/SC-CV-PG21	111 016 261 1011
2PG21	H16B-SF-1L/SC-CV-2PG21	111 016 261 1031
with metal cover		
M25	H16B-SF-1L/SC-MCV-M25	111 016 261 1103
2M25	H16B-SF-1L/SC-MCV-2M25	111 016 261 1123
PG21	H16B-SF-1L/SC-MCV-PG21	111 016 261 1111
2PG21	H16B-SF-1L/SC-MCV-2PG21	111 016 261 1131

Please refer to page 15-02 for choosing proper model of lock.



16B Metal hoods/housings

Degree of protection: IP65


Housings, surface mounting

high construction



Thread	Designation	Order No.
M32	H16B-SFH-1L/SC-M32	111 016 221 5004
2M32	H16B-SFH-1L/SC-2M32	111 016 221 5024
PG21	H16B-SFH-1L/SC-PG21	111 016 221 5011
2PG21	H16B-SFH-1L/SC-2PG21	111 016 221 5031
PG29	H16B-SFH-1L/SC-PG29	111 016 221 5012
2PG29	H16B-SFH-1L/SC-2PG29	111 016 221 5032
with plastic cover		
M32	H16B-SFH-1L/SC-CV-M32	111 016 261 5004
2M32	H16B-SFH-1L/SC-CV-2M32	111 016 261 5024
PG21	H16B-SFH-1L/SC-CV-PG21	111 016 261 5011
2PG21	H16B-SFH-1L/SC-CV-2PG21	111 016 261 5031
PG29	H16B-SFH-1L/SC-CV-PG29	111 016 261 5012
2PG29	H16B-SFH-1L/SC-CV-2PG29	111 016 261 5032
with metal cover		
M32	H16B-SFH-1L/SC-MCV-M32	111 016 261 5104
2M32	H16B-SFH-1L/SC-MCV-2M32	111 016 261 5124
PG21	H16B-SFH-1L/SC-MCV-PG21	111 016 261 5111
2PG21	H16B-SFH-1L/SC-MCV-2PG21	111 016 261 5131
PG29	H16B-SFH-1L/SC-MCV-PG29	111 016 261 5112
2PG29	H16B-SFH-1L/SC-MCV-2PG29	111 016 261 5132

Please refer to page 15-02 for choosing proper model of lock.



16B Metal hoods/housings




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H16B-BK-2L/SC	111 016 341 1001

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M25	H16B-SF-2L/SC-M25	111 016 241 1003
2M25	H16B-SF-2L/SC-2M25	111 016 241 1023
PG21	H16B-SF-2L/SC-PG21	111 016 241 1011
2PG21	H16B-SF-2L/SC-2PG21	111 016 241 1031

Please refer to page 15-02 for choosing proper model of lock.



16B Metal hoods/housings



Degree of protection: IP65


Housings, surface mounting

high construction



Thread	Designation	Order No.
M25	H16B-SFH-2L/SC-M25	111 016 241 5003
M32	H16B-SFH-2L/SC-M32	111 016 241 5004
2M32	H16B-SFH-2L/SC-2M32	111 016 241 5024
M40	H16B-SFH-2L/SC-M40	111 016 241 5005
2M40	H16B-SFH-2L/SC-2M40	111 016 241 5025
PG21	H16B-SFH-2L/SC-PG21	111 016 241 5011
2PG21	H16B-SFH-2L/SC-2PG21	111 016 241 5031
PG29	H16B-SFH-2L/SC-PG29	111 016 241 5012
2PG29	H16B-SFH-2L/SC-2PG29	111 016 241 5032

Please refer to page 15-02 for choosing proper model of lock.



16B Metal hoods/housings




Degree of protection: IP65

Protection covers, plastic



Connect way	Application	Designation	Order No.
---	for hoods	H16B-CV-4C	111 016 030 8009



Protection covers, plastic



Connect way	Application	Designation	Order No.
	for Housings, cable to cable	H16B-CV-4B/1	111 016 030 8001
	for Housings, bulkhead mounting / surface mounting	H16B-CV-4B/2	111 016 030 8002



16B Metal hoods/housings




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H16B-BK-4B	111 016 330 1001
---	with plastic cover	
---	H16B-BK-4B-CV	111 016 370 1001
---	with metal cover	
---	H16B-BK-4B-MCV	111 016 370 1101



16B Metal hoods/housings




Degree of protection: IP65

Surface mounted housings



Thread	Designation	Order No.
M25	H16B-SF-4B-M25	111 016 230 1003
2M25	H16B-SF-4B-2M25	111 016 230 1023
PG21	H16B-SF-4B-PG21	111 016 230 1011
2PG21	H16B-SF-4B-2PG21	111 016 230 1031
with plastic cover		
M25	H16B-SF-4B-CV-M25	111 016 270 1003
2M25	H16B-SF-4B-CV-2M25	111 016 270 1023
PG21	H16B-SF-4B-CV-PG21	111 016 270 1011
2PG21	H16B-SF-4B-CV-2PG21	111 016 270 1031
with metal cover		
M25	H16B-SF-4B-MCV-M25	111 016 270 1103
2M25	H16B-SF-4B-MCV-2M25	111 016 270 1123
PG21	H16B-SF-4B-MCV-PG21	111 016 270 1111
2PG21	H16B-SF-4B-MCV-2PG21	111 016 270 1131




Surface mounted housings

high construction




Thread	Designation	Order No.
M32	H16B-SFH-4B-M32	111 016 230 5004
2M32	H16B-SFH-4B-2M32	111 016 230 5024
PG21	H16B-SFH-4B-PG21	111 016 230 5011
2PG21	H16B-SFH-4B-2PG21	111 016 230 5031
PG21	H16B-SFH-4B-PG29	111 016 230 5012
2PG21	H16B-SFH-4B-2PG29	111 016 230 5032
with plastic cover		
M32	H16B-SFH-4B-CV-M32	111 016 270 5004
2M32	H16B-SFH-4B-CV-2M32	111 016 270 5024
PG21	H16B-SFH-4B-CV-PG21	111 016 270 5011
2PG21	H16B-SFH-4B-CV-2PG21	111 016 270 5031
PG29	H16B-SFH-4B-CV-PG29	111 016 270 5012
2PG29	H16B-SFH-4B-CV-2PG29	111 016 270 5032
with metal cover		
M32	H16B-SFH-4B-MCV-M32	111 016 270 5104
2M32	H16B-SFH-4B-MCV-2M32	111 016 270 5124
PG21	H16B-SFH-4B-MCV-PG21	111 016 270 5111
2PG21	H16B-SFH-4B-MCV-2PG21	111 016 270 5131
PG29	H16B-SFH-4B-MCV-PG29	111 016 270 5112
2PG29	H16B-SFH-4B-MCV-2PG29	111 016 270 5132



Protection covers, metal




Connect way	Application	Designation	Order No.
	for hoods	H16B-MCV-4B/1S	111 016 030 8103
	for housings, without sealing	H16B-MCV-4B/2	111 016 030 8102



Protection covers, metal



Connect way	Application	Designation	Order No.
	for hoods	H16B-MCV-2L/SC.1S	111 016 041 8101
	for housings	H16B-MCV-2L/SC.2	111 016 041 8102



Please refer to page 15-02 for choosing proper model of lock.

16B Metal hoods/housings




Degree of protection: IP65

Protection covers, plastic(IP54)




Connect way	Application	Designation	Order No.
	for housings	16B-CV/C	111 016 000 8002



Housings, bulkhead mounting



Thread	Designation	Order No.
---	H16B-BK-2B/C	111 016 355 1001




stainless steel hoods/housings

Hoods, side entry, high construction




Thread	Designation	Order No.
PG29	H16B.S-SEH-4B-PG29	117 016 530 5012



Bulkhead mounted housings



Thread	Designation	Order No.
---	H16B.S-BK-2L/SCN	117 016 342 1001



Degree of protection: IP65

16B Metal hoods/housings
Suitable for harsh environment(anti-corrosion)




Degree of protection: IP65

Housings, bulkhead mounting




Thread	Designation	Order No.
---	H16B-MBK-2L/SC	112 016 341 1001



Housings, surface mounting



Thread	Designation	Order No.
M25	H16B-MSF-2L/SC-M25	112 016 241 1003
PG21	H16B-MSF-2L/SC-PG21	112 016 241 1011



16B Metal hoods/housings
Suitable for harsh environment(anti-corrosion)




Degree of protection: IP65

Housings, surface mounting

high construction




Thread	Designation	Order No.
2M32	H16B-MSFH-2L/SC-2M32	112 016 241 5024
2M40	H16B-MSFH-2L/SC-2M40	112 016 241 5025
2PG21	H16B-MSFH-2L/SC-2PG21	112 016 241 5031
2PG29	H16B-MSFH-2L/SC-2PG29	112 016 241 5032



Protection covers, metal




Connect way	Application	Designation	Order No.
	for hoods	H16B-MMCV-4B/1	112 016 030 8001
	for housings	H16B-MMCV-4B/2	112 016 030 8002



Protection covers, metal



Connect way	Application	Designation	Order No.
	for hoods	H16B-MMCV-2L/SC.1S	112 016 041 8001
	for housings	H16B-MMCV-2L/SC.2	112 016 041 8002




Degree of protection: IP65 1lever locking system

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H16B-MBK-2B/C	112 016 350 1001




16B EMC Metal hoods/housings

Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	EMC1.H16B-BK-2L/SC	111 616 341 1201



Please refer to page 15-02 for choosing proper model of lock.


16B Metal hoods/housings

Degree of protection: IP67

Hoods, side entry




Thread	Designation	Order No.
M25	W16B-SE-2B-M25	111 116 510 1001
M32	W16B-SE-2B-M32	111 116 510 1002
PG21	W16B-SE-2B-PG21	111 116 510 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
---	W16B-BEH-2B	111 116 910 5002
M32	W16B-SEH-2B-M32	111 116 510 5001
M40	W16B-SEH-2B-M40	111 116 510 5002
PG21	W16B-SEH-2B-PG21	111 116 510 5003
PG29	W16B-SEH-2B-PG29	111 116 510 5004



Hoods, top entry




Thread	Designation	Order No.
M25	W16B-TE-2B-M25	111 116 410 1001
M32	W16B-TE-2B-M32	111 116 410 1002
PG21	W16B-TE-2B-PG21	111 116 410 1003



Hoods, top entry, high construction



Thread	Designation	Order No.
---	W16B-BEH-2B	111 116 910 5002
M32	W16B-TEH-2B-M32	111 116 410 5001
M40	W16B-TEH-2B-M40	111 116 410 5002
PG21	W16B-TEH-2B-PG21	111 116 410 5003
PG29	W16B-TEH-2B-PG29	111 116 410 5004




Housings, cable to cable




Thread	Designation	Order No.
M25	W16B-CCT-1L/SC-M25	111 116 721 1002
M32	W16B-CCT-1L/SC-M32	111 116 721 1003
PG21	W16B-CCT-1L/SC-PG21	111 116 721 1004

Please refer to page 15-02 for choosing proper model of lock.

Housings, cable to cable
high construction

Thread	Designation	Order No.
M32	W16B-CCTH-1L/SC-M32	111 116 721 5001
M40	W16B-CCTH-1L/SC-M40	111 116 721 5002
PG21	W16B-CCTH-1L/SC-PG21	111 116 721 5003
PG29	W16B-CCTH-1L/SC-PG29	111 116 721 5004

Please refer to page 15-02 for choosing proper model of lock.




Bulkhead mounted housings



Thread	Designation	Order No.
---	W16B-BK-1L/SC	111 116 321 1001
---	with plastic cover	
---	W16B-BK-1L/SC-CV	111 116 321 8001
---	with metal cover	
---	W16B-BK-1L/SC-MCV	111 116 321 8002

Please refer to page 15-02 for choosing proper model of lock.



16B Metal hoods/housings

Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M25	W16B-SE-4B-M25	111 116 530 1001
M32	W16B-SE-4B-M32	111 116 530 1002
PG21	W16B-SE-4B-PG21	111 116 530 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
---	W16B-BEH-4B	111 116 930 5003
M32	W16B-SEH-4B-M32	111 116 530 5001
M40	W16B-SEH-4B-M40	111 116 530 5002
PG21	W16B-SEH-4B-PG21	111 116 530 5003
PG29	W16B-SEH-4B-PG29	111 116 530 5004



Hoods, side entry, high construction




Thread	Designation	Order No.
M50	W16B-SEH-4B-M50	111 116 530 5006
PG36	W16B-SEH-4B-PG36	111 116 530 5013

Suitable for cable with maximum OD Φ 32mm

Hoods, top entry



Thread	Designation	Order No.
M25	W16B-TE-4B-M25	111 116 430 1001
M32	W16B-TE-4B-M32	111 116 430 1002
PG21	W16B-TE-4B-PG21	111 116 430 1003



Hoods, top entry, high construction




Thread	Designation	Order No.
---	W16B-BEH-4B	111 116 930 5003
M32	W16B-TEH-4B-M32	111 116 430 5001
M40	W16B-TEH-4B-M40	111 116 430 5002
PG21	W16B-TEH-4B-PG21	111 116 430 5003
PG29	W16B-TEH-4B-PG29	111 116 430 5004



Hoods, top entry, high construction



Thread	Designation	Order No.
M50	W16B-TEH-4B-M50	111 116 430 5006
PG36	W16B-TEH-4B-PG36	111 116 430 5013



16B Metal hoods/housings

Degree of protection: IP67




Bulkhead mounted housings

IP67



Thread	Designation	Order No.
---	W16B-BK-2L/SC	111 116 341 1002

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable



Thread	Designation	Order No.
M25	W16B-CCT-2L/SC-M25	111 116 741 1001
M32	W16B-CCT-2L/SC-M32	111 116 741 1002
PG21	W16B-CCT-2L/SC-PG21	111 116 741 1003

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable

high construction



Thread	Designation	Order No.
M25	W16B-CCTH-2L/SC-M25	111 116 741 5002
M32	W16B-CCTH-2L/SC-M32	111 116 741 5003
M40	W16B-CCTH-2L/SC-M40	111 116 741 5004
PG21	W16B-CCTH-2L/SC-PG21	111 116 741 5005
PG29	W16B-CCTH-2L/SC-PG29	111 116 741 5006

Please refer to page 15-02 for choosing proper model of lock.



16B Metal hoods/housings



Degree of protection: IP67




Hoods, side entry



Thread	Designation	Order No.
M25	W16B-SE-2L/SC-M25	111 116 541 1001
M32	W16B-SE-2L/SC-M32	111 116 541 1002
PG21	W16B-SE-2L/SC-PG21	111 116 541 1003

Please refer to page 15-02 for choosing proper model of lock.




Hoods, side entry, high construction



Thread	Designation	Order No.
M32	W16B-SEH-2L/SC-M32	111 116 541 5001
M40	W16B-SEH-2L/SC-M40	111 116 541 5002
PG21	W16B-SEH-2L/SC-PG21	111 116 541 5003
PG29	W16B-SEH-2L/SC-PG29	111 116 541 5004

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry



Thread	Designation	Order No.
M25	W16B-TE-2L/SC-M25	111 116 441 1001
M32	W16B-TE-2L/SC-M32	111 116 441 1002
PG21	W16B-TE-2L/SC-PG21	111 116 441 1003

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry, high construction



Thread	Designation	Order No.
M32	W16B-TEH-2L/SC-M32	111 116 441 5001
M40	W16B-TEH-2L/SC-M40	111 116 441 5002
PG21	W16B-TEH-2L/SC-PG21	111 116 441 5003
PG29	W16B-TEH-2L/SC-PG29	111 116 441 5004


Please refer to page 15-02 for choosing proper model of lock.



Bulkhead mounted housings



Thread	Designation	Order No.
---	W16B-BK-4B	111 116 330 1001



16B Metal hoods/housings




Degree of protection: IP67



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	W16B-SEH-1L/C-M25	111 116 550 5001
M32	W16B-SEH-1L/C-M32	111 116 550 5002
PG21	W16B-SEH-1L/C-PG21	111 116 550 5003
PG29	W16B-SEH-1L/C-PG29	111 116 550 5004



Bulkhead mounted housings



Thread	Designation	Order No.
---	W16B-BK-2B/C	111 116 350 1001



16B Metal hoods/housings
Suitable for harsh environment(anti-corrosion)




Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M25	W16B--MSE--4B--M25	112 116 530 1001
PG21	W16B--MSE--4B--PG21	112 116 530 1002



Hoods, side entry, high construction




Thread	Designation	Order No.
M32	W16B--MSEH--4B--M32	112 116 530 5005
M40	W16B--MSEH--4B--M40	112 116 530 5006
PG29	W16B--MSEH--4B--PG29	112 116 530 5007



Hoods, top entry




Thread	Designation	Order No.
M25	W16B--MTE--4B--M25	112 116 430 1001
PG21	W16B--MTE--4B--PG21	112 116 430 1002



Hoods, top entry, high construction




Thread	Designation	Order No.
M32	W16B--MTEH--4B--M32	112 116 430 5005
PG29	W16B--MTEH--4B--PG29	112 116 430 5006



Bulkhead mounted housings



Thread	Designation	Order No.
---	W16B--MBK--2L/C	112 116 341 1001



16B Metal hoods/housings
Suitable for harsh environment(anti-corrosion)




Degree of protection: IP67



Housings, cable to cable



Thread	Designation	Order No.
PG21	W16B--MCCT--2L/SC--PG21	112 116 741 1001




Degree of protection: IP67 1lever locking system

Hoods, side entry, high construction




Thread	Designation	Order No.
M32	W16B--MSEH--1L/C--M32	112 116 550 5005
PG21	W16B--MSEH--1L/C--PG21	112 116 550 5006
PG29	W16B--MSEH--1L/C--PG29	112 116 550 5007



Bulkhead mounted housings



Thread	Designation	Order No.
---	W16B--MBK--2B/C	112 116 350 1001



16B Pressure tight hoods/housings




Degree of protection: IP68/IP69K

H version

Hoods, side entry, high construction




Thread	Designation	Order No.
Screw locking		
M25	HP16B/H-SEH-2S-M25	113 616 520 5003
M32	HP16B/H-SEH-2S-M32	113 616 520 5004
M40	HP16B/H-SEH-2S-M40	113 616 520 5005
M50	HP16B/H-SEH-2S-M50	113 616 520 5006
PG21	HP16B/H-SEH-2S-PG21	113 616 520 5011
PG29	HP16B/H-SEH-2S-PG29	113 616 520 5012
PG36	HP16B/H-SEH-2S-PG36	113 616 520 5013
Toggle locking		
M25	HP16B/H-SEH-2T-M25	113 616 540 5003
M32	HP16B/H-SEH-2T-M32	113 616 540 5004
M40	HP16B/H-SEH-2T-M40	113 616 540 5005
M50	HP16B/H-SEH-2T-M50	113 616 540 5006
PG21	HP16B/H-SEH-2T-PG21	113 616 540 5011
PG29	HP16B/H-SEH-2T-PG29	113 616 540 5012
PG36	HP16B/H-SEH-2T-PG36	113 616 540 5013



Hoods, top entry, high construction



Thread	Designation	Order No.
Screw locking		
M25	HP16B/H-TEH-2S-M25	113 616 420 5003
2M25	HP16B/H-TEH-2S-2M25	113 616 420 5023
M32	HP16B/H-TEH-2S-M32	113 616 420 5004
M40	HP16B/H-TEH-2S-M40	113 616 420 5005
M50	HP16B/H-TEH-2S-M50	113 616 420 5006
PG21	HP16B/H-TEH-2S-PG21	113 616 420 5011
2PG21	HP16B/H-TEH-2S-2PG21	113 616 420 5031
PG29	HP16B/H-TEH-2S-PG29	113 616 420 5012
PG36	HP16B/H-TEH-2S-PG36	113 616 420 5013
Toggle locking		
M25	HP16B/H-TEH-2T-M25	113 616 440 5003
2M25	HP16B/H-TEH-2T-2M25	113 616 440 5023
M32	HP16B/H-TEH-2T-M32	113 616 440 5004
M40	HP16B/H-TEH-2T-M40	113 616 440 5005
M50	HP16B/H-TEH-2T-M50	113 616 440 5006
PG21	HP16B/H-TEH-2T-PG21	113 616 440 5011
2PG21	HP16B/H-TEH-2T-2PG21	113 616 440 5031
PG29	HP16B/H-TEH-2T-PG29	113 616 440 5012
PG36	HP16B/H-TEH-2T-PG36	113 616 440 5013




Surface mounted housings

high construction



Thread	Designation	Order No.
Screw locking		
M25	HP16B/H-SFH-2H-M25	113 616 220 5003
M32	HP16B/H-SFH-2H-M32	113 616 220 5004
M40	HP16B/H-SFH-2H-M40	113 616 220 5002
M40	HP16B/H-SFH-2H-2M40	113 616 220 5025
PG21	HP16B/H-SFH-2H-PG21	113 616 220 5011
PG29	HP16B/H-SFH-2H-PG29	113 616 220 5012
PG36	HP16B/H-SFH-2H-PG36	113 616 220 5013
Toggle locking		
M25	HP16B/H-SFH-2T-M25	113 616 240 5003
M32	HP16B/H-SFH-2T-M32	113 616 240 5004
M40	HP16B/H-SFH-2T-M40	113 616 240 5005
2M40	HP16B/H-SFH-2T-2M40	113 616 240 5025
PG21	HP16B/H-SFH-2T-PG21	113 616 240 5011
PG29	HP16B/H-SFH-2T-PG29	113 616 240 5012
PG36	HP16B/H-SFH-2T-PG36	113 616 240 5013



16B Pressure tight hoods/housings




Degree of protection: IP68/IP69K

H version

Bulkhead mounted housings




Thread	Designation	Order No.
Screw locking		
---	HP16B/H-BK-2H	113 616 320 1001
Toggle locking		
---	HP16B/H-BK-2T	113 616 340 1001
with metal cover		
Screw locking		
---	HP16B/H-BK-2H-MCV	113 616 360 1001
Toggle locking		
---	HP16B/H-BK-2T-MCV	113 616 370 1001



Protection covers




Connect way	Designation	Order No.
○	HP16B/H-MCV-2S	113 616 020 8101
○	HP16B/H-MCV-2T	113 616 040 8103



Protection covers



Connect way	Designation	Order No.
○	HP16B/H-MCV-2H/1	113 616 020 8111
○	HP16B/H-MCV-2T/1	113 616 040 8101



16B Pressure tight hoods/housings



Degree of protection: IP68/IP69K


The following hoods/housings comply with the standards for rail transport industry in China.

H version

Hoods, side entry, high construction




Thread	Designation	Order No.
M25	HP16B/H-SEH-4S-M25	113 616 530 5003
M32	HP16B/H-SEH-4S-M32	113 616 530 5004
M40	HP16B/H-SEH-4S-M40	113 616 530 5005
PG21	HP16B/H-SEH-4S-PG21	113 616 530 5011
PG29	HP16B/H-SEH-4S-PG29	113 616 530 5012



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	HP16B/H-TEH-4S-M25	113 616 430 5003
M32	HP16B/H-TEH-4S-M32	113 616 430 5004
M40	HP16B/H-TEH-4S-M40	113 616 430 5005
M50	HP16B/H-TEH-4S-M50	113 616 430 5006
PG21	HP16B/H-TEH-4S-PG21	113 616 430 5011
PG29	HP16B/H-TEH-4S-PG29	113 616 430 5012
PG36	HP16B/H-TEH-4S-PG36	113 616 430 5013



Bulkhead mounted housings



Thread	Designation	Order No.
---	HP16B/H-BK-4H	113 616 330 1001



16B Pressure tight hoods/housings


Degree of protection: IP68/IP69K

Hoods, top entry, high construction

EMC version



Thread	Designation	Order No.
M32	EMC.H16B-TEH-4S-M32	116 616 430 5004
M40	EMC.H16B-TEH-4S-M40	116 616 430 5001
PG21	EMC.H16B-TEH-4S-PG21	116 616 430 5011
PG29	EMC.H16B-TEH-4S-PG29	116 616 430 5012




Bulkhead mounted housings

EMC version



Thread	Designation	Order No.
---	EMC.H16B-BK-4H	116 616 330 1001



16B Pressure tight hoods/housings




Degree of protection: IP68/IP69K

EMC Pressure tight hoods/housings

Hoods, top entry, high construction

EMC version


Thread	Designation	Order No.
M32	EMC.W16B-TEH-4S-M32	111 116 430 5010
M40	EMC.W16B-TEH-4S-M40	111 116 430 5011
PG21	EMC.W16B-TEH-4S-PG21	111 116 430 5012



Bulkhead mounted housings

EMC version

Thread	Designation	Order No.
---	EMC.W16B-BK-4H	111 216 330 1001



HV16B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV16B-BK-1L/SC	124 016 321 1001
---	with plastic cover	
---	HV16B-BK-1L/SC-CV	124 016 361 1001
---	with metal cover	
---	HV16B-BK-1L/SC-MCV	124 016 361 1101

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M25	HV16B-SF-1L/SC-M25	124 016 221 1003
2M25	HV16B-SF-1L/SC-2M25	124 016 221 1023
PG21	HV16B-SF-1L/SC-PG21	124 016 221 1011
2PG21	HV16B-SF-1L/SC-2PG21	124 016 221 1031
---	with plastic cover	
M25	HV16B-SF-1L/SC-CV-M25	124 016 261 1003
2M25	HV16B-SF-1L/SC-CV-2M25	124 016 261 1023
PG21	HV16B-SF-1L/SC-CV-PG21	124 016 261 1011
2PG21	HV16B-SF-1L/SC-CV-2PG21	124 016 261 1031
---	with metal cover	
M25	HV16B-SF-1L/SC-MCV-M25	124 016 261 1103
2M25	HV16B-SF-1L/SC-MCV-2M25	124 016 261 1123
PG21	HV16B-SF-1L/SC-MCV-PG21	124 016 261 1111
2PG21	HV16B-SF-1L/SC-MCV-2PG21	124 016 261 1131

Please refer to page 15-02 for choosing proper model of lock.



HV16B Metal hoods/housings
- for high voltage inserts(HVE Series)

Degree of protection: IP65


Housings, surface mounting

high construction



Thread	Designation	Order No.
M32	HV16B-SFH-1L/SC-M32	124 016 221 5004
2M32	HV16B-SFH-1L/SC-2M32	124 016 221 5024
PG21	HV16B-SFH-1L/SC-PG21	124 016 221 5011
2PG21	HV16B-SFH-1L/SC-2PG21	124 016 221 5031
PG29	HV16B-SFH-1L/SC-PG29	124 016 221 5012
2PG29	HV16B-SFH-1L/SC-2PG29	124 016 221 5032
with plastic cover		
M32	HV16B-SFH-1L/SC-CV-M32	124 016 261 5004
2M32	HV16B-SFH-1L/SC-CV-2M32	124 016 261 5024
PG21	HV16B-SFH-1L/SC-CV-PG21	124 016 261 5011
2PG21	HV16B-SFH-1L/SC-CV-2PG21	124 016 261 5031
PG29	HV16B-SFH-1L/SC-CV-PG29	124 016 261 5012
2PG29	HV16B-SFH-1L/SC-CV-2PG29	124 016 261 5032
with metal cover		
M32	HV16B-SFH-1L/SC-MCV-M32	124 016 261 5104
2M32	HV16B-SFH-1L/SC-MCV-2M32	124 016 261 5124
PG21	HV16B-SFH-1L/SC-MCV-PG21	124 016 261 5111
2PG21	HV16B-SFH-1L/SC-MCV-2PG21	124 016 261 5131
PG29	HV16B-SFH-1L/SC-MCV-PG29	124 016 261 5112
2PG29	HV16B-SFH-1L/SC-MCV-2PG29	124 016 261 5132

Please refer to page 15-02 for choosing proper model of lock.



HV16B Metal hoods/housings

- for high voltage inserts(HVE Series)




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV16B-BK-2L/SC	124 016 341 1001




Please refer to page 15-02 for choosing proper model of lock.

Housings, surface mounting



Thread	Designation	Order No.
M25	HV16B-SF-2L/SC-M25	124 016 241 1003
2M25	HV16B-SF-2L/SC-2M25	124 016 241 1023
PG21	HV16B-SF-2L/SC-PG21	124 016 241 1011
2PG21	HV16B-SF-2L/SC-2PG21	124 016 241 1031




Please refer to page 15-02 for choosing proper model of lock.

Housings, surface mounting

high construction



Thread	Designation	Order No.
M32	HV16B-SFH-2L/SC-M32	124 016 241 5004
2M32	HV16B-SFH-2L/SC-2M32	124 016 241 5024
PG21	HV16B-SFH-2L/SC-PG21	124 016 241 5011
2PG21	HV16B-SFH-2L/SC-2PG21	124 016 241 5031
PG29	HV16B-SFH-2L/SC-PG29	124 016 241 5012
2PG29	HV16B-SFH-2L/SC-2PG29	124 016 241 5032



Please refer to page 15-02 for choosing proper model of lock.



HV16B Metal hoods/housings


- for high voltage inserts(HVE Series)

Degree of protection: IP65

Protection covers, plastic




Connect way	Application	Designation	Order No.
---	for hoods	H16B-CV-4C	111 016 030 8009



Protection covers, plastic



Connect way	Application	Designation	Order No.
	for Housings, cable to cable	H16B-CV-4B/1	111 016 030 8001
	for Housings, bulkhead mounting / surface mounting	H16B-CV-4B/2	111 016 030 8002



HV16B Metal hoods/housings - for high voltage inserts(HVE Series)




Degree of protection: IP65

Housings, bulkhead mounting




Thread	Designation	Order No.
---	HV16B-BK-4B	124 016 330 1001
	with plastic cover	
	HV16B-BK-4B-CV	124 016 370 1001
	with metal cover	
	HV16B-BK-4B-MCV	124 016 370 1101



Housings, surface mounting




Thread	Designation	Order No.
M25	HV16B-SF-4B-M25	124 016 230 1003
2M25	HV16B-SF-4B-2M25	124 016 230 1023
PG21	HV16B-SF-4B-PG21	124 016 230 1011
2PG21	HV16B-SF-4B-2PG21	124 016 230 1031
	with plastic cover	
M25	HV16B-SF-4B-CV-M25	124 016 270 1003
2M25	HV16B-SF-4B-CV-2M25	124 016 270 1023
PG21	HV16B-SF-4B-CV-PG21	124 016 270 1011
2PG21	HV16B-SF-4B-CV-2PG21	124 016 270 1031
	with metal cover	
M25	HV16B-SF-4B-MCV-M25	124 016 270 1103
2M25	HV16B-SF-4B-MCV-2M25	124 016 270 1123
PG21	HV16B-SF-4B-MCV-PG21	124 016 270 1111
2PG21	HV16B-SF-4B-MCV-2PG21	124 016 270 1131



Housings, surface mounting high construction



Thread	Designation	Order No.
M32	HV16B-SFH-4B-M32	124 016 230 5004
2M32	HV16B-SFH-4B-2M32	124 016 230 5024
PG21	HV16B-SFH-4B-PG21	124 016 230 5011
2PG21	HV16B-SFH-4B-2PG21	124 016 230 5031
PG29	HV16B-SFH-4B-PG29	124 016 230 5012
2PG29	HV16B-SFH-4B-2PG29	124 016 230 5032
	with plastic cover	
M32	HV16B-SFH-4B-CV-M32	124 016 270 5004
2M32	HV16B-SFH-4B-CV-2M32	124 016 270 5024
PG21	HV16B-SFH-4B-CV-PG21	124 016 270 5011
2PG21	HV16B-SFH-4B-CV-2PG21	124 016 270 5031
PG29	HV16B-SFH-4B-CV-PG29	124 016 270 5012
2PG29	HV16B-SFH-4B-CV-2PG29	124 016 270 5032
	with metal cover	
M32	HV16B-SFH-4B-MCV-M32	124 016 270 5104
2M32	HV16B-SFH-4B-MCV-2M32	124 016 270 5124
PG21	HV16B-SFH-4B-MCV-PG21	124 016 270 5111
2PG21	HV16B-SFH-4B-MCV-2PG21	124 016 270 5131
PG29	HV16B-SFH-4B-MCV-PG29	124 016 270 5112
2PG29	HV16B-SFH-4B-MCV-2PG29	124 016 270 5132



HV16B Metal hoods/housings - for high voltage inserts(HVE Series)




Degree of protection: IP65

Protection covers, metal




Connect way	Application	Designation	Order No.
	for hoods	H16B-MCV-4B/1S	111 016 030 8103
	for housings, without sealing	H16B-MCV-4B/2	111 016 030 8102



Protection covers, metal



Connect way	Application	Designation	Order No.
	for hoods	H16B-MCV-2L/SC.1S	111 016 041 8101
	for housings	H16B-MCV-2L/SC.2	111 016 041 8102



Please refer to page 15-02 for choosing proper model of lock.

HV16B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV16B-BK-2B/C	124 016 355 1001



16B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection: IP67

Hoods, side entry




Thread	Designation	Order No.
M25	WV16B-SE-2B-M25	124 116 510 1001
PG21	WV16B-SE-2B-PG21	124 116 510 1002



Hoods, side entry, high construction




Thread	Designation	Order No.
M32	WV16B-SEH-2B-M32	124 116 510 5001
M40	WV16B-SEH-2B-M40	124 116 510 5002
PG21	WV16B-SEH-2B-PG21	124 116 510 5003
PG29	WV16B-SEH-2B-PG29	124 116 510 5004



Hoods, top entry



Thread	Designation	Order No.
M25	WV16B-TE-2B-M25	124 116 410 1001
M32	WV16B-TE-2B-M32	124 116 410 1002
PG21	WV16B-TE-2B-PG21	124 116 410 1003



Hoods, top entry, high construction



Thread	Designation	Order No.
M32	WV16B-TEH-2B-M32	124 116 410 5001
M40	WV16B-TEH-2B-M40	124 116 410 5002
PG21	WV16B-TEH-2B-PG21	124 116 410 5003
PG29	WV16B-TEH-2B-PG29	124 116 410 5004




Housings, cable to cable



Thread	Designation	Order No.
M25	WV16B-CCT-1L/SC-M25	124 116 721 1001
PG21	WV16B-CCT-1L/SC-PG21	124 116 721 1002

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable

high construction



Thread	Designation	Order No.
M32	WV16B-CCTH-1L/SC-M32	124 116 721 5001
M40	WV16B-CCTH-1L/SC-M40	124 116 721 5002
PG21	WV16B-CCTH-1L/SC-PG21	124 116 721 5003
PG29	WV16B-CCTH-1L/SC-PG29	124 116 721 5004

Please refer to page 15-02 for choosing proper model of lock.




Bulkhead mounted housings



Thread	Designation	Order No.
---	WV16B-BK-1L/SC	124 116 321 1101
---	with plastic cover	
---	WV16B-BK-1L/SC-CV	111 116 321 8003
---	with metal cover	
---	WV16B-BK-1L/SC-MCV	111 116 321 8004

Please refer to page 15-02 for choosing proper model of lock.



16B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M25	WV16B-SE-4B-M25	124 116 530 1001
M32	WV16B-SE-4B-M32	124 116 530 1002
PG21	WV16B-SE-4B-PG21	124 116 530 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
M32	WV16B-SEH-4B-M32	124 116 530 5001
M40	WV16B-SEH-4B-M40	124 116 530 5002
PG21	WV16B-SEH-4B-PG21	124 116 530 5003
PG29	WV16B-SEH-4B-PG29	124 116 530 5004



Hoods, side entry, high construction



Thread	Designation	Order No.
M50	WV16B-SEH-4B-M50	124 116 530 5005
PG36	WV16B-SEH-4B-PG36	124 116 530 5006




Suitable for cable with maximum OD ϕ 32mm

Hoods, top entry



Thread	Designation	Order No.
M25	WV16B-TE-4B-M25	124 116 430 1001
PG21	WV16B-TE-4B-PG21	124 116 430 1002



Hoods, top entry, high construction




Thread	Designation	Order No.
M32	WV16B-TEH-4B-M32	124 116 430 5001
M40	WV16B-TEH-4B-M40	124 116 430 5002
PG21	WV16B-TEH-4B-PG21	124 116 430 5003
PG29	WV16B-TEH-4B-PG29	124 116 430 5004



Hoods, top entry, high construction



Thread	Designation	Order No.
M50	WV16B-TEH-4B-M50	124 116 430 5005
PG36	WV16B-TEH-4B-PG36	124 116 430 5006



16B Metal hoods/housings
- for high voltage inserts(HVE Series)



Degree of protection: IP67




Bulkhead mounted housings

IP67



Thread	Designation	Order No.
---	WV16B-BK-2L/SC	124 116 341 1101




Please refer to page 15-02 for choosing proper model of lock.

Housings, cable to cable



Thread	Designation	Order No.
M25	WV16B-CCT-2L/SC-M25	124 116 741 1001
PG21	WV16B-CCT-2L/SC-PG21	124 116 741 1002




Please refer to page 15-02 for choosing proper model of lock.

Housings, cable to cable

high construction



Thread	Designation	Order No.
M32	WV16B-CCTH-2L/SC-M32	124 116 741 5001
M40	WV16B-CCTH-2L/SC-M40	124 116 741 5002
PG21	WV16B-CCTH-2L/SC-PG21	124 116 741 5003
PG29	WV16B-CCTH-2L/SC-PG29	124 116 741 5004



Please refer to page 15-02 for choosing proper model of lock.

16B Metal hoods/housings
- for high voltage inserts (HVE Series)




Degree of protection: IP67

Hoods, side entry



Thread	Designation	Order No.
M25	WV16B-SE-2L/SC-M25	124 116 541 1001
M32	WV16B-SE-2L/SC-M32	124 116 541 1002
PG21	WV16B-SE-2L/SC-PG21	124 116 541 1003

Please refer to page 15-02 for choosing proper model of lock.




Hoods, side entry, high construction



Thread	Designation	Order No.
M32	WV16B-SEH-2L/SC-M32	124 116 541 5001
M40	WV16B-SEH-2L/SC-M40	124 116 541 5002
PG21	WV16B-SEH-2L/SC-PG21	124 116 541 5003
PG29	WV16B-SEH-2L/SC-PG29	124 116 541 5004

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry



Thread	Designation	Order No.
M25	WV16B-TE-2L/SC-M25	124 116 441 1001
PG21	WV16B-TE-2L/SC-PG21	124 116 441 1002

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry, high construction



Thread	Designation	Order No.
M32	WV16B-TEH-2L/SC-M32	124 116 441 5001
M40	WV16B-TEH-2L/SC-M40	124 116 441 5002
PG21	WV16B-TEH-2L/SC-PG21	124 116 441 5003
PG29	WV16B-TEH-2L/SC-PG29	124 116 441 5004


Please refer to page 15-02 for choosing proper model of lock.



Bulkhead mounted housings




Thread	Designation	Order No.
---	WV16B-BK-4B	124 116 330 1101



Hoods, side entry, high construction




Thread	Designation	Order No.
M32	WV16B-SEH-1L/C-M32	124 116 550 5001
PG21	WV16B-SEH-1L/C-PG21	124 116 550 5002
PG29	WV16B-SEH-1L/C-PG29	124 116 550 5003



Bulkhead mounted housings



Thread	Designation	Order No.
---	WV16B-BK-2B/C	124 116 350 1101



24B Plastic hoods/housings




Degree of protection: IP65

Hoods, side entry, high construction




Thread	Designation	Order No.
M32	H24B.P-SEH-4B-M32	117 024 530 5004
M40	H24B.P-SEH-4B-M40	117 024 530 5005



Hoods, side entry, high construction




Thread	Designation	Order No.
M50	H24B.P-SEH-4B-M50	117 024 530 5502



Hoods, top entry, high construction




Thread	Designation	Order No.
M32	H24B.P-TEH-4B-M32	117 024 430 5004
M40	H24B.P-TEH-4B-M40	117 024 430 5005



Bulkhead mounted housings



Thread	Designation	Order No.
---	H24B.P-BK-2L	117 024 347 1001




Surface mounted housings

high construction




Thread	Designation	Order No.
M32	H24B.P-SFH-2L-M32	117 024 247 5004
2M32	H24B.P-SFH-2L-2M32	117 024 247 5024
M40	H24B.P-SFH-2L-M40	117 024 247 5005
2M40	H24B.P-SFH-2L-2M40	117 024 247 5025



Protection covers, for housings




Connect way	Designation	Order No.
---	H24B.P-CV-4B/2	117 024 030 8002



Protection covers, for hoods



Connect way	Designation	Order No.
---	H24B.P-CV-2L/1	117 024 047 8001



24B Metal hoods/housings




Degree of protection : IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H24B-BK-1L/SC	111 024 321 1001
	with plastic cover	
---	H24B-BK-1L/SC-CV	111 024 361 1001
	with metal cover	
---	H24B-BK-1L/SC-MCV	111 024 361 1101

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M25	H24B-SF-1L/SC-M25	111 024 221 1003
2M25	H24B-SF-1L/SC-2M25	111 024 221 1023
PG21	H24B-SF-1L/SC-PG21	111 024 221 1011
2PG21	H24B-SF-1L/SC-2PG21	111 024 221 1031
	with plastic cover	
M25	H24B-SF-1L/SC-CV-M25	111 024 261 1003
2M25	H24B-SF-1L/SC-CV-2M25	111 024 261 1023
PG21	H24B-SF-1L/SC-CV-PG21	111 024 261 1011
2PG21	H24B-SF-1L/SC-CV-2PG21	111 024 261 1031
	with metal cover	
M25	H24B-SF-1L/SC-MCV-M25	111 024 261 1103
2M25	H24B-SF-1L/SC-MCV-2M25	111 024 261 1123
PG21	H24B-SF-1L/SC-MCV-PG21	111 024 261 1111
2PG21	H24B-SF-1L/SC-MCV-2PG21	111 024 261 1131

Please refer to page 15-02 for choosing proper model of lock.



24B Metal hoods/housings



Degree of protection : IP65


Housings, surface mounting

high construction



Thread	Designation	Order No.
M32	H24B-SFH-1L/SC-M32	111 024 221 5004
2M32	H24B-SFH-1L/SC-2M32	111 024 221 5024
PG21	H24B-SFH-1L/SC-PG21	111 024 221 5011
2PG21	H24B-SFH-1L/SC-2PG21	111 024 221 5031
PG29	H24B-SFH-1L/SC-PG29	111 024 221 5012
2PG29	H24B-SFH-1L/SC-2PG29	111 024 221 5032
	with plastic cover	
M32	H24B-SFH-1L/SC-CV-M32	111 024 261 5004
2M32	H24B-SFH-1L/SC-CV-2M32	111 024 261 5024
PG21	H24B-SFH-1L/SC-CV-PG21	111 024 261 5011
2PG21	H24B-SFH-1L/SC-CV-2PG21	111 024 261 5031
PG29	H24B-SFH-1L/SC-CV-PG29	111 024 261 5012
2PG29	H24B-SFH-1L/SC-CV-2PG29	111 024 261 5032
	with metal cover	
M32	H24B-SFH-1L/SC-MCV-M32	111 024 261 5104
2M32	H24B-SFH-1L/SC-MCV-2M32	111 024 261 5124
PG21	H24B-SFH-1L/SC-MCV-PG21	111 024 261 5111
2PG21	H24B-SFH-1L/SC-MCV-2PG21	111 024 261 5131
PG29	H24B-SFH-1L/SC-MCV-PG29	111 024 261 5112
2PG29	H24B-SFH-1L/SC-MCV-2PG29	111 024 261 5132

Please refer to page 15-02 for choosing proper model of lock.



24B Metal hoods/housings - for high voltage inserts(HVE Series)




Degree of protection: IP67 

Bulkhead mounted housings

IP67



Thread	Designation	Order No.
---	WV24B-BK-2L/SC	124 124 341 1101




Please refer to page 15-02 for choosing proper model of lock.

Housings, cable to cable



Thread	Designation	Order No.
M25	WV24B-CCT-2L/SC-M25	124 124 741 1001
PG21	WV24B-CCT-2L/SC-PG21	124 124 741 1002




Please refer to page 15-02 for choosing proper model of lock.

Housings, cable to cable high construction



Thread	Designation	Order No.
M32	WV24B-CCTH-2L/SC-M32	124 124 741 5001
M40	WV24B-CCTH-2L/SC-M40	124 124 741 5002
PG21	WV24B-CCTH-2L/SC-PG21	124 124 741 5003
PG29	WV24B-CCTH-2L/SC-PG29	124 124 741 5004



Please refer to page 15-02 for choosing proper model of lock.

24B Metal hoods/housings - for high voltage inserts(HVE Series)




Degree of protection: IP67 

Hoods, side entry



Thread	Designation	Order No.
M25	WV24B-SE-2L/SC-M25	124 124 541 1001
M32	WV24B-SE-2L/SC-M32	124 124 541 1002
PG21	WV24B-SE-2L/SC-PG21	124 124 541 1003




Please refer to page 15-02 for choosing proper model of lock.

Hoods, side entry, high construction



Thread	Designation	Order No.
M32	WV24B-SEH-2L/SC-M32	124 124 541 5001
M40	WV24B-SEH-2L/SC-M40	124 124 541 5002
PG21	WV24B-SEH-2L/SC-PG21	124 124 541 5003
PG29	WV24B-SEH-2L/SC-PG29	124 124 541 5004




Please refer to page 15-02 for choosing proper model of lock.

Hoods, top entry



Thread	Designation	Order No.
M25	WV24B-TE-2L/SC-M25	124 124 441 1001
PG21	WV24B-TE-2L/SC-PG21	124 124 441 1002




Please refer to page 15-02 for choosing proper model of lock.

Hoods, top entry, high construction



Thread	Designation	Order No.
M32	WV24B-TEH-2L/SC-M32	124 124 441 5001
M40	WV24B-TEH-2L/SC-M40	124 124 441 5002
PG21	WV24B-TEH-2L/SC-PG21	124 124 441 5003
PG29	WV24B-TEH-2L/SC-PG29	124 124 441 5004




Please refer to page 15-02 for choosing proper model of lock.

Bulkhead mounted housings



Thread	Designation	Order No.
---	WV24B-BK-4B	124 124 330 1101



24B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection: IP67 

Hoods, side entry, high construction




Thread	Designation	Order No.
M32	WV24B-SEH-1/LC-M32	124 124 550 5001
PG29	WV24B-SEH-1/LC-PG29	124 124 550 5002



Bulkhead mounted housings



Thread	Designation	Order No.
---	WV24B-BK-2B/C	124 124 350 1101



24B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection: IP67 

Hoods, side entry, high construction




Thread	Designation	Order No.
M32	WV24B-SEH-1/LB-M32	124 124 529 5001
PG29	WV24B-SEH-1/LB-PG29	124 124 529 5002



Bulkhead mounted housings



Thread	Designation	Order No.
---	WV24B-BK-2B/B	124 124 319 1101




32B Metal hoods/housings

Degree of protection: IP65

Housings, bulkhead mounting




Thread	Designation	Order No.
---	H32B-BK-1L/S	111 032 325 1001
	with plastic cover	
---	H32B-BK-1L/S-CV	111 032 365 1001
	with metal cover	
---	H32B-BK-1L/S-MCV	111 032 365 1101



Housings, surface mounting



Thread	Designation	Order No.
M32	H32B-SF-1L/S-M32	111 032 225 1004
2M32	H32B-SF-1L/S-2M32	111 032 225 1024
M40	H32B-SF-1L/S-M40	111 032 225 1005
2M40	H32B-SF-1L/S-2M40	111 032 225 1025
PG29	H32B-SF-1L/S-PG29	111 032 225 1012
2PG29	H32B-SF-1L/S-2PG29	111 032 225 1032
PG36	H32B-SF-1L/S-PG36	111 032 225 1013
2PG36	H32B-SF-1L/S-2PG36	111 032 225 1033
	with plastic cover	
M32	H32B-SF-1L/S-CV-M32	111 032 265 1004
2M32	H32B-SF-1L/S-CV-2M32	111 032 265 1024
M40	H32B-SF-1L/S-CV-M40	111 032 265 1005
2M40	H32B-SF-1L/S-CV-2M40	111 032 265 1025
PG29	H32B-SF-1L/S-CV-PG29	111 032 265 1012
2PG29	H32B-SF-1L/S-CV-2PG29	111 032 265 1032
PG36	H32B-SF-1L/S-CV-PG36	111 032 265 1013
2PG36	H32B-SF-1L/S-CV-2PG36	111 032 265 1033
	with metal cover	
M32	H32B-SF-1L/S-MCV-M32	111 032 265 1104
2M32	H32B-SF-1L/S-MCV-2M32	111 032 265 1124
M40	H32B-SF-1L/S-MCV-M40	111 032 265 1105
2M40	H32B-SF-1L/S-MCV-2M40	111 032 265 1125
PG29	H32B-SF-1L/S-MCV-PG29	111 032 265 1112
2PG29	H32B-SF-1L/S-MCV-2PG29	111 032 265 1132
PG36	H32B-SF-1L/S-MCV-PG36	111 032 265 1113
2PG36	H32B-SF-1L/S-MCV-2PG36	111 032 265 1133



32B Metal hoods/housings


Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H32B-BK-2L/SC	111 032 341 1001

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M32	H32B-SF-2L/SC-M32	111 032 241 1004
2M32	H32B-SF-2L/SC-2M32	111 032 241 1024
M40	H32B-SF-2L/SC-M40	111 032 241 1005
2M40	H32B-SF-2L/SC-2M40	111 032 241 1025
PG29	H32B-SF-2L/SC-PG29	111 032 241 1012
2PG29	H32B-SF-2L/SC-2PG29	111 032 241 1032
PG36	H32B-SF-2L/SC-PG36	111 032 241 1013
2PG36	H32B-SF-2L/SC-2PG36	111 032 241 1033
2PG42	H32B-SF-2L/SC-2PG42	111 032 241 1034


Please refer to page 15-02 for choosing proper model of lock.



Protection covers, metal



Connect way	Designation	Order No.
	H32B-MCV-4B/2	111 032 030 8102




Protection covers, metal



Connect way	Designation	Order No.
	H32B-MCV-2L/SC.1S	111 032 041 8101

Please refer to page 15-02 for choosing proper model of lock.



32B Metal hoods/housings


Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M32	W32B-SE-2B-M32	111 132 510 1001
M40	W32B-SE-2B-M40	111 132 510 1002
M50	W32B-SE-2B-M50	111 132 510 1003
PG29	W32B-SE-2B-PG29	111 132 510 1004
PG36	W32B-SE-2B-PG36	111 132 510 1005
PG42	W32B-SE-2B-PG42	111 132 510 1006



Hoods, top entry




Thread	Designation	Order No.
M32	W32B-TE-2B-M32	111 132 410 1001
M40	W32B-TE-2B-M40	111 132 410 1002
M50	W32B-TE-2B-M50	111 132 410 1003
PG29	W32B-TE-2B-PG29	111 132 410 1004
PG36	W32B-TE-2B-PG36	111 132 410 1005
PG42	W32B-TE-2B-PG42	111 132 410 1006



Bulkhead mounted housings



Thread	Designation	Order No.
---	W32B-BK-1L/S	111 132 325 1001



32B Metal hoods/housings


Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M32	W32B-SE-4B-M32	111 132 530 1001
M40	W32B-SE-4B-M40	111 132 530 1002
M50	W32B-SE-4B-M50	111 132 530 1003
PG29	W32B-SE-4B-PG29	111 132 530 1004
PG36	W32B-SE-4B-PG36	111 132 530 1005
PG42	W32B-SE-4B-PG42	111 132 530 1006



Hoods, top entry




Thread	Designation	Order No.
M32	W32B-TE-4B-M32	111 132 430 1001
M40	W32B-TE-4B-M40	111 132 430 1002
M50	W32B-TE-4B-M50	111 132 430 1003
PG29	W32B-TE-4B-PG29	111 132 430 1004
PG36	W32B-TE-4B-PG36	111 132 430 1005
PG42	W32B-TE-4B-PG42	111 132 430 1006



Bulkhead mounted housings



Thread	Designation	Order No.
---	W32B-BK-2L/SC	111 132 341 1001




Please refer to page 15-02 for choosing proper model of lock.

Housings, cable to cable



Thread	Designation	Order No.
M32	W32B-CCT-2L/SC-M32	111 132 741 1002
M40	W32B-CCT-2L/SC-M40	111 132 741 1003
M50	W32B-CCT-2L/SC-M50	111 132 741 1004
PG29	W32B-CCT-2L/SC-PG29	111 132 741 1005
PG36	W32B-CCT-2L/SC-PG36	111 132 741 1006
PG42	W32B-CCT-2L/SC-PG42	111 132 741 1007



Please refer to page 15-02 for choosing proper model of lock.

32B Pressure tight hoods/housings




Degree of protection: IP68/IP69K

Hoods, side entry, high construction




Thread	Designation	Order No.
M40	HP32B-SEH-2S-M40	115 032 520 5005
M50	HP32B-SEH-2S-M50	115 032 520 5006



Hoods, top entry, high construction




Thread	Designation	Order No.
M40	HP32B-TEH-2S-M40	115 032 420 5005
M50	HP32B-TEH-2S-M50	115 032 420 5006
M63	HP32B-TEH-2S-M63	115 032 420 5007



Bulkhead mounted housings



Thread	Designation	Order No.
---	HP32B-BK-2H	115 032 320 1001




Protection covers, metal

for housings



Thread	Designation	Order No.
---	HP32B-MCV-2S/2	115 032 020 8102




Protection covers, metal

for hoods



Thread	Designation	Order No.
---	HP32B-MCV-2H/1	115 032 020 8103




HV32B Metal hoods/housings
- for high voltage inserts(HVE Series)

Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV32B-BK-1L/S	124 032 325 1001
---	with plastic cover	
---	HV32B-BK-1L/S-CV	124 032 365 1001
---	with metal cover	
---	HV32B-BK-1L/S-MCV	124 032 365 1101



Housings, surface mounting




Thread	Designation	Order No.
M32	HV32B-SF-1L/S-M32	124 032 225 1004
2M32	HV32B-SF-1L/S-2M32	124 032 225 1024
M40	HV32B-SF-1L/S-M40	124 032 225 1005
2M40	HV32B-SF-1L/S-2M40	124 032 225 1025
PG29	HV32B-SF-1L/S-PG29	124 032 225 1012
2PG29	HV32B-SF-1L/S-2PG29	124 032 225 1032
PG36	HV32B-SF-1L/S-PG36	124 032 225 1013
2PG36	HV32B-SF-1L/S-2PG36	124 032 225 1033

with plastic cover

M32	HV32B-SF-1L/S-CV-M32	124 032 265 1004
2M32	HV32B-SF-1L/S-CV-2M32	124 032 265 1024
M40	HV32B-SF-1L/S-CV-M40	124 032 265 1005
2M40	HV32B-SF-1L/S-CV-2M40	124 032 265 1025
PG29	HV32B-SF-1L/S-CV-PG29	124 032 265 1012
2PG29	HV32B-SF-1L/S-CV-2PG29	124 032 265 1032
PG36	HV32B-SF-1L/S-CV-PG36	124 032 265 1013
2PG36	HV32B-SF-1L/S-CV-2PG36	124 032 265 1033

with metal cover

M32	HV32B-SF-1L/S-MCV-M32	124 032 265 1104
2M32	HV32B-SF-1L/S-MCV-2M32	124 032 265 1124
M40	HV32B-SF-1L/S-MCV-M40	124 032 265 1105
2M40	HV32B-SF-1L/S-MCV-2M40	124 032 265 1125
PG29	HV32B-SF-1L/S-MCV-PG29	124 032 265 1112
2PG29	HV32B-SF-1L/S-MCV-2PG29	124 032 265 1132
PG36	HV32B-SF-1L/S-MCV-PG36	124 032 265 1113
2PG36	HV32B-SF-1L/S-MCV-2PG36	124 032 265 1133



HV32B Metal hoods/housings

- for high voltage inserts(HVE Series)




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV32B-BK-2L/SC	124 032 341 1001

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M32	HV32B-SF-2L/SC-M32	124 032 241 1004
2M32	HV32B-SF-2L/SC-2M32	124 032 241 1024
M40	HV32B-SF-2L/SC-M40	124 032 241 1005
2M40	HV32B-SF-2L/SC-2M40	124 032 241 1025
PG29	HV32B-SF-2L/SC-PG29	124 032 241 1012
2PG29	HV32B-SF-2L/SC-2PG29	124 032 241 1032
PG36	HV32B-SF-2L/SC-PG36	124 032 241 1013
2PG36	HV32B-SF-2L/SC-2PG36	124 032 241 1033


Please refer to page 15-02 for choosing proper model of lock.



Protection covers, metal



Connect way	Designation	Order No.
	H32B-MCV-4B/2	111 032 030 8102




Protection covers, metal



Connect way	Designation	Order No.
	H32B-MCV-2L/SC.1S	111 032 041 8101

Please refer to page 15-02 for choosing proper model of lock.



32B Metal hoods/housings

- for high voltage inserts(HVE Series)




Degree of protection: IP67

Hoods, side entry




Thread	Designation	Order No.
M32	WV32B-SE-2B-M32	124 132 510 1001
PG29	WV32B-SE-2B-PG29	124 132 510 1002



Hoods, top entry




Thread	Designation	Order No.
M32	WV32B-TE-2B-M32	124 132 410 1001
M40	WV32B-TE-2B-M40	124 132 410 1002
M50	WV32B-TE-2B-M50	124 132 410 1003
PG29	WV32B-TE-2B-PG29	124 132 410 1004
PG36	WV32B-TE-2B-PG36	124 132 410 1005
PG42	WV32B-TE-2B-PG42	124 132 410 1006



Bulkhead mounted housings



Thread	Designation	Order No.
---	WV32B-BK-1L/S	124 132 325 1101



32B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M32	WV32B-SE-4B-M32	124 132 530 1001
M40	WV32B-SE-4B-M40	124 132 530 1002
PG29	WV32B-SE-4B-PG29	124 132 530 1003
PG36	WV32B-SE-4B-PG36	124 132 530 1004



Hoods, top entry




Thread	Designation	Order No.
M32	WV32B-TE-4B-M32	124 132 430 1001
M40	WV32B-TE-4B-M40	124 132 430 1002
M50	WV32B-TE-4B-M50	124 132 430 1003
PG29	WV32B-TE-4B-PG29	124 132 430 1004
PG36	WV32B-TE-4B-PG36	124 132 430 1005
PG42	WV32B-TE-4B-PG42	124 132 430 1006



Bulkhead mounted housings



Thread	Designation	Order No.
---	WV32B-BK-2L/SC	124 132 341 1101




Please refer to page 15-02 for choosing proper model of lock.

Housings, cable to cable



Thread	Designation	Order No.
M32	WV32B-CCT-2L/SC-M32	124 132 741 1001
M40	WV32B-CCT-2L/SC-M40	124 132 741 1002
PG29	WV32B-CCT-2L/SC-PG29	124 132 741 1003
PG36	WV32B-CCT-2L/SC-PG36	124 132 741 1004
PG42	WV32B-CCT-2L/SC-PG42	124 132 741 1005



Please refer to page 15-02 for choosing proper model of lock.

48B Metal hoods/housings




Degree of protection: IP65

Hoods, side entry




Thread	Designation	Order No.
M32	H48B-SE-2B-M32	111 048 515 1004
M40	H48B-SE-2B-M40	111 048 515 1005
M50	H48B-SE-2B-M50	111 048 515 1006
PG29	H48B-SE-2B-PG29	111 048 515 1012
PG36	H48B-SE-2B-PG36	111 048 515 1013
PG42	H48B-SE-2B-PG42	111 048 515 1014



Hoods, top entry




Thread	Designation	Order No.
M32	H48B-TE-2B-M32	111 048 415 1004
M40	H48B-TE-2B-M40	111 048 415 1005
M50	H48B-TE-2B-M50	111 048 415 1006
PG29	H48B-TE-2B-PG29	111 048 415 1012
PG36	H48B-TE-2B-PG36	111 048 415 1013
PG42	H48B-TE-2B-PG42	111 048 415 1014



Bulkhead mounted housings




Thread	Designation	Order No.
---	H48B-BK-1L/S	111 048 325 1001
---	H48B-BK-1L/S-CV	111 048 365 1001
---	H48B-BK-1L/S-MCV	111 048 365 1101



Surface mounted housings



Thread	Designation	Order No.
M32	H48B-SF-1L/S-M32	111 048 225 1004
2M32	H48B-SF-1L/S-2M32	111 048 225 1024
M40	H48B-SF-1L/S-M40	111 048 225 1005
2M40	H48B-SF-1L/S-2M40	111 048 225 1025
PG29	H48B-SF-1L/S-PG29	111 048 225 1012
2PG29	H48B-SF-1L/S-2PG29	111 048 225 1032
PG36	H48B-SF-1L/S-PG36	111 048 225 1013
2PG36	H48B-SF-1L/S-2PG36	111 048 225 1033
with plastic cover		
M32	H48B-SF-1L/S-CV-M32	111 048 265 1004
2M32	H48B-SF-1L/S-CV-2M32	111 048 265 1024
M40	H48B-SF-1L/S-CV-M40	111 048 265 1005
2M40	H48B-SF-1L/S-CV-2M40	111 048 265 1025
PG29	H48B-SF-1L/S-CV-PG29	111 048 265 1012
2PG29	H48B-SF-1L/S-CV-2PG29	111 048 265 1032
PG36	H48B-SF-1L/S-CV-PG36	111 048 265 1013
2PG36	H48B-SF-1L/S-CV-2PG36	111 048 265 1033
with metal cover		
M32	H48B-SF-1L/S-MCV-M32	111 048 265 1104
2M32	H48B-SF-1L/S-MCV-2M32	111 048 265 1124
M40	H48B-SF-1L/S-MCV-M40	111 048 265 1105
2M40	H48B-SF-1L/S-MCV-2M40	111 048 265 1125
PG29	H48B-SF-1L/S-MCV-PG29	111 048 265 1112
2PG29	H48B-SF-1L/S-MCV-2PG29	111 048 265 1132
PG36	H48B-SF-1L/S-MCV-PG36	111 048 265 1113
2PG36	H48B-SF-1L/S-MCV-2PG36	111 048 265 1133



48B Metal hoods/housings
Suitable for harsh environment(anti-corrosion)




Degree of protection: IP65

Hoods, side entry




Thread	Designation	Order No.
M32	H48B-MSE-2B-M32	112 048 510 1004
M40	H48B-MSE-2B-M40	112 048 510 1005
M50	H48B-MSE-2B-M50	112 048 510 1006



Hoods, top entry




Thread	Designation	Order No.
M40	H48B-MTE-2B-M40	112 048 410 1005
M50	H48B-MTE-2B-M50	112 048 410 1006



Bulkhead mounted housings



Thread	Designation	Order No.
---	with plastic cover	
---	H48B-MBK-1LS-CV	112 048 365 1001
---	with metal cover	
---	H48B-MBK-1LS-MMCV	112 048 365 1101



48B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection: IP65

Hoods, side entry




Thread	Designation	Order No.
M32	HV48B-SE-2B-M32	124 048 515 1004
M40	HV48B-SE-2B-M40	124 048 515 1005
M50	HV48B-SE-2B-M50	124 048 515 1006
PG29	HV48B-SE-2B-PG29	124 048 515 1012
PG36	HV48B-SE-2B-PG36	124 048 515 1013
PG42	HV48B-SE-2B-PG42	124 048 515 1014



Hoods, top entry




Thread	Designation	Order No.
M32	HV48B-TE-2B-M32	124 048 415 1004
M40	HV48B-TE-2B-M40	124 048 415 1005
M50	HV48B-TE-2B-M50	124 048 415 1006
PG29	HV48B-TE-2B-PG29	124 048 415 1012
PG36	HV48B-TE-2B-PG36	124 048 415 1013
PG42	HV48B-TE-2B-PG42	124 048 415 1014



Bulkhead mounted housings




Thread	Designation	Order No.
---	HV48B-BK-1LS	124 048 325 1001
---	with plastic cover	
---	HV48B-BK-1LS-CV	124 048 365 1001
---	with metal cover	
---	HV48B-BK-1LS-MCV	124 048 365 1101



Surface mounted housings



Thread	Designation	Order No.
M32	HV48B-SF-1LS-M32	124 048 225 1004
2M32	HV48B-SF-1LS-2M32	124 048 225 1024
M40	HV48B-SF-1LS-M40	124 048 225 1005
2M40	HV48B-SF-1LS-2M40	124 048 225 1025
PG29	HV48B-SF-1LS-PG29	124 048 225 1012
2PG29	HV48B-SF-1LS-2PG29	124 048 225 1032
PG36	HV48B-SF-1LS-PG36	124 048 225 1013
2PG36	HV48B-SF-1LS-2PG36	124 048 225 1033
	with plastic cover	
M32	HV48B-SF-1LS-CV-M32	124 048 265 1004
2M32	HV48B-SF-1LS-CV-2M32	124 048 265 1024
M40	HV48B-SF-1LS-CV-M40	124 048 265 1005
2M40	HV48B-SF-1LS-CV-2M40	124 048 265 1025
PG29	HV48B-SF-1LS-CV-PG29	124 048 265 1012
2PG29	HV48B-SF-1LS-CV-2PG29	124 048 265 1032
PG36	HV48B-SF-1LS-CV-PG36	124 048 265 1013
2PG36	HV48B-SF-1LS-CV-2PG36	124 048 265 1033
	with metal cover	
M32	HV48B-SF-1LS-MCV-M32	124 048 265 1104
2M32	HV48B-SF-1LS-MCV-2M32	124 048 265 1124
M40	HV48B-SF-1LS-MCV-M40	124 048 265 1105
2M40	HV48B-SF-1LS-MCV-2M40	124 048 265 1125
PG29	HV48B-SF-1LS-MCV-PG29	124 048 265 1112
2PG29	HV48B-SF-1LS-MCV-2PG29	124 048 265 1132
PG36	HV48B-SF-1LS-MCV-PG36	124 048 265 1113
2PG36	HV48B-SF-1LS-MCV-2PG36	124 048 265 1133



HC Plastic hoods/housings




Degree of protection: IP65

Hoods, side entry




Thread	Designation	Order No.
PG16	HC.P-SE-2B-PG16	130 008 510 1010



Hoods, top entry




Thread	Designation	Order No.
M25	HC.P-TE-2B-M25	130 008 410 1003
PG16	HC.P-TE-2B-PG16	130 008 410 1010
PG21	HC.P-TE-2B-PG21	130 008 410 1011



Hoods, top entry




Thread	Designation	Order No.
PAFS18	HC.P-TE-2B-PAFS18	130 008 410 1091



Bulkhead mounted housings




Thread	Designation	Order No.
---	HC.P-BK-1L-SE	130 008 927 1001



Surface mounted housings




Thread	Designation	Order No.
PG16	HC.P-SF-1L-PG16	130 008 227 1010



Bulkhead mounted housings



Thread	Designation	Order No.
---	HC.P-BK-1L	130 008 327 1001



HC Plastic hoods/housings




Degree of protection: IP65

Housings, cable to cable




Thread	Designation	Order No.
M25	HC.P-CCT-1L-M25	130 008 727 1003
PG16	HC.P-CCT-1L-PG16	130 008 727 1010



Housings, cable to cable




Thread	Designation	Order No.
PAFS18	HC.P-CCT-1L-PAFS18	130 008 727 1001



Protection covers



Thread	Designation	Order No.
---	Without sealing	
---	HC.P-CV-2B/1	130 008 010 8001
---	With sealing	
---	HC.P-CV-2B/2	130 008 010 8002



Cable gland, for hoods



Thread	Designation	Order No.
M25	WNAPC-M25B(D6.5-9.5)	102 112 018 2002
M25	WNAPC-M25B(D10.5-14)	102 112 018 2004
M25	WNAPC-M25B(D14-17)	102 112 018 2006
PG16	WNAPC-PG16B(D11.5-15.5)	102 112 005 2002
PG21	WNAPC-PG21B(D14-18)	102 112 006 2002
PG21	WNAPC-PG21B(D17-20.5)	102 112 006 2004

	cable		SW
	min.	max.	
WNAPC-M25B(D6.5-9.5)	6.5 mm	9.5 mm	30
WNAPC-M25B(D10.5-14)	10.5 mm	14 mm	30
WNAPC-M25B(D14-17)	14 mm	17 mm	30
WNAPC-PG16B(D11.5-15.5)	11.5 mm	15.5 mm	27
WNAPC-PG21B(D14-18)	14 mm	18 mm	33
WNAPC-PG21B(D17-20.5)	17 mm	20.5 mm	33

Cable gland, for housings



Thread	Designation	Order No.
PG16	WNAPC-PG16BS(D6.5-9.5)	102 112 005 2102
PG16	WNAPC-PG16BS(D11.5-15.5)	102 112 005 2004

	cable		SW
	min.	max.	
WNAPC-PG16BS(D6.5-9.5)	6.5 mm	9.5 mm	27
WNAPC-PG16BS(D11.5-15.5)	11.5 mm	15.5 mm	27

HC Metal hoods/housings




Epoxy power paint
Degree of protection: IP65

Hoods, side entry




Thread	Designation	Order No.
M25	HC-SE-2B-M25	130 008 510 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	HC-SEH-2B-M25	130 008 510 5003



Hoods, top entry, high construction



Thread	Designation	Order No.
M25	HC-TEH-2B-M25	130 008 410 5003




Hoods, side entry, high construction

Split type



Thread	Designation	Order No.
M25	HC-SEHS-2B-M25	130 008 510 5103




Hoods, top entry, high construction

Split type




Thread	Designation	Order No.
M25	HC-TEHS-2B-M25	130 008 410 5103



Bulkhead mounted housings



Thread	Designation	Order No.
---	HC-BK-1L/S	130 008 325 1001



HC Metal hoods/housings




Epoxy power paint
Degree of protection: IP65

Protection covers




Thread	Designation	Order No.
---	Without sealing	
---	HC-MCV-2B/1	130 008 010 8101
---	With sealing	
---	HC-MCV-2B/2	130 008 010 8102



Cable gland, for hoods



Thread	Designation	Order No.
M25	WNAMC-M25(D6.5-9.5)	102 111 018 1001
M25	WNAMC-M25(D10.5-14)	102 111 018 1002
M25	WNAMC-M25(D14-17)	102 111 018 1003



	Ø	cable		SW
		min.	max.	
WNAMC-M25	10.5-14	10.5 mm	14 mm	28
WNAMC-M25	14-17	14 mm	17 mm	28

HC Metal hoods/housings(EMC)




Nickel plating
Degree of protection: IP65

Hoods, side entry




Thread	Designation	Order No.
M25	EMC.HC-SE-2B-M25	130 608 510 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	EMC.HC-SEH-2B-M25	130 608 510 5003



Hoods, top entry, high construction



Thread	Designation	Order No.
M25	EMC.HC-TEH-2B-M25	130 608 410 5003




Hoods, side entry, high construction

Split type



Thread	Designation	Order No.
M25	EMC.HC-SEHS-2B-M25	130 608 510 5103




Hoods, top entry, high construction

Split type




Thread	Designation	Order No.
M25	EMC.HC-TEHS-2B-M25	130 608 410 5103



Bulkhead mounted housings



Thread	Designation	Order No.
---	EMC.HC-BK-1L/S	130 608 325 1001



HC Metal hoods/housings




Nickel plating
Degree of protection: IP65

Protection covers




Thread	Designation	Order No.
---	Without sealing	
---	EMC.HC-MCV-2B/1	130 608 010 8101
---	With sealing	
---	EMC.HC-MCV-2B/2	130 608 010 8102



Cable gland, for hoods



Thread	Designation	Order No.
M25	EMC.WNAMC-M25(D10.5-14/D6-11)	102 118 018 1001
M25	EMC.WNAMC-M25(D14-17/D9-13)	102 118 018 1003
M25	EMC.WNAMC-M25(D10.5-14/D9-13)	102 118 018 1002




	Clamping range	Clamping range shield
EMC.WNAMC-M25	10.5-14 mm	6-11 mm
EMC.WNAMC-M25	14-17 mm	9-13 mm
EMC.WNAMC-M25	10.5-14 mm	6-13 mm

Seal part

Material: EPDM



Thread	Designation	Order No.
---	H10A-BK-1L/SC-T	110 010 321 1002
---	H16A-BK-1L/SC-T	110 016 321 1002
---	H68-BK-1L/SC-T	111 006 321 1007
---	H10B-BK-2L/SC-T	111 010 341 1005
---	H16B-BK-2L/SC-T	111 016 341 1005
---	H24B-BK-2L/SC-T	111 024 341 1003




The thickened bottom gasket shown above is applicable to the regular BK housing of the same specification of H series.

Seal part


Material:CR



Thread	Designation	Order No.
---	6B-F/N	903 000 000 0107
---	10B-F/N	903 000 000 0040
---	16B-F/N	903 000 000 0062
---	24B-F/N	903 000 000 0081



The thickened bottom gasket shown above is applicable to the regular BK housing of the same specification of H series.



Performance characteristics:

- Color: dark grey
- Increase the compression thickness of sealing surface
Take "H16B-BK-2L/SC-T" as an example:
The thickness of regular gasket is 1.3mm, and thickened gasket is 2mm
- Limiting temperatures: -40°C...+125°C
- Gasket material: EPDM
- It has good weather resistance and can effectively slowdown aging!

Performance characteristics:

- Color: beige
- The thickness of the gasket is 5mm
- Limiting temperatures: -40°C...+125°C
- Gasket material: CR
- Good weather resistance, ozone resistance, oil resistance and solvent resistance, suitable for pitch system in wind power industry.

24B Metal hoods/housings




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H24B-BK-2L/SC	111 024 341 1001




Please refer to page 15-02 for choosing proper model of lock.

Housings, surface mounting



Thread	Designation	Order No.
M25	H24B-SF-2L/SC-M25	111 024 241 1003
2M25	H24B-SF-2L/SC-2M25	111 024 241 1023
PG21	H24B-SF-2L/SC-PG21	111 024 241 1011
2PG21	H24B-SF-2L/SC-2PG21	111 024 241 1031



Please refer to page 15-02 for choosing proper model of lock.


24B Metal hoods/housings



Degree of protection: IP65

Housings, surface mounting
high construction

Thread	Designation	Order No.
M32	H24B-SFH-2L/SC-M32	111 024 241 5004
2M32	H24B-SFH-2L/SC-2M32	111 024 241 5024
2M40	H24B-SFH-2L/SC-2M40	111 024 241 5025
PG21	H24B-SFH-2L/SC-PG21	111 024 241 5011
2PG21	H24B-SFH-2L/SC-2PG21	111 024 241 5031
PG29	H24B-SFH-2L/SC-PG29	111 024 241 5012
2PG29	H24B-SFH-2L/SC-2PG29	111 024 241 5032



Please refer to page 15-02 for choosing proper model of lock.


24B Metal hoods/housings

Degree of protection: IP65

Protection covers, plastic




Connect way	Application	Designation	Order No.
---	for hoods	H24B-CV-4C	111 024 090 8009



Protection covers, plastic



Connect way	Application	Designation	Order No.
	for Housings, cable to cable	H24B-CV-4B/1	111 024 030 8001
	for Housings, bulkhead mounting/surface mounting	H24B-CV-4B/2	111 024 030 8002




24B Metal hoods/housings

Degree of protection: IP65



Thread	Designation	Order No.
---	H24B-BK-4B	111 024 330 1001
---	with plastic cover	
---	H24B-BK-4B-CV	111 024 370 1001
---	with metal cover	
---	H24B-BK-4B-MCV	111 024 370 1101



24B Metal hoods/housings




Degree of protection: IP65

Housings, surface mounting



Thread	Designation	Order No.
M25	H24B-SF-4B-M25	111 024 230 1003
2M25	H24B-SF-4B-2M25	111 024 230 1023
PG21	H24B-SF-4B-PG21	111 024 230 1011
2PG21	H24B-SF-4B-2PG21	111 024 230 1031
with plastic cover		
M25	H24B-SF-4B-CV-M25	111 024 270 1003
2M25	H24B-SF-4B-CV-2M25	111 024 270 1023
PG21	H24B-SF-4B-CV-PG21	111 024 270 1011
2PG21	H24B-SF-4B-CV-2PG21	111 024 270 1031
with metal cover		
M25	H24B-SF-4B-MCV-M25	111 024 270 1103
2M25	H24B-SF-4B-MCV-2M25	111 024 270 1123
PG21	H24B-SF-4B-MCV-PG21	111 024 270 1111
2PG21	H24B-SF-4B-MCV-2PG21	111 024 270 1131




Housings, surface mounting

high construction




Thread	Designation	Order No.
M32	H24B-SFH-4B-M32	111 024 230 5004
2M32	H24B-SFH-4B-2M32	111 024 230 5024
PG21	H24B-SFH-4B-PG21	111 024 230 5011
2PG21	H24B-SFH-4B-2PG21	111 024 230 5031
PG29	H24B-SFH-4B-PG29	111 024 230 5012
2PG29	H24B-SFH-4B-2PG29	111 024 230 5032
with plastic cover		
M32	H24B-SFH-4B-CV-M32	111 024 270 5004
2M32	H24B-SFH-4B-CV-2M32	111 024 270 5024
PG21	H24B-SFH-4B-CV-PG21	111 024 270 5011
2PG21	H24B-SFH-4B-CV-2PG21	111 024 270 5031
PG29	H24B-SFH-4B-CV-PG29	111 024 270 5012
2PG29	H24B-SFH-4B-CV-2PG29	111 024 270 5032
with metal cover		
M32	H24B-SFH-4B-MCV-M32	111 024 270 5104
2M32	H24B-SFH-4B-MCV-2M32	111 024 270 5124
PG21	H24B-SFH-4B-MCV-PG21	111 024 270 5111
2PG21	H24B-SFH-4B-MCV-2PG21	111 024 270 5131
PG29	H24B-SFH-4B-MCV-PG29	111 024 270 5112
2PG29	H24B-SFH-4B-MCV-2PG29	111 024 270 5132



Protection covers, metal




Connect way	Application	Designation	Order No.
	for hoods	H24B-MCV-4B/1S	111 024 030 8103
	for housings, without sealing	H24B-MCV-4B/2	111 024 030 8102



Protection covers, metal



Connect way	Application	Designation	Order No.
	for hoods	H24B-MCV-2L/SC.1S	111 024 041 8101
	for housings	H24B-MCV-2L/SC.2	111 024 041 8102



Please refer to page 15-02 for choosing proper model of lock.

24B Metal hoods/housings



Degree of protection: IP65

Protection covers, plastic(IP54)




Connect way	Application	Designation	Order No.
	for housings	Z4B-CV/C	111 024 000 8004



Housings, bulkhead mounting



Thread	Designation	Order No.
---	H24B-BK-2B/C	111 024 355 1001



24B Metal hoods/housings




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H24B-BK-2B/B	111 024 315 1101



24B Metal hoods/housings

Suitable for harsh environment(anti-corrosion)




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H24B-MBK-2L/SC	112 024 341 1001

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M25	H24B-MSF-2L/SC-M25	112 024 241 1003
2M25	H24B-MSF-2L/SC-2M25	112 024 241 1023
PG21	H24B-MSF-2L/SC-PG21	112 024 241 1011
2PG21	H24B-MSF-2L/SC-2PG21	112 024 241 1031

Please refer to page 15-02 for choosing proper model of lock.



24B Metal hoods/housings
Suitable for harsh environment(anti-corrosion)




Degree of protection: IP65

Housings, surface mounting



Thread	Designation	Order No.
2M32	H24B--MSFH--2L/SC--2M32	112 024 241 5024
2PG29	H24B--MSFH--2L/SC--2PG29	112 024 241 5032




Please refer to page 15-02 for choosing proper model of lock.

Protection covers, metal




Connect way	Application	Designation	Order No.
	for hoods	H24B--MMCV--4B/1	112 024 030 8001
	for housings	H24B--MMCV--4B/2	112 024 030 8002



Protection covers, metal



Connect way	Application	Designation	Order No.
	for hoods	H24B--MMCV--2L/SC.1S	112 024 041 8001
	for housings	H24B--MMCV--2L/SC.2	112 024 041 8002



Please refer to page 15-02 for choosing proper model of lock.

24B Metal hoods/housings
Suitable for harsh environment(anti-corrosion)




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	H24B--MBK--2B/C	112 024 350 1001



24B EMC Metal hoods/housings




Degree of protection : IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	EMC1.H24B-BK-2L/SC	111 624 341 1501



Please refer to page 15-02 for choosing proper model of lock.

24B Metal hoods/housings




Degree of protection : IP67

Hoods, side entry




Thread	Designation	Designation
M25	W24B-SE-2B-M25	111 124 510 1001
M32	W24B-SE-2B-M32	111 124 510 1002
PG21	W24B-SE-2B-PG21	111 124 510 1003



Hoods, side entry, high construction




Thread	Designation	Designation
---	W24B-BEH-2B	111 124 910 5002
M32	W24B-SEH-2B-M32	111 124 510 5001
M40	W24B-SEH-2B-M40	111 124 510 5002
PG21	W24B-SEH-2B-PG21	111 124 510 5003
PG29	W24B-SEH-2B-PG29	111 124 510 5004



Hoods, top entry




Thread	Designation	Designation
M25	W24B-TE-2B-M25	111 124 410 1001
M32	W24B-TE-2B-M32	111 124 410 1002
PG21	W24B-TE-2B-PG21	111 124 410 1003
PG29	W24B-TE-2B-PG29	111 124 410 1004



Hoods, top entry, high construction



Thread	Designation	Designation
---	W24B-BEH-2B	111 124 910 5002
M32	W24B-TEH-2B-M32	111 124 410 5001
M40	W24B-TEH-2B-M40	111 124 410 5002
PG21	W24B-TEH-2B-PG21	111 124 410 5003
PG29	W24B-TEH-2B-PG29	111 124 410 5004




Housings, cable to cable



Thread	Designation	Designation
M25	W24B-CCT-1L/SC-M25	111 124 721 1001
M32	W24B-CCT-1L/SC-M32	111 124 721 1002
PG21	W24B-CCT-1L/SC-PG21	111 124 721 1003
PG29	W24B-CCT-1L/SC-PG29	111 124 721 1004

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable high construction



Thread	Designation	Designation
M32	W24B-CCTH-1L/SC-M32	111 124 721 5002
M40	W24B-CCTH-1L/SC-M40	111 124 721 5003
PG21	W24B-CCTH-1L/SC-PG21	111 124 721 5004
PG29	W24B-CCTH-1L/SC-PG29	111 124 721 5005

Please refer to page 15-02 for choosing proper model of lock.




Bulkhead mounted housings



Thread	Designation	Order No.
---	W24B-BK-1L/SC with plastic cover	111 124 321 1001
---	W24B-BK-1L/SC-CV with metal cover	111 124 321 8001
---	W24B-BK-1L/SC-MCV	111 124 321 8002

Please refer to page 15-02 for choosing proper model of lock.



24B Metal hoods/housings


Degree of protection : IP67



Hoods, side entry




Thread	Designation	Order No.
M25	W24B-SE-4B-M25	111 124 530 1001
M32	W24B-SE-4B-M32	111 124 530 1002
PG21	W24B-SE-4B-PG21	111 124 530 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
---	W24B-BEH-4B	111 124 930 5003
M32	W24B-SEH-4B-M32	111 124 530 5001
M40	W24B-SEH-4B-M40	111 124 530 5002
PG21	W24B-SEH-4B-PG21	111 124 530 5003
PG29	W24B-SEH-4B-PG29	111 124 530 5004



Hoods, side entry, high construction



Thread	Designation	Order No.
M50	W24B-SEH-4B-M50	111 024 530 5006
PG36	W24B-SEH-4B-PG36	111 024 530 5013

Suitable for cable with maximum OD Φ 32mm

Hoods, top entry



Thread	Designation	Order No.
M25	W24B-TE-4B-M25	111 124 430 1001
M32	W24B-TE-4B-M32	111 124 430 1002
PG21	W24B-TE-4B-PG21	111 124 430 1003
PG29	W24B-TE-4B-PG29	111 124 430 1004



Hoods, top entry, high construction




Thread	Designation	Order No.
---	W24B-BEH-4B	111 124 930 5003
M32	W24B-TEH-4B-M32	111 124 430 5001
M40	W24B-TEH-4B-M40	111 124 430 5002
PG21	W24B-TEH-4B-PG21	111 124 430 5003
PG29	W24B-TEH-4B-PG29	111 124 430 5004
2M32	W24B-TEH-4B-2M32	111 124 430 5005



Hoods, top entry, high construction



Thread	Designation	Order No.
M50	W24B-TEH-4B-M50	111 024 430 5006
PG36	W24B-TEH-4B-PG36	111 024 430 5013

Suitable for cable with maximum OD Φ 32mm

24B Metal hoods/housings


Degree of protection : IP67



Hoods, top entry, high construction




Thread	Designation	Order No.
M50	W24B.C-TEH/E-4B-M50	111 124 430 5007



Hoods, side entry, high construction



Thread	Designation	Order No.
M50	W24B.C-SEH/E-4B-M50	111 124 530 5005



24B Metal hoods/housings



Degree of protection: IP67


Bulkhead mounted housings

IP67



Thread	Designation	Order No.
---	W24B-BK-2L/SC	111 124 341 1002

Please refer to page 15-02 for choosing proper model of lock.




Bulkhead Mounted Housings

(Assemble the inserts in reverse direction)



Thread	Designation	Order No.
---	W24B-RBK-2L/SC	111 124 341 1003

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable



Thread	Designation	Order No.
M25	W24B-CCT-2L/SC-M25	111 124 741 1001
M32	W24B-CCT-2L/SC-M32	111 124 741 1002
PG21	W24B-CCT-2L/SC-PG21	111 124 741 1003
PG29	W24B-CCT-2L/SC-PG29	111 124 741 1004

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable high construction



Thread	Designation	Order No.
M32	W24B-CCTH-2L/SC-M32	111 124 741 5002
M40	W24B-CCTH-2L/SC-M40	111 124 741 5003
PG21	W24B-CCTH-2L/SC-PG21	111 124 741 5004
PG29	W24B-CCTH-2L/SC-PG29	111 124 741 5005

Please refer to page 15-02 for choosing proper model of lock.



24B Metal hoods/housings


Degree of protection: IP67

Hoods, side entry



Thread	Designation	Order No.
M25	W24B-SE-2L/SC-M25	111 124 541 1001
M32	W24B-SE-2L/SC-M32	111 124 541 1002
PG21	W24B-SE-2L/SC-PG21	111 124 541 1003

Please refer to page 15-02 for choosing proper model of lock.




Hoods, side entry, high construction



Thread	Designation	Order No.
M32	W24B-SEH-2L/SC-M32	111 124 541 5001
M40	W24B-SEH-2L/SC-M40	111 124 541 5002
PG21	W24B-SEH-2L/SC-PG21	111 124 541 5003
PG29	W24B-SEH-2L/SC-PG29	111 124 541 5004

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry



Thread	Designation	Order No.
M25	W24B-TE-2L/SC-M25	111 124 441 1001
M32	W24B-TE-2L/SC-M32	111 124 441 1002
PG21	W24B-TE-2L/SC-PG21	111 124 441 1003
PG29	W24B-TE-2L/SC-PG29	111 124 441 1004

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry, high construction



Thread	Designation	Order No.
M32	W24B-TEH-2L/SC-M32	111 124 441 5001
M40	W24B-TEH-2L/SC-M40	111 124 441 5002
PG21	W24B-TEH-2L/SC-PG21	111 124 441 5003
PG29	W24B-TEH-2L/SC-PG29	111 124 441 5004


Please refer to page 15-02 for choosing proper model of lock.



Bulkhead mounted housings



Thread	Designation	Order No.
---	W24B-BK-4B	111 124 330 1001



24B Metal hoods/housings




Degree of protection: IP67



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	W24B-SEH-1L/C-M25	111 124 550 5001
M32	W24B-SEH-1L/C-M32	111 124 550 5002
M40	W24B-SEH-1L/C-M40	111 124 550 5003
PG21	W24B-SEH-1L/C-PG21	111 124 550 5004
PG29	W24B-SEH-1L/C-PG29	111 124 550 5005



Bulkhead mounted housings




Thread	Designation	Order No.
---	W24B-BK-2B/C	111 024 350 1001



Hoods, side entry, high construction




Thread	Designation	Order No.
M40	W24B-SEH-1L/B-M40	111 124 529 5001
PG29	W24B-SEH-1L/B-PG29	111 124 529 5002



Bulkhead mounted housings



Thread	Designation	Order No.
---	W24B-BK-2B/B	111 124 319 1001



24B Metal hoods/housings

Suitable for harsh environment(anti-corrosion)




Degree of protection: IP67



Hoods, side entry




Thread	Designation	Order No.
M25	W24B-MSE-4B-M25	112 124 530 1001
PG21	W24B-MSE-4B-PG21	112 124 530 1002



Hoods, side entry, high construction




Thread	Designation	Order No.
M32	W24B-MSEH-4B-M32	112 124 530 5005
M40	W24B-MSEH-4B-M40	112 124 530 5006
PG29	W24B-MSEH-4B-PG29	112 124 530 5007



Hoods, top entry




Thread	Designation	Order No.
M25	W24B-MTE-4B-M25	112 124 530 1003



Hoods, top entry, high construction




Thread	Designation	Order No.
M32	W24B-MTEH-4B-M32	112 124 430 5006
M40	W24B-MTEH-4B-M40	112 124 430 5007
PG29	W24B-MTEH-4B-PG29	112 124 430 5008



Bulkhead mounted housings



Thread	Designation	Order No.
---	W24B-MBK-2L/SC	112 124 311 1001



Please refer to page 15-02 for choosing proper model of lock.


24B Metal hoods/housings
Suitable for harsh environment(anti-corrosion)



Degree of protection : IP67


Hoods, side entry, high construction

Thread	Designation	Order No.
M32	W24B-MSEH-1/LC-M32	112 124 550 5006
PG29	W24B-MSEH-1/LC-PG29	112 124 550 5007



Bulkhead mounted housings

Thread	Designation	Order No.
---	W24B-MBK-2/B/C	112 124 350 1001




24B EMC Metal hoods/housings



Degree of protection : IP67


Hoods, side entry, high construction

Thread	Designation	Order No.
M25	EMC.W24B-SE-4B-M25	111 224 530 1001
M32	EMC.W24B-SE-4B-M32	111 224 530 1002
PG21	EMC.W24B-SE-4B-PG21	111 224 530 1003




Hoods, side entry, high construction

Thread	Designation	Order No.
---	EMC.W24B-BEH-4B	111 224 930 5004
M32	EMC.W24B-SEH-4B-M32	111 224 530 5008
M40	EMC.W24B-SEH-4B-M40	111 224 530 5009
PG29	EMC.W24B-SEH-4B-PG29	111 224 530 5010




Hoods, top entry

Thread	Designation	Order No.
M25	EMC.W24B-TE-4B-M25	111 224 430 1001
M32	EMC.W24B-TE-4B-M32	111 224 430 1002
PG21	EMC.W24B-TE-4B-PG21	111 224 430 1003
PG29	EMC.W24B-TE-4B-PG29	111 224 430 1004



Hoods, top entry, high construction


Thread	Designation	Order No.
---	EMC.W24B-BEH-4B	111 224 930 5004
M32	EMC.W24B-TEH-4B-M32	111 224 430 5009
M40	EMC.W24B-TEH-4B-M40	111 224 430 5010
PG29	EMC.W24B-TEH-4B-PG29	111 224 430 5011



Bulkhead mounted housings

Thread	Designation	Order No.
---	EMC1.W24B-BK-2L/SC	111 124 341 1001

Please refer to page 15-02 for choosing proper model of lock.



24B Pressure tight hoods/housings




Degree of protection: IP68/IP69K

W version

Hoods, side entry, high construction




Thread	Designation	Order No.
M25	HP24B-SEH-2S-M25	115 024 520 5103
M32	HP24B-SEH-2S-M32	115 024 520 5104
M40	HP24B-SEH-2S-M40	115 024 520 5105
PG21	HP24B-SEH-2S-PG21	115 024 520 5111
PG29	HP24B-SEH-2S-PG29	115 024 520 5112



Hoods, top entry, high construction



Thread	Designation	Order No.
M25	HP24B-TEH-2S-M25	115 024 420 5103
M32	HP24B-TEH-2S-M32	115 024 420 5104
M40	HP24B-TEH-2S-M40	115 024 420 5105
M50	HP24B-TEH-2S-M50	115 024 420 5106
PG21	HP24B-TEH-2S-PG21	115 024 420 5111
PG29	HP24B-TEH-2S-PG29	115 024 420 5112
PG36	HP24B-TEH-2S-PG36	115 024 420 5113




Surface mounted housings

high construction




Thread	Designation	Order No.
M25	HP24B-SFH-2H-M25	115 024 220 5003
M32	HP24B-SFH-2H-M32	115 024 220 5004
M40	HP24B-SFH-2H-M40	115 024 220 5005
PG21	HP24B-SFH-2H-PG21	115 024 220 5011
PG29	HP24B-SFH-2H-PG29	115 024 220 5012



Bulkhead mounted housings




Thread	Designation	Order No.
---	HP24B-BK-2H	115 024 320 1001



Bulkhead mounted housings




Thread	Designation	Order No.
---	HP24B-BKS-2H	115 024 320 1101



Protection covers, plastic



Thread	Designation	Order No.
---	HP24B-CV-2S/2	115 024 020 8002



24B Pressure tight hoods/housings




Degree of protection: IP68/IP69K

W version

Hoods, side entry, high construction



Thread	Designation	Order No.
M50	HP24B-SEHH-2S-M50	115 024 520 5106



24B EMC Pressure tight hoods/housings


Degree of protection: IP68/IP69K

EMC Pressure tight hoods/housings

Hoods, top entry, high construction





Thread	Designation	Order No.
M25	EMC.W24B-TEH-4S-M32	111 124 430 5012
M32	EMC.W24B-TEH-4S-M40	111 224 430 1005



Bulkhead mounted housings



Thread	Designation	Order No.
---	EMC.W24B-BK-4H	111 224 330 1001



HV24B Metal hoods/housings

- for high voltage inserts(HVE Series)




Degree of protection : IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV24B-BK-1LSC	124 024 321 1001
	with plastic cover	
---	HV24B-BK-1LSC-CV	124 024 361 1001
	with metal cover	
---	HV24B-BK-1LSC-MCV	124 024 361 1101

Please refer to page 15-02 for choosing proper model of lock.




Housings, surface mounting



Thread	Designation	Order No.
M25	HV24B-SF-1LSC-M25	124 024 221 1003
2M25	HV24B-SF-1LSC-2M25	124 024 221 1023
PG21	HV24B-SF-1LSC-PG21	124 024 221 1011
2PG21	HV24B-SF-1LSC-2PG21	124 024 221 1031
	with plastic cover	
M25	HV24B-SF-1LSC-CV-M25	124 024 261 1003
2M25	HV24B-SF-1LSC-CV-2M25	124 024 261 1023
PG21	HV24B-SF-1LSC-CV-PG21	124 024 261 1011
2PG21	HV24B-SF-1LSC-CV-2PG21	124 024 261 1031
	with metal cover	
M25	HV24B-SF-1LSC-MCV-M25	124 024 261 1103
2M25	HV24B-SF-1LSC-MCV-2M25	124 024 261 1123
PG21	HV24B-SF-1LSC-MCV-PG21	124 024 261 1111
2PG21	HV24B-SF-1LSC-MCV-2PG21	124 024 261 1131

Please refer to page 15-02 for choosing proper model of lock.



HV24B Metal hoods/housings

- for high voltage inserts(HVE Series)

Degree of protection : IP65


Housings, surface mounting

high construction



Thread	Designation	Order No.
M32	HV24B-SFH-1LSC-M32	124 024 221 5004
2M32	HV24B-SFH-1LSC-2M32	124 024 221 5024
PG21	HV24B-SFH-1LSC-PG21	124 024 221 5011
2PG21	HV24B-SFH-1LSC-2PG21	124 024 221 5031
PG29	HV24B-SFH-1LSC-PG29	124 024 221 5012
2PG29	HV24B-SFH-1LSC-2PG29	124 024 221 5032
	with plastic cover	
M32	HV24B-SFH-1LSC-CV-M32	124 024 261 5004
2M32	HV24B-SFH-1LSC-CV-2M32	124 024 261 5024
PG21	HV24B-SFH-1LSC-CV-PG21	124 024 261 5011
2PG21	HV24B-SFH-1LSC-CV-2PG21	124 024 261 5031
PG29	HV24B-SFH-1LSC-CV-PG29	124 024 261 5012
2PG29	HV24B-SFH-1LSC-CV-2PG29	124 024 261 5032
	with metal cover	
M32	HV24B-SFH-1LSC-MCV-M32	124 024 261 5104
2M32	HV24B-SFH-1LSC-MCV-2M32	124 024 261 5124
PG21	HV24B-SFH-1LSC-MCV-PG21	124 024 261 5111
2PG21	HV24B-SFH-1LSC-MCV-2PG21	124 024 261 5131
PG29	HV24B-SFH-1LSC-MCV-PG29	124 024 261 5112
2PG29	HV24B-SFH-1LSC-MCV-2PG29	124 024 261 5132

Please refer to page 15-02 for choosing proper model of lock.



HV24B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV24B-BK-2LSC	124 024 341 1001




Please refer to page 15-02 for choosing proper model of lock.

Housings, surface mounting



Thread	Designation	Order No.
M25	HV24B-SF-2LSC-M25	124 024 241 1003
2M25	HV24B-SF-2LSC-2M25	124 024 241 1023
PG21	HV24B-SF-2LSC-PG21	124 024 241 1011
2PG21	HV24B-SF-2LSC-2PG21	124 024 241 1031




Please refer to page 15-02 for choosing proper model of lock.

Housings, surface mounting

high construction



Thread	Designation	Order No.
M32	HV24B-SFH-2LSC-M32	124 024 241 5004
2M32	HV24B-SFH-2LSC-2M32	124 024 241 5024
PG21	HV24B-SFH-2LSC-PG21	124 024 241 5011
2PG21	HV24B-SFH-2LSC-2PG21	124 024 241 5031
PG29	HV24B-SFH-2LSC-PG29	124 024 241 5012
2PG29	HV24B-SFH-2LSC-2PG29	124 024 241 5032



Please refer to page 15-02 for choosing proper model of lock.




HV24B Metal hoods/housings
- for high voltage inserts(HVE Series)

Degree of protection: IP65

Protection covers, plastic




Connect way	Application	Designation	Order No.
---	for hoods	H24B-CV-4C	111 024 030 8009



Protection covers, plastic



Connect way	Application	Designation	Order No.
	for Housings, cable to cable	H24B-CV-4B/1	111 024 030 8001
	for Housings, bulkhead mounting / surface mounting	H24B-CV-4B/2	111 024 030 8002




HV24B Metal hoods/housings
 - for high voltage inserts(HVE Series)


Degree of protection: IP65

Housings, bulkhead mounting




Thread	Designation	Order No.
---	HV24B-BK-4B with plastic cover	124 024 330 1001
---	HV24B-BK-4B-CV with metal cover	124 024 370 1001
---	HV24B-BK-4B-MCV	124 024 370 1101



Housings, surface mounting



Thread	Designation	Order No.
M25	HV24B-SF-4B-M25	124 024 230 1003
2M25	HV24B-SF-4B-2M25	124 024 230 1023
PG21	HV24B-SF-4B-PG21	124 024 230 1011
2PG21	HV24B-SF-4B-2PG21	124 024 230 1031
with plastic cover		
M25	HV24B-SF-4B-CV-M25	124 024 270 1003
2M25	HV24B-SF-4B-CV-2M25	124 024 270 1023
PG21	HV24B-SF-4B-CV-PG21	124 024 270 1011
2PG21	HV24B-SF-4B-CV-2PG21	124 024 270 1031
with metal cover		
M25	HV24B-SF-4B-MCV-M25	124 024 270 1103
2M25	HV24B-SF-4B-MCV-2M25	124 024 270 1123
PG21	HV24B-SF-4B-MCV-PG21	124 024 270 1111
2PG21	HV24B-SF-4B-MCV-2PG21	124 024 270 1131




Housings, surface mounting

high construction



Thread	Designation	Order No.
M32	HV24B-SFH-4B-M32	124 024 230 5004
2M32	HV24B-SFH-4B-2M32	124 024 230 5024
PG21	HV24B-SFH-4B-PG21	124 024 230 5011
2PG21	HV24B-SFH-4B-2PG21	124 024 230 5031
PG29	HV24B-SFH-4B-PG29	124 024 230 5012
2PG29	HV24B-SFH-4B-2PG29	124 024 230 5032
with plastic cover		
M32	HV24B-SFH-4B-CV-M32	124 024 270 5004
2M32	HV24B-SFH-4B-CV-2M32	124 024 270 5024
PG21	HV24B-SFH-4B-CV-PG21	124 024 270 5011
2PG21	HV24B-SFH-4B-CV-2PG21	124 024 270 5031
PG29	HV24B-SFH-4B-CV-PG29	124 024 270 5012
2PG29	HV24B-SFH-4B-CV-2PG29	124 024 270 5032
with metal cover		
M32	HV24B-SFH-4B-MCV-M32	124 024 270 5104
2M32	HV24B-SFH-4B-MCV-2M32	124 024 270 5124
PG21	HV24B-SFH-4B-MCV-PG21	124 024 270 5111
2PG21	HV24B-SFH-4B-MCV-2PG21	124 024 270 5131
PG29	HV24B-SFH-4B-MCV-PG29	124 024 270 5112
2PG29	HV24B-SFH-4B-MCV-2PG29	124 024 270 5132



 HV24B Metal hoods/housings
 - for high voltage inserts(HVE Series)


Degree of protection: IP65

Protection covers, metal




Connect way	Application	Designation	Order No.
	for hoods	H24B-MCV-4B/1S	111 024 030 8103
	for housings, without sealing	H24B-MCV-4B/2	111 024 030 8102



Protection covers, metal



Connect way	Application	Designation	Order No.
	for hoods	H24B-MCV-2L/SC.1S	111 024 041 8101
	for housings	H24B-MCV-2L/SC.2	111 024 041 8102



Please refer to page 15-02 for choosing proper model of lock.

HV24B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV24B-BK-2B/C	124 024 355 1001



HV24B Metal hoods/housings
- for high voltage inserts(HVE Series)




Degree of protection: IP65

Housings, bulkhead mounting



Thread	Designation	Order No.
---	HV24B-BK-2B/B	124 024 315 1001



24B Metal hoods/housings - for high voltage inserts(HVE Series)




Degree of protection : IP67



Hoods, side entry




Thread	Designation	Order No.
M25	WV24B-SE-2B-M25	124 124 510 1001
M32	WV24B-SE-2B-M32	124 124 510 1002
PG21	WV24B-SE-2B-PG21	124 124 510 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
M32	WV24B-SEH-2B-M32	124 124 510 5001
M40	WV24B-SEH-2B-M40	124 124 510 5002
PG21	WV24B-SEH-2B-PG21	124 124 510 5003
PG29	WV24B-SEH-2B-PG29	124 124 510 5004



Hoods, top entry




Thread	Designation	Order No.
M25	WV24B-TE-2B-M25	124 124 410 1001
M32	WV24B-TE-2B-M32	124 124 410 1002
PG21	WV24B-TE-2B-PG21	124 124 410 1003



Hoods, top entry, high construction



Thread	Designation	Order No.
M32	WV24B-TEH-2B-M32	124 124 410 5001
M40	WV24B-TEH-2B-M40	124 124 410 5002
PG21	WV24B-TEH-2B-PG21	124 124 410 5003
PG29	WV24B-TEH-2B-PG29	124 124 410 5004




Housings, cable to cable



Thread	Designation	Order No.
M25	WV24B-CCT-1L/SC-M25	124 124 721 1001
PG21	WV24B-CCT-1L/SC-PG21	124 124 721 1002

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable
high construction



Thread	Designation	Order No.
M32	WV24B-CCTH-1L/SC-M32	124 124 721 5001
M40	WV24B-CCTH-1L/SC-M40	124 124 721 5002
PG21	WV24B-CCTH-1L/SC-PG21	124 124 721 5003
PG29	WV24B-CCTH-1L/SC-PG29	124 124 721 5004

Please refer to page 15-02 for choosing proper model of lock.




Bulkhead mounted housings



Thread	Designation	Order No.
---	WV24B-BK-1L/SC	124 124 321 1101
---	with plastic cover	
---	WV24B-BK-1L/SC-CV	111 124 321 8003
---	with metal cover	
---	WV24B-BK-1L/SC-MCV	111 124 321 8004

Please refer to page 15-02 for choosing proper model of lock.



24B Metal hoods/housings - for high voltage inserts(HVE Series)




Degree of protection : IP67



Hoods, side entry




Thread	Designation	Order No.
M25	WV24B-SE-4B-M25	124 124 530 1001
M32	WV24B-SE-4B-M32	124 124 530 1002
PG21	WV24B-SE-4B-PG21	124 124 530 1003



Hoods, side entry, high construction



Thread	Designation	Order No.
M32	WV24B-SEH-4B-M32	124 124 530 5001
M40	WV24B-SEH-4B-M40	124 124 530 5002
PG21	WV24B-SEH-4B-PG21	124 124 530 5003
PG29	WV24B-SEH-4B-PG29	124 124 530 5004




Hoods, side entry, high construction



Thread	Designation	Order No.
M50	WV24B-SEH-4B-M50	124 124 530 5005
PG36	WV24B-SEH-4B-PG36	124 124 530 5006


Suitable for cable with maximum OD Φ 32mm



Hoods, top entry




Thread	Designation	Order No.
M25	WV24B-TE-4B-M25	124 124 430 1001
M32	WV24B-TE-4B-M32	124 124 430 1002
PG21	WV24B-TE-4B-PG21	124 124 430 1003



Hoods, top entry, high construction



Thread	Designation	Order No.
M32	WV24B-TEH-4B-M32	124 124 430 5001
M40	WV24B-TEH-4B-M40	124 124 430 5002
PG21	WV24B-TEH-4B-PG21	124 124 430 5003
PG29	WV24B-TEH-4B-PG29	124 124 430 5004



Hoods, top entry, high construction



Thread	Designation	Order No.
M50	WV24B-TEH-4B-M50	124 124 430 5005
PG36	WV24B-TEH-4B-PG36	124 124 430 5006

