

smiths interconnect
a **molex** company



Railway

Connectivity Solutions

CUTTING-EDGE
CONNECTIVITY

About Smiths Interconnect



We Offer



Smiths Interconnect, a Molex company, is a leading provider of high reliability connectivity products and solutions serving segments of aerospace and defence, medical, semiconductor test and industrial markets. It designs and manufactures technically differentiated electronic components, as well as microwave, optical and radio frequency products and sub-systems that connect, protect and control critical applications.

Smiths Interconnect is the supplier of choice for safe, efficient and reliable connectivity in railway applications. Our experience in high performance connector solutions, antenna systems, RF components and cable assemblies for rolling stock, signalling and infrastructure results in customer-driven, reliable solutions for our customers.

Our technology brands (EMC, Hypertac, IDI, Lorch, Plastronics, Reflex Photonics, RF Labs, Sabritec and HSI) are synonymous with exceptional performance in technologically advanced, high quality solutions required for a high degree of safety and durability. Our extensive product portfolio includes high reliability electrical connectors and cable assemblies, rugged embedded transceivers and a wide range of innovative RF and microwave solutions.



Defence & Aerospace



Communications



Industrial



Your partner
of choice for
cutting-edge
connectivity
solutions

80+

Years
Experience

Technology

Broad Range of Advanced
Interconnect Technologies


Flexibility

High Volume Product Platforms
& Complete Tailored Solutions

Service


Global Reach with
Local Support

Technology Brands




PLASTRONICS

A leading supplier of burn-in test socket solutions for all the latest packaged devices. With the most comprehensive QFN catalog in the world, in addition to a large portfolio of sockets for burn-in, HAST, failure analysis and other test requirements for Leaded, LGA and BGA devices.



IDI

World's most comprehensive offering of spring probe based solutions, including: contacts, connectors, interposers, semiconductor test sockets, and ATE interfaces. Proven off-the-shelf and custom products deliver the best solution for the customer's specific application.



HYPERTAC

Premium interconnect solutions for electrical and electronic applications requiring optimised quality, performance, and reliability. Hypertac connectors utilise the original high performance hyperboloid contact technology; ideal for harsh environments and safety critical applications.



HSI

Joint venture with Sichuan Huafeng Enterprise Group Co. Ltd, one of the major manufacturers of electronic components in China. Industry-leading connectivity solutions for commercial aerospace and railway markets in mainland China.



SABRITEC


High speed quadax, twinax, fibre optic, filter, coax and triax connectors, contacts and cable assemblies. Custom multi-pin circular, D-Sub rack and panel connectors and MIL-Spec interface type products.

Connectors

Fibre Optics & RF Components

Semiconductor Test

Connectors | Fibre Optics & RF Components | Semiconductor Test



EMC

Board-level components incorporating advanced resistive and signal distribution technologies for a broad range of frequency spectrum applications. Extensive portfolio of RF devices used to attenuate, level, or terminate signals available in a variety of packages and footprints.



LORCH

Innovative solutions for the electronics and communications industries. Ranging from high performance wireless and RF products to micro-miniature, cavity, discrete, waveguide, tunable, ceramic, and printed filters and integrated assemblies.



REFLEX PHOTONICS

Embedded transceivers and transmit/receive modules for advanced interconnect-based solutions. Targeting high data rate interconnects where ruggedness and radiation resistance are required for defence, space, commercial aerospace and industrial applications.




RF LABS

High performance microwave cable assemblies and coaxial components supporting high performance operations, application-specific premium interconnects for high durability and harsh environments.

Synonymous with High Performance, Reliability and Safety.

Applications



Rolling Stock

Safety Control & Command

- Driver Cabin
- Lightning
- Alarms
- Sensors
- Seats
- Door & Brake Control
- Electromagnetic Valves
- Air Conditioning


Rolling Stock

Power Distribution


- Energy Storage Systems
- Inter-vehicles Junctions
- Regenerative Braking Systems

Providing A Competitive Advantage

We offer proven quality, innovative and environmentally friendly solutions conforming to the main international railway standards. We constantly adapt our products to tomorrow's technologies while meeting our customers requirements. Our know-how and application expertise ensure the design and manufacturing of cost effective product platforms as well as completely tailored solutions for the harshest railway conditions. We provide our customers with a competitive advantage when tackling the challenges of higher power, increased data rates, wider bandwidth, and greater connectivity all within a smaller footprint.



- Rolling Stock - Safety Control & Command
- Rolling Stock - Power Distribution
- Signalling
- Station & Information System




Signalling

- Digital Tracking ERTMS/ETCS
- Communication-based Train Control
- Security Equipment

Station & Information System

- Digital Tracking GSM-R
- Ground Communications
- Red Light Traffic Management
- Passenger Information & In-train Entertainment
- Video Surveillance & E-Ticketing

Connectors



Sustainability, Reliability & Safety


Through our Hypertac, HSI, IDI and Sabritec technology brands, we supply application-specific, high-reliability electrical interconnect solutions from platforms to bespoke products. Our reliable contact technologies are the core of our advanced interconnect solutions: Hyperboloid, Spring Probe, High Speed, Fibre Optic and High Power.

**Environmentally
friendly solutions
that conform
to main railway
standards**

Environmentally Sealed Rectangular Plastic

REP Series

- Available with the proven Hypertac® hyperboloid contact technology (up to 20,000 mating cycles) and with the MR screw machined contacts (up to 500 mating cycles)
- Conforms to EN 45545 and EN 50124 standards
- Voltage rating up to 400 V
- Allows wire sections from 0.5 mm² to 2.5 mm² (20-12AWG)
- Shunt function available
- 2, 6, and 12 way standard sealed insulators
- Crimp, straight or bent termination options



Mini Modular

H/N Series

- High-density mini modular connectors
- Allows up to 900 contact positions
- Building block system composed of custom module combinations within a connector frame
- Keying system available
- Jackscrews available in half-turn quick disconnect
- Float mountable for blind mating



Data Transfer Rectangular

CEA Series

- Offset grid contact layout, one or two contact rows within dielectric connector body
- 1.5mm nominal pin dia contact size: 3, 5 and 9 contact positions
- Hand solder, dip solder & crimp termination styles



Rack & Panel Modular Plastic

L Series

- Mixed signal, power, coaxial, data, fibre optic and pneumatic modules
- Provides up to 200 amp power
- Cable to chassis and rack & panel; plastic backshell with strain relief and half turn quick disconnect jackscrew
- Float mountable for blind mating
- Configurations compliant to EN45545 standards
- Large offering thanks to the modularity
- High reliability contact technology
- Several locking devices and hood are proposed



Efficient,
environmentally
friendly & flexible
solutions



Float Mount Modular Metal

LHS/LHZ Series

- Qualified according to SNCF NF F 61-032 standards
- Signal, power, coax and data (Ethernet) modules available
- Float mounting ± 1.25 mm
- Gold plating Hyperboloid contacts with a large crimp section



High Density, High Power, Intercoach Couplers

Transformer Heavy and Easy Power Series

- Compliant to: NF F 61-030, 16-101, 16-102 and EN 45545-2 (HL3 for RV22 and RV23)
- High power, up to 300A / 500A
- Straight, angled and shunt termination styles
- Cable section size from 25mm² to 50mm² / 240mm²
- IP66, IP67 rating according to NF EN 60529
- Tortac[®] High Power Contact (HPT) technology



Rugged Circular Metal

M12 Series

- Compact IP67 metal shell
- 360° EMI shielding
- Hyperboloid contact technology
- Compliant with fire and smoke standards
- Straight and right angle 90° rotatable backshell
- Compatible with most commonly used rail cables
- Easy to terminate, field attachable



High Power Quick Release

HBB Series

- Compact and small size for weight savings available in single pole version
- Quick locking device
- Current ratings from 300A to 500A
- 360° EMI/RFI shielding
- Sealed IPx7 and IP6K9K when mated
- Robust metal shells



Supporting on-board services for improved traveller experience

A woman with dark hair tied back, wearing a bright yellow V-neck sweater, is seated and looking down at a tablet device she is holding in her hands. The background is a blurred interior, likely a train carriage, with blue and white tones. The lighting is soft and focused on the woman.

Shielded Circular Metal

C Series

- Suitable to EN Railway cables
- High shock & vibration resistance EN 61373 Level 2
- IP67 metal shell
- Hyperboloid gold plating contacts with a large crimp section
- High performance in a smaller space



Circular Metal Transponder

BOA Series

- Compliant to VG95234, MIL-C-5015, MIL-C-26482
- Simple and cost effective installation
- Practically maintenance-free
- Low susceptibility to vandalism
- Vibration tests compliant to IS-402




High Power Battery Connectors

- Low power consumption with Hypertac Green Connect™: the lower contact resistance of hyperboloid technology
- High voltage interlock (HVIL) monitoring safety mechanism for enhanced electrical safety
- Suitable for harsh environments: IP67 (mated), suitable for high shock and vibration
- Compliant to EN45545-2



PCB Connectors for Harsh Environments and Complex Electronics

- Low, medium and high density connectors with long life cycle
- Signal, power, coaxial and high speed, RF contacts and spring probes solutions
- Immunity to shock and vibration fretting
- Compact Signal and Ethernet PCB Connectors
- Straight dip, right angle solder, crimp, solder cup and Wire Wrap® terminations
- Board-to-board, cable to board, cable to cable and stacking



RF Components & Cable Assemblies




Advanced Technologies & Solutions

Through our EMC and RF Labs brands, we provide RF/Microwave components including resistive & signal distribution components and cable assemblies for demanding high reliability environments. They target a broad range of frequency spectrum applications and high reliability interconnects supporting high performance operations and they attenuate, level or terminate signals in a variety of packages and footprints.

**Application
specific premium
interconnects for
high durability**

RF Components

- Thermopad® temperature variable attenuators from DC through Ka Band
- High power and small signal fixed attenuators DC to 60 GHz
- RF resistors and terminations including surface mount chips, tab & cover chips, flange mounted, rod types and Diamond RF Resistives®
- Surface mount outrigger resistors and terminations
- Surface mount chip equalizers
- Isolators and circulators



Semi-Rigid & Hand Formable

Cable Assemblies

- Mode free operation DC to 110 GHz
- High isolation: up to >100 dB
- Copper or aluminium jackets
- Range of protective coverings available



RF Cable Assemblies

Titan-Flex® Series

- Robust solder termination
- Crush resistant and durable
- Superior electrical performance
- Optimised to 18 GHz



RF Flexible Cable Assemblies


Lab-Flex® Series

- Custom braids for strength
- Field proven up to 50 GHz
- Low loss, up to 40% less loss
- Shielding greater than 90 dB
- Stranded centre conductor version available



Did you know?

Our Lab-Flex® cable assemblies are qualified for harsh environments and support up to 100 GHz.



Hypertac® Hyperboloid Contacts - HC

- Extremely low insertion/extraction forces
- Industry-leading mating cycles (up to 100,000)
- No fretting corrosion during life cycle
- Very low contact resistance



Screw-Machined Contacts – MR

- Rail standard contact life up to 500 mating cycles
- Tested signal integrity, no contact interruption >50 ns
- Low level contact resistance and low insertion/extraction forces



High-Speed Contacts

- Twinax, triax and quadrax contacts suitable for high speed signal up to 100 MHz
- Fit various insert arrangements for d-sub, circular, PCB and rack and panel connectors



High-Power Contacts

- Current ratings up to 650A
- Fit various insert arrangements for waterproof modular & circular connectors
- Fully RoHS and REACH compliant
- Low contact resistance resulting in low temperature rise



Stamped Hyperboloid Contact - HCS

- Ideal for high volumes requiring a fully automated crimping process
- Delivered on reels for crimping machines with automatic feeder lines
- High reliability wire and insulation crimp



80+

Years Experience



Market-leading Engineering & Technology Solutions

Certifications, Standards & Compliance

- AS9100D
- ISO 9001
- ISO 14001
- ISO 45001
- NF F 61-030
- NF F 61-032
- NF F 16-101
- NF F 16-102
- NF-C 93421
- DIN 41612
- DIN 43652
- EN 50124
- EN 45545-2
- IEEE-1101.2-'92
- IEC 1076-4 101
- IEC 61373
- IEC 61984
- HE 501
- HE 704
- UTE C93-425
- UL94 VO
- RoHS compliance
- IRIS

Engineering

- 3D EM Modelling
- Advanced RF & System Modelling
- CAD/CAM & Solid Modelling
- Finite Element Analysis
 - Thermal Analysis
 - Shock & Vibration Analysis
- Reliability Analysis

Prototyping


- CNC Turning & Milling Centres
- Cabling / Prototype Assembly
- 3D Printing
- Ceramic Grinding
- EDM
- Circuit Board Routing

Manufacturing

- Precision Machine Shops
- Connector, Contact & Cable Assembly
- Automated PCB Assembly & Inspection
- Automated Hybrid Assembly
 - Die Placement
 - Wedge & Wire Bonding
 - Gap Welding
- NASA Certified Soldering
- Automated Test & Tune
- Optical Alignment
- System Integration
- Validation Testing

Testing/Qualification

- Electrical Acceptance & LOT Test
- RF Test Capability, up to 325 GHz
- High Speed Digital
- Anechoic Chamber Testing
- ESS Environmental Qualification
- ESS Temperature, Shock & Vibration
- Metallurgical
- Real Time X-Ray
- Thermal Vacuum
- High Power RF Testing
- Optics Lab
- Multi paction, SRS mechanical shock



Connecting Global Markets

Smiths Interconnect's strong focus on serving international markets and customers is supported by our sales and technical teams across the Americas, Europe and Asia.

smithsinterconnect.com



Business Unit

Connectors

Fibre Optics &
RF Components

Semiconductor
Test

Worldwide Support

Americas

Sales

connectors.uscsr@smithsinterconnect.com

Technical Support

connectors.ustechsupport@smithsinterconnect.com

Europe

Sales

connectors.emeacsr@smithsinterconnect.com

Technical Support

connectors.emeatechsupport@smithsinterconnect.com

Asia

Sales

asiacsr@smithsinterconnect.com

Technical Support

asiatechsupport@smithsinterconnect.com

Sales

focom.uscsr@smithsinterconnect.com

Technical Support

focom.techsupport@smithsinterconnect.com

Sales

focom.emeacsr@smithsinterconnect.com

Technical Support

focom.techsupport@smithsinterconnect.com

Sales

focom.asiacsr@smithsinterconnect.com

Technical Support

focom.techsupport@smithsinterconnect.com

Sales

semi.uscsr@smithsinterconnect.com

Technical Support

semi.techsupport@smithsinterconnect.com

Sales

semi.emeacsr@smithsinterconnect.com

Technical Support

semi.techsupport@smithsinterconnect.com

Sales

semi.asiacsr@smithsinterconnect.com

Technical Support

semi.techsupport@smithsinterconnect.com



Pioneers of Progress

Advancing the world through cutting-edge connectivity

We aim to be the partner of choice for innovative connectivity solutions where reliability, high quality, technical expertise, application knowledge, and a reputation for excellence is vital.

smithsinterconnect.com | [in](#) [X](#) [YouTube](#) [WeChat](#)